

Subject: Dier Redigeerverslag
From: <amdev@zippnorth.co.za>
Date: 2025/11/25, 12:30 pm
To: "'Chantelle de Swardt'" <chantelled@studbook.co.za>

Goeie middag Chantelle

Ek hoop als is reg by jou ... nogsteeds koud en nat. Die jaar moer nou klaar almal nou g@#vol!

Ek heg vir jou 2 verslae met uitslae van Unistel aan:

1. **AG250331** : Moeder AG210535 wat sê moeder gemerk as pending, wat wel so wys op Logix a.g.v. "Dam error on DNA". Ek heg ook die uitslae vanaf Unistel aan wat bevestig dat GZV18-164 die moeder is van AG21-535 asook die profiel van GZV18-164 soos getoets deur Unistel.
2. **AG250618** : Ek heg Unistel se uitslae aan waar dit bevestig is dat AG230085 wel vroulik is. Ek sien dat ek op 28/05 versoek het dat die geslag moet verander na manlik ... groot fout ... myne ... dit was 'n vingerfout dit moes wees AG250085 (wat jy verlede week verander het). Baie jammer daaroor ... dit is my fout.

Lekker dag verder.

Ek laat weet jou van die ander op die Redigeerverslag.

Groete
Zanne

— Attachments: —

FOUTE 1.pdf

1.2 MB

Batch Detail Report

Created : 2021-10-29

Batch : 6674U
 Owner :Arthur de Villiers
 Farm :Arthur De Villiers and Son
 Account : ADV01
 Origin : PRIVATE
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
6674U036	AG21-0635 (F,1)	CATTLE	BONSMARA (1)	GZV18-0164 (F,1)(Valid)	JRB17-0187 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	39870

Report Date : 15-Oct-2025 10:09

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

Batch Detail Report

Created : 2021-10-29

Batch : 6674U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
6674U036	AG21-0535 (F,1)	CATTLE	BONSMARA (1)	GZV18-0164 (F,1)(Valid)	JRB17-0187 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	39870

Report Date : 15-Oct-2025 10:09

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Created : 2022-02-21

Batch Detail Report

Batch : 7858U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAW	SIZE	TEST	Tissue Type	RESULT	INVOICE
7858U089	GZV18-0164 (F.1)	CATTLE	BONSMARA (1)			PAR_C	Hair	PU : Profile (Unistel)	

Report Date : 15-Oct-2025 10:06

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14599U010	AG23-0071 (F,1)	CATTLE	BONSMARA (1)	AG19-0400 (F,1)(Valid)	HAS19-0175 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U011	AG23-0072 (F,1)	CATTLE	BONSMARA (1)	AG18-0256 (F,1)(Valid)	AG18-0440 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U012	AG23-0074 (F,1)	CATTLE	BONSMARA (1)	AG20-0723 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U013	AG23-0076 (M,1)	CATTLE	BONSMARA (1)	AG21-0406 (F,1)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
14599U014	AG23-0077 (F,1)	CATTLE	BONSMARA (1)	AG18-0019 (F,1)(Valid)	AG18-0440 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U015	AG23-0079 (M,1)	CATTLE	BONSMARA (1)	AG19-0370 (F,1)(Valid)	HAS19-0175 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U016	AG23-0080 (M,1)	CATTLE	BONSMARA (1)	AG19-0350 (F,1)(Valid)	HAS19-0175 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U017	AG23-0081 (M,1)	CATTLE	BONSMARA (1)	AG17-0065 (F,1)(Valid)	AG18-0440 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U018	AG23-0082 (F,1)	CATTLE	BONSMARA (1)	AG19-0867 (F,1)(Valid)	HAS19-0175 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U019	AG23-0083 (M,1)	CATTLE	BONSMARA (1)	AG20-0294 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U020	AG23-0084 (F,1)	CATTLE	BONSMARA (1)	AG19-0340 (F,1)(Valid)	HAS19-0175 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U021	AG23-0085 (F,1)	CATTLE	BONSMARA	AG20-0446 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 29-Aug-2023 12:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2023-08-11

Batch : 14599U
 Owner :Arthur de Villiers
 Farm :Arthur De Villiers and Son
 Account : ADV01
 Origin : PRIVATE
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14599U001	AG22-0037 (F,1)	CATTLE	BONSMARA (1)	AG18-0468 (F,1)(Valid)	AG17-0106 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U002	AG23-0058 (M,1)	CATTLE	BONSMARA (1)	AG15-0837 (F,1)(Valid)	SBB18-0006 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U003	AG23-0060 (M,1)	CATTLE	BONSMARA (1)	AG18-1003 (F,1)(Valid)	AG18-0468 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U004	AG23-0061 (F,1)	CATTLE	BONSMARA (1)		AG16-0138 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
14599U005	AG23-0062 (F,1)	CATTLE	BONSMARA (1)		AG14-0046 (M,1)(Valid) CEF11-0362 (M,1)(Valid) AG18-0257 (M,1)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
14599U006	AG23-0063 (F,1)	CATTLE	BONSMARA (1)	AG17-0104 (F,1)(Valid)	AG18-0440 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U007	AG23-0064 (F,1)	CATTLE	BONSMARA (1)	AG19-0887 (F,1)(Valid)	WBB18-0314 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U008	AG23-0065 (M,1)	CATTLE	BONSMARA (1)	AG18-1080 (F,1)(Valid)	AG18-0440 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14599U009	AG23-0066 (F,1)	CATTLE	BONSMARA (1)	AG19-0136 (F,1)(Valid)	WBB18-0314 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 29-Aug-2023 12:18

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER



SA
STAMBOEK
STUD BOOK

Geboorte Kennisgewings

Edit Lists

compiled by the S.A. Studbook and Animal Improvement Association



BONSMARA
SA

Animal ID	Birth	Sire	Dam	Editing Required
PARTICIPANT: 0697582BON ARTHUR DE VILLIERS & SEUN				
BATCH: ABON0697582BP90				
AG240531 240531	BONFAG 24/11/2024	BONMAG 180300	BONFAG 210060	Minimum intergeboorte of 170 dae tussen 2 kalwings vereis. (Die ander datum is in Extensions (ABON0697582BP76)) Moeder het reeds kalwers met PEN PNI - kan nie die kalf aanvaar nie
BATCH: ABON0697582BP58				
AG250331 250331	BONFAG 29/08/2025		BONFAG 210535	Moeder gemerk as pending - geboorte nie toelaatbaar
BATCH: ABON0697582BP95				
AG250618 250618	BONMAG 14/11/2025		BONFAG 230085	Moeder is biologies nie vroulik nie
BATCH: ABON0697582BP76				
AG240531 240531	BONFAG 24/11/2024		BONFAG 210060	Moeder het reeds kalwers met PEN PNI - kan nie die kalf aanvaar nie