

Batch Detail Report

Batch : 22074U
Owner : Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-03-25

22074U001	CTP25-0001 (F,24)	CATTLE	BORAN (24)	BWS17-0013 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
22074U002	CTP25-0002 (M,24)	CATTLE	BORAN (24)		JT16-0198 (M,24)\Valid	PAR_C	Hair	SV : Sire Valid
22074U003	CTP25-0003 (F,24)	CATTLE	BORAN (24)	CTP20-0037 (F,24)\Not Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DXSU : Dam Excluded, Sire Valid
22074U004	CTP25-0004 (F,24)	CATTLE	BORAN (24)	W17-0566 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
22074U005	CTP25-0005 (F,24)	CATTLE	BORAN (24)		JT16-0198 (M,24)\Valid	PAR_C	Hair	SV : Sire Valid
22074U006	CTP25-0006 (M,24)	CATTLE	BORAN (24)	DLV20-0008 (N/S,24)\Valid	CFH13-0328 (M,24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
22074U007	CTP25-0007 (F,24)	CATTLE	BORAN (24)		JT16-0198 (M,24)\Valid	PAR_C	Hair	SV : Sire Valid
22074U008	CTP25-0008 (F,24)	CATTLE	BORAN (24)		JT16-0198 (M,24)\Valid	PAR_C	Hair	SV : Sire Valid
22074U009	CTP25-0009 (F,24)	CATTLE	BORAN (24)	WG15-0107 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
22074U010	CTP25-0010 (M,24)	CATTLE	BORAN (24)	CTP20-0048 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire

Report Date : 22-Apr-2025 09:46

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requesters. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

22074U011	CTP25-0011 (F.24)	CATTLE	BORAN (24)	LE17-0040 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
22074U012	CTP25-0012 (M.24)	CATTLE	BORAN (24)	BH20-0358 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U013	CTP25-0013 (F.24)	CATTLE	BORAN (24)	WP817-0031 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U014	CTP25-0014 (F.24)	CATTLE	BORAN (24)	BA16-0576 (F.24)\Valid	ELS15-0022 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U015	CTP25-0015 (F.24)	CATTLE	BORAN (24)	JVG19-0003 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U016	CTP25-0016 (M.24)	CATTLE	BORAN (24)	PRB21-0009 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U017	CTP25-0018 (M.24)	CATTLE	BORAN (24)	FBG018-0059 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U018	CTP25-0019 (F.24)	CATTLE	BORAN (24)	ELS14-0020 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U019	CTP25-0020 (F.24)	CATTLE	BORAN (24)	BS18-0020 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U020	CTP25-0021 (M.24)	CATTLE	BORAN (24)	MC17-0145 (F.24)\Valid	JVG18-0003 (M.24)\Valid	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22074U021	CTP25-0022 (M.24)	CATTLE	BORAN (24)	SP19-0423 (F.24)\Valid		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 22-Apr-2025 09:46

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any issues that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

22074U022	CTP25-0023 (M,24)	CATTLE	BORAN (24)	GLB15-0024 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid
22074U023	CTP25-0024 (F,24)	CATTLE	BORAN (24)	ELS19-0032 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid
22074U024	CTP25-0025 (M,24)	CATTLE	BORAN (24)	ELS16-0039 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid
22074U025	CTP25-0026 (M,24)	CATTLE	BORAN (24)	EHB17-0003 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid

Report Date : 22-Apr-2025 09:46

Page : 3

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 22164U
Owner : Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-04-01

22164U001	CTP25-0027 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	HER01 : Repeat sample is requested	53461
22164U002	CTP25-0028 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U003	CTP25-0029 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U004	CTP25-0030 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U005	CTP25-0031 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U006	CTP25-0032 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U007	CTP25-0033 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U008	CTP25-0034 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U009	CTP25-0035 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire	53461

Report Date : 09-May-2025 11:06

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

22164U010	CTP25-0036 (M,24)	CATTLE	BORAN (24)	BH16-0406 (F,24)\(Not Valid)	JVG14-0030 (M,24)\(Valid) JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	53461
22164U011	CTP25-0037 (F,24)	CATTLE	BORAN (24)	QT17-0028 (F,24)\(Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U012	CTP25-0038 (F,24)	CATTLE	BORAN (24)	CTP20-0021 (F,24)\(Not Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid	DXSV : Dam Excluded, Sire Valid	53461
22164U013	CTP25-0039 (F,24)	CATTLE	BORAN (24)	WG13-0033 (F,24)\(Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U014	CTP25-0040 (F,24)	CATTLE	BORAN (24)	CTP19-0053 (F,24)\(Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U015	CTP25-0042 (M,24)	CATTLE	BORAN (24)	ELS19-0005 (F,24)\(Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U016	CTP25-0043 (M,24)	CATTLE	BORAN (24)	CTP20-0046 (F,24)\(Valid)	PRB18-0001 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U017	CTP25-0044 (M,24)	CATTLE	BORAN (24)	HVT17-0003 (F,24)\(Valid)	JT16-0198 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U018	CTP25-0045 (M,24)	CATTLE	BORAN (24)	ELS18-0017 (F,24)\(Valid)	PRB18-0001 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U019	CTP25-0046 (M,24)	CATTLE	BORAN (24)	WJ15-0111 (F,24)\(Valid)	JT16-0198 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461
22164U020	CTP25-0047 (F,24)	CATTLE	BORAN (24)	WA20-0035 (F,24)\(Valid)	ELS15-0022 (M,24)\(Valid)	PAR_C	Hair	Valid	DVSV : Dam Valid, Sire Valid	53461

Report Date : 09-May-2025 11:06

Page : 2

Unistat report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistat Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistat Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistat Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

DVS: Dam Valid, Sire Valid

PAR_C

ELSI5-0022 (M,24)\Valid

GE21-0006 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0048 (M,24)

22164U021

53461

DVS: Dam Valid, Sire Valid

PAR_C

ELSI5-0022 (M,24)\Valid

PRB20-0040 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0049 (F,24)

22164U022

53461

DVS: Dam Valid, Sire Valid

PAR_C

PRB18-0001 (M,24)\Valid

ELSI6-0037 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0050 (F,24)

22164U023

53461

DVS: Dam Valid, Sire Valid

PAR_C

CFH13-0328 (M,24)\Valid

ELSI20-0016 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0051 (F,24)

22164U024

53461

DVS: Dam Valid, Sire Valid

PAR_C

PRB18-0001 (M,24)\Valid

ENJ18-0117 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0052 (M,24)

22164U025

53461

DVS: Dam Valid, Sire Valid

PAR_C

ELSI5-0022 (M,24)\Valid

BH13-0055 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0053 (F,24)

22164U026

53461

DVS: Dam Valid, Sire Valid

PAR_C

JVG18-0003 (M,24)\Valid

CP18-0004 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0054 (F,24)

22164U027

53461

DVS: Dam Valid, Sire Valid

PAR_C

JT16-0198 (M,24)\Valid

SRS18-0007 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0055 (F,24)

22164U028

53461

DVS: Dam Valid, Sire Valid

PAR_C

JVG18-0003 (M,24)\Valid

SPJ15-0013 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0056 (F,24)

22164U029

53461

DVS: Dam Valid, Sire Valid

PAR_C

CFH13-0328 (M,24)\Valid

DM18-0070 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0057 (F,24)

22164U030

53461

DVS: Dam Valid, Sire Valid

PAR_C

JVG18-0003 (M,24)\Valid

FN18-0117 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0058 (F,24)

22164U031

53461

DVS: Dam Valid, Sire Valid

PAR_C

JVG18-0003 (M,24)\Valid

EHB21-0005 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0059 (F,24)

22164U032

53461

Report Date : 09-May-2025 11:06

Page : 3

Unistal report these results on the promise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Valid

22164U033	CTP25-0060 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	HER04 : No sample in envelope/bag	01
22164U034	TZ22-0021 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U035	CTP22-0263 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53461
22164U036	CTP22-0259 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	53461

Report Date : 09-May-2025 11:06

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 23399U
Owner : Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-06-30

23399U001	CTP25-0061 (M,24)	CATTLE	BORAN (24)	BH16-0499 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U002	CTP25-0062 (M,24)	CATTLE	BORAN (24)	WPB17-0022 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U003	CTP25-0063 (F,24)	CATTLE	BORAN (24)	JVG18-0014 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U004	CTP25-0064 (M,24)	CATTLE	BORAN (24)	E13-0073 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U005	CTP25-0065 (M,24)	CATTLE	BORAN (24)	JVG13-0051 (N/S,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U006	CTP25-0066 (M,24)	CATTLE	BORAN (24)	ELS20-0015 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U007	CTP25-0067 (M,24)	CATTLE	BORAN (24)	DLV21-0033 (N/S,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U008	CTP25-0068 (F,24)	CATTLE	BORAN (24)	BU18-0054 (F,24)(Valid)	WIT17-0058 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23399U009	CTP25-0069 (F,24)	CATTLE	BORAN (24)	ELS20-0003 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 24-Jul-2025 14:34

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incongruable marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

23399U010	CTP25-0070 (M,24)	CATTLE	BORAN (24)	DLV21-0043 (N/S,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	Valid DVSX : Dam Valid, Sire Valid
23399U011	CTP25-0071 (M,24)	CATTLE	BORAN (24)	BAR19-0502 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U012	CTP25-0072 (M,24)	CATTLE	BORAN (24)		JT16-0198 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid
23399U013	CTP25-0073 (F,24)	CATTLE	BORAN (24)	WZ15-0038 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U014	CTP25-0074 (F,24)	CATTLE	BORAN (24)	WZ15-0038 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U015	CTP25-0075 (F,24)	CATTLE	BORAN (24)	BH15-0232 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U016	CTP25-0076 (M,24)	CATTLE	BORAN (24)	CTP21-0032 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U017	CTP25-0077 (M,24)	CATTLE	BORAN (24)	BH17-0436 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U018	CTP25-0078 (M,24)	CATTLE	BORAN (24)	DLV21-0048 (N/S,24)(Not Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Valid
23399U019	CTP25-0079 (M,24)	CATTLE	BORAN (24)	BU21-0097 (F,24)(Valid)	WTT17-0058 (M,24)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U020	CTP25-0080 (M,24)	CATTLE	BORAN (24)	ELS19-0024 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Valid
23399U021	CTP25-0081 (F,24)	CATTLE	BORAN (24)	DM20-0210 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSX :

Report Date : 24-Jul-2025 14:34

Page : 2

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participate in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

23399U022	CTP25-0082 (F,24)	CATTLE	BORAN (24)	DM18-0005 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U023	CTP25-0083 (F,24)	CATTLE	BORAN (24)	C16-0058 (F,24)(Valid)		PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U024	CTP25-0084 (M,24)	CATTLE	BORAN (24)	C16-0058 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U025	CTP25-0085 (M,24)	CATTLE	BORAN (24)	FN20-0003 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U026	CTP25-0086 (F,24)	CATTLE	BORAN (24)	ELS19-0029 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U027	CTP25-0087 (F,24)	CATTLE	BORAN (24)	ELS17-0036 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U028	CTP25-0088 (F,24)	CATTLE	BORAN (24)	VST19-0367 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U029	CTP25-0089 (F,24)	CATTLE	BORAN (24)	DLV21-0045 (N/S,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23399U030	CTP25-0090 (M,24)	CATTLE	BORAN (24)	FN16-0025 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid

Report Date : 24-Jul-2025 14:34

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requesters. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 23829U
Owner : Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-07-29

23829U001	ELS18-0022 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
23829U002	BAS20-0297 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
23829U003	KKT21-0011 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
23829U004	CTP25-0142 (M,24)	CATTLE	BORAN (24)	CTP21-0065 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid
23829U005	CTP25-0143 (M,24)	CATTLE	BORAN (24)	CTP21-0022 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid
23829U006	CTP25-0144 (M,24)	CATTLE	BORAN (24)	CTP21-0083 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid
23829U007	CTP25-0145 (F,24)	CATTLE	BORAN (24)	CTP21-0049 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid
23829U008	CTP25-0148 (M,24)	CATTLE	BORAN (24)	QT20-0008 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid
23829U009	CTP25-0149 (F,24)	CATTLE	BORAN (24)	SEM21-0001 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid
23829U010	CTP25-0150 (M,24)	CATTLE	BORAN (24)	SRS16-0001 (F,24)\Valid	HOT18-0029 (M,24)\Valid	DVSU : Dam Valid, Sire Valid

Report Date : 22-Aug-2025 14:50

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

23829U011	CTP25-0151 (F.24)	CATTLE	BORAN (24)	CTP21-0085 (F.24)(Valid)	HOT18-0029 (M.24)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid DVSU : Dam Valid, Sire Valid
23829U012	CTP25-0152 (F.24)	CATTLE	BORAN (24)	W16-0068 (F.24)(Valid)	HOT18-0029 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U013	CTP25-0153 (F.24)	CATTLE	BORAN (24)	PRB13-0017 (F.24)(Valid)	KKT21-0011 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U014	CTP25-0154 (F.24)	CATTLE	BORAN (24)	CTP21-0122 (F.24)(Valid)	HOT18-0029 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U015	CTP25-0155 (F.24)	CATTLE	BORAN (24)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded
23829U016	CTP25-0156 (F.24)	CATTLE	BORAN (24)	CTP21-0158 (F.24)(Valid)	HOT18-0029 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U017	CTP25-0157 (F.24)	CATTLE	BORAN (24)	CTP21-0140 (F.24)(Valid)	HOT18-0029 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U018	CTP25-0158 (M.24)	CATTLE	BORAN (24)	CTP21-0133 (F.24)(Valid)	HOT18-0029 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U019	CTP25-0117 (M.24)	CATTLE	BORAN (24)	ELS18-0039 (F.24)(Valid)	ELS18-0022 (M.UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U020	CTP25-0118 (F.24)	CATTLE	BORAN (24)	BH19-0257 (F.24)(Valid)	KKT21-0011 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U021	CTP25-0119 (F.24)	CATTLE	BORAN (24)	VST13-0011 (F.24)(Valid)	KKT21-0011 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid

Report Date : 22-Aug-2025 14:50

Page : 2

Unilever report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unilever Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unilever Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unilever Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

23829U022	CTP25-0120 (F,24)	CATTLE	BORAN (24)	BU17-0060 (F,24)(Valid)	WIT17-0058 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U023	CTP25-0121 (M,24)	CATTLE	BORAN (24)	ELS12-0003 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U024	CTP25-0122 (M,24)	CATTLE	BORAN (24)	DLV20-0056 SAMPLE=(P) (NS,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U025	CTP25-0123 (M,24)	CATTLE	BORAN (24)	DLV21-0037 (NS,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U026	CTP25-0124 (F,24)	CATTLE	BORAN (24)	FN18-0128 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U027	CTP25-0125 (M,24)	CATTLE	BORAN (24)	BU21-0165 (F,24)(Valid)	WIT17-0058 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U028	CTP25-0126 (F,24)	CATTLE	BORAN (24)	BU21-0109 (F,24)(Valid)	WIT17-0058 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U029	CTP25-0127 (M,24)	CATTLE	BORAN (24)	WU12-0097 (F,24)(Not Valid)	KCT21-0011 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Excluded, Sire Valid
23829U030	CTP25-0128 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded
23829U031	CTP25-0131 (F,24)	CATTLE	BORAN (24)	CTP21-0027 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U032	CTP25-0132 (F,24)	CATTLE	BORAN (24)	NCT18-0017 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
23829U033	CTP25-0133 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	mNSX : Multiple Nominated

Report Date : 22-Aug-2025 14:50

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Sires Excluded

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

KKT21-0011 (M,24)\Valid

W18-0320 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0134 (M,24)

23829U034

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

HOT18-0029 (M,24)\Valid

DBC21-0040 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0135 (M,24)

23829U035

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

HOT18-0029 (M,24)\Valid

HOT21-0300 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0136 (M,24)

23829U036

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

HOT18-0029 (M,24)\Valid

DLV21-0059 (N/S,24)\Valid

BORAN (24)

CATTLE

CTP25-0137 (F,24)

23829U037

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

HOT18-0029 (M,24)\Valid

ELS17-0033 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0138 (F,24)

23829U038

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

JT18-0188 (M,24)\Valid

CTP22-0079 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0139 (M,24)

23829U039

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

JT18-0188 (M,24)\Valid

CTP22-0072 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0140 (F,24)

23829U040

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

HOT18-0029 (M,24)\Valid

CTP22-0241 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0141 (F,24)

23829U041

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

JVG18-0003 (M,24)\Valid

GN15-0043 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0100 (F,24)

23829U042

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

JVG18-0003 (M,24)\Valid

HA19-0117 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0101 (F,24)

23829U043

DVSJ :
Dam Valid, Sire
Valid

Hair

PAR_C

JVG18-0003 (M,24)\Valid

CTP20-0020 (F,24)\Valid

BORAN (24)

CATTLE

CTP25-0102 (M,24)

23829U044

Report Date : 22-Aug-2025 14:50

Page : 4

CHARNÉ ROSSOUW
DIVISION MANAGER

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requesters. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

23829U045	CTP25-0105 (M,24)	CATTLE	BORAN (24)	BH20-0054 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U046	CTP25-0108 (M,24)	CATTLE	BORAN (24)	BWS20-0111 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U047	CTP25-0107 (M,24)	CATTLE	BORAN (24)	SP18-0325 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U048	CTP25-0108 (M,24)	CATTLE	BORAN (24)	WG20-0272 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U049	CTP25-0108 (F,24)	CATTLE	BORAN (24)	CTP19-0041 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U050	CTP25-0110 (F,24)	CATTLE	BORAN (24)	DLV21-0019 (NS,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U051	CTP25-0111 (F,24)	CATTLE	BORAN (24)	SEM19-0001 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U052	CTP25-0112 (M,24)	CATTLE	BORAN (24)	SEM20-0003 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U053	CTP25-0113 (M,24)	CATTLE	BORAN (24)	VST17-0149 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U054	CTP25-0114 (M,24)	CATTLE	BORAN (24)	ELS18-0017 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U055	CTP25-0115 (M,24)	CATTLE	BORAN (24)	WG13-0024 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23829U056	CTP25-0116 (F,24)	CATTLE	BORAN (24)	HOT19-0013 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 22-Aug-2025 14:50

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

23829U057	CTP25-0159 (M,24)	CATTLE	BORAN (24)	CTP20-0084 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U058	CTP25-0160 (F,24)	CATTLE	BORAN (24)	DLV21-0023 (N/S,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U059	CTP25-0162 (F,24)	CATTLE	BORAN (24)	BS21-0010 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U060	CTP25-0163 (M,24)	CATTLE	BORAN (24)	BH18-0226 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U061	CTP25-0164 (F,24)	CATTLE	BORAN (24)	CTP22-0031 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U062	CTP25-0165 (F,24)	CATTLE	BORAN (24)	CTP22-0116 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U063	CTP25-0166 (F,24)	CATTLE	BORAN (24)	CTP22-0017 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U064	CTP25-0167 (M,24)	CATTLE	BORAN (24)		HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	SV : Sire Valid
23829U065	CTP25-0168 (F,24)	CATTLE	BORAN (24)	CTP22-0005 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U066	CTP25-0169 (F,24)	CATTLE	BORAN (24)	CTP21-0190 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U067	CTP25-0170 (M,24)	CATTLE	BORAN (24)	CTP21-0063 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU : Dam Valid, Sire Valid
23829U068	CTP25-0171 (M,24)	CATTLE	BORAN (24)	QT18-0025 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Valid	DVSU :

Report Date : 22-Aug-2025 14:50

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

23829U069	CTP25-0172 (M,24)	CATTLE	BORAN (24)	LE13-0029 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	Dam Valid, Sire Valid
23829U070	CTP25-0173 (M,24)	CATTLE	BORAN (24)	BU21-0077 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U071	CTP25-0174 (M,24)	CATTLE	BORAN (24)	KKT18-0007 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U072	CTP25-0175 (F,24)	CATTLE	BORAN (24)	CTP21-0183 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U073	CTP25-0177 (F,24)	CATTLE	BORAN (24)	CTP21-0126 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U074	CTP25-0178 (M,24)	CATTLE	BORAN (24)	CTP21-0160 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U075	CTP25-0129 (F,24)	CATTLE	BORAN (24)	CTP22-0105 (F,24)\Valid	JT16-0198 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U076	CTP25-0161 (F,24)	CATTLE	BORAN (24)	CTP20-0075 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid
23829U077	CTP25-0146 (F,24)	CATTLE	BORAN (24)	DLV20-0035 SAMPLE=(P) (N/S,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVS: Dam Valid, Sire Valid

Report Date : 22-Aug-2025 14:50

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 24404U
Owner : Cherokee Borane
Farm :
Account : CHER01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-09-15

24404U001	GE17-0032 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U002	BG30-0087 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U003	OP20-0027 (M,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U004	CBT14-0006 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U005	CBT16-0029 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U006	DBC23-0005 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U007	EMD17-0034 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U008	CBT15-0014 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U009	BH15-0162 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U010	CBT15-0019 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U011	DM22-1096 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)
24404U012	WJ20-0271 (F,24)	CATTLE	BORAN (24)	PAR_C	Hair	PU : Profile (Unistel)

Report Date : 02-Oct-2025 09:16

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Profile (Unistel)

24404U013	C8T17-0028 (F.24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)
24404U014	GTP22-0210 (F.24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)
24404U015	HOL21-0048 (F.24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)
24404U016	CTP25-0179 (F.24)	CATTLE	BORAN (24)	BWS22-0022 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U017	CTP25-0180 (F.24)	CATTLE	BORAN (24)	CTP22-0141 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U018	CTP25-0181 (M.24)	CATTLE	BORAN (24)	BU21-0100 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U019	CTP25-0182 (M.24)	CATTLE	BORAN (24)	CTP21-0110 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U020	CTP25-0184 (M.24)	CATTLE	BORAN (24)	FN19-0085 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U021	CTP25-0185 (M.24)	CATTLE	BORAN (24)	CTP21-0044 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U022	CTP25-0186 (F.24)	CATTLE	BORAN (24)	BD21-0584 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U023	CTP25-0187 (F.24)	CATTLE	BORAN (24)	CTP20-0027 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U024	CTP25-0183 (M.24)	CATTLE	BORAN (24)	JVG17-0068 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	DVSU : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24404U025	CTP25-0188 (F,24)	CATTLE	BORAN (24)	BH18-0082 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U026	CTP25-0190 (M,24)	CATTLE	BORAN (24)	CTP21-0132 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U027	CTP25-0191 (M,24)	CATTLE	BORAN (24)	CTP21-0192 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U028	CTP25-0192 (F,24)	CATTLE	BORAN (24)	CTP20-0025 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U029	CTP25-0193 (M,24)	CATTLE	BORAN (24)	PT18-0028 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U030	CTP25-0194 (M,24)	CATTLE	BORAN (24)	CTP21-0154 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U031	CTP25-0195 (F,24)	CATTLE	BORAN (24)	CTP21-0078 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U032	CTP25-0198 (M,24)	CATTLE	BORAN (24)	SRS22-0029 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U033	CTP25-0199 (F,24)	CATTLE	BORAN (24)	BH19-0597 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U034	CTP25-0200 (M,24)	CATTLE	BORAN (24)	DBC23-0005 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U035	CTP25-0201 (M,24)	CATTLE	BORAN (24)	CTP22-0068 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U036	CTP25-0202 (F,24)	CATTLE	BORAN (24)	BH20-0025 (F,24)(Valid)	KKT21-0011 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24404U037	CTP25-0203 (M,24)	CATTLE	BORAN (24)	WU20-0271 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U038	CTP25-0204 (M,24)	CATTLE	BORAN (24)	FN20-0164 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U039	CTP25-0205 (F,24)	CATTLE	BORAN (24)	D14-0150 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U040	CTP25-0206 (M,24)	CATTLE	BORAN (24)	WU20-0187 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U041	CTP25-0197 (M,24)	CATTLE	BORAN (24)	CTP22-0063 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U042	CTP25-0209 (F,24)	CATTLE	BORAN (24)	CTP22-0246 (F,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U043	CTP25-0210 (F,24)	CATTLE	BORAN (24)	CTP22-0058 (F,24)(Valid)	BAS20-0297 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U044	CTP25-0212 (M,24)	CATTLE	BORAN (24)			NSR_C	Hair	NSR : No sample received	
24404U045	CTP25-0213 (F,24)	CATTLE	BORAN (24)	JVG19-0026 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U046	CTP25-0214 (F,24)	CATTLE	BORAN (24)	JVG19-0026 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U047	CTP25-0215 (M,24)	CATTLE	BORAN (24)	QT14-0036 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	Valid
24404U048	CTP25-0216 (M,24)	CATTLE	BORAN (24)	BAR18-0496 (F,24)(Valid)	KKT21-0011 (M,24)(Valid)	PAR_C	Hair	DVSV :	Valid

Report Date : 02-Oct-2025 09:16

Page : 4

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Dam Valid, Sire Valid

24404U049 CTP25-0217 (M,24)

CATTLE

BORAN (24)

QT17-0034 (F,24)(Valid)

ELS15-0022
(M,UNK_C)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U050 CTP25-0218 (F,24)

CATTLE

BORAN (24)

BMB22-0059 (F,24)(Valid)

DBC16-0006 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U051 CTP25-0219 (M,24)

CATTLE

BORAN (24)

BH15-0198 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U052 CTP25-0220 (M,24)

CATTLE

BORAN (24)

CTP22-0091 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U053 CTP25-0221 (M,24)

CATTLE

BORAN (24)

NCT22-0019 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U054 CTP25-0222 (F,24)

CATTLE

BORAN (24)

CTP22-0113 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U055 CTP25-0224 (M,24)

CATTLE

BORAN (24)

CTP22-0020 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U056 CTP25-0226 (F,24)

CATTLE

BORAN (24)

CTP22-0090 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U057 CTP25-0227 (F,24)

CATTLE

BORAN (24)

CTP22-0111 (F,24)(Valid)

JT16-0198 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U058 CTP25-0228 (M,24)

CATTLE

BORAN (24)

CTP22-0045 (F,24)(Valid)

ELS19-0022 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

24404U059 CTP25-0229 (F,24)

CATTLE

BORAN (24)

CTP22-0137 (F,24)(Valid)

HOT15-0012 (M,24)(Valid)

PAR_C

Hair

DVSU :
Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24404U060	CTP25-0230 (M.24)	CATTLE	BORAN (24)	CTP22-0243 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U061	CTP25-0231 (F.24)	CATTLE	BORAN (24)	CBT15-0014 (F.24)(Valid)	EG15-0070 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U062	CTP25-0232 (F.24)	CATTLE	BORAN (24)	CTP22-0003 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U063	CTP25-0233 (M.24)	CATTLE	BORAN (24)	CTP20-0016 (F.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U064	CTP25-0234 (F.24)	CATTLE	BORAN (24)	WJ16-0123 (F.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U065	CTP25-0235 (F.24)	CATTLE	BORAN (24)	DLV20-0032 SAMPLE=(P) (NS.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U066	CTP25-0236 (F.24)	CATTLE	BORAN (24)	BH17-0553 (F.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U067	CTP25-0237 (F.24)	CATTLE	BORAN (24)	LD21-0018 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U068	CTP25-0238 (M.24)	CATTLE	BORAN (24)	BU20-0054 (F.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U069	CTP25-0239 (F.24)	CATTLE	BORAN (24)	BH20-0464 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U070	CTP25-0240 (M.24)	CATTLE	BORAN (24)	D15-0175 (F.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U071	CTP25-0241 (M.24)	CATTLE	BORAN (24)	BH19-0650 (F.24)(Valid)	JT16-0198 (M.24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any issues that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Valid

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

HOT15-0012 (M,24)\Valid)

ELS16-0016 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0242 (F,24)

24404U072

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

SEM18-0001 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0243 (F,24)

24404U073

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

BS21-0014 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0244 (M,24)

24404U074

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

CTP21-0127 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0245 (F,24)

24404U075

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

EMD17-0034 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0246 (M,24)

24404U076

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

HOT15-0012 (M,24)\Valid)

CTP21-0096 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0247 (M,24)

24404U077

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

HOT15-0012 (M,24)\Valid)

CTP21-0014 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0248 (M,24)

24404U078

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

MC10-0080 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0249 (M,24)

24404U079

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

BORAN (24)

CATTLE

CTP25-0250 (F,24)

24404U080

mNSX:
Multiple Nominated
Sires Excluded

Hair

PAR_C

JT16-0198 (M,24)\Valid)

ELS20-0005 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0251 (F,24)

24404U081

DVS:
Dam Valid, Sire
Valid

Hair

PAR_C

JT16-0198 (M,24)\Valid)

WJ12-0018 (F,24)\Valid)

BORAN (24)

CATTLE

CTP25-0252 (F,24)

24404U082

Report Date : 02-Oct-2025 09:16

Page : 7

Unistat report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistat Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistat Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistat Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24404U083	CTP25-0198 (F,24)	CATTLE	BORAN (24)	CTP22-0041 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U084	CTP25-0255 (M,24)	CATTLE	BORAN (24)	CTP22-0252 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U085	CTP25-0256 (F,24)	CATTLE	BORAN (24)	CTP22-0009 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U086	CTP25-0257 (M,24)	CATTLE	BORAN (24)	EMD20-0020 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U087	CTP25-0258 (F,24)	CATTLE	BORAN (24)	JVG22-0129 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U088	CTP25-0259 (M,24)	CATTLE	BORAN (24)	TTB16-0149 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U089	CTP25-0260 (F,24)	CATTLE	BORAN (24)	DM21-0801 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U090	CTP25-0261 (M,24)	CATTLE	BORAN (24)	WPB21-0034 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U091	CTP25-0262 (M,24)	CATTLE	BORAN (24)	CTP21-0177 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U092	CTP25-0263 (F,24)	CATTLE	BORAN (24)	ELS15-0042 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U093	CTP25-0264 (M,24)	CATTLE	BORAN (24)	NBOR09-0021 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid
24404U094	CTP25-0265 (M,24)	CATTLE	BORAN (24)	VST14-0033 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Unilever report these results on the premise that the biological samples received are from the individuals nominated by this owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unilever Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unilever Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unilever Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

24404U095	CTP25-0266 (F,24)	CATTLE	BORAN (24)	CTP21-0113 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U096	CTP25-0267 (M,24)	CATTLE	BORAN (24)	JVG14-0044 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U097	CTP25-0268 (F,24)	CATTLE	BORAN (24)	HU19-0016 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U098	CTP25-0269 (M,24)	CATTLE	BORAN (24)	ELS13-0075 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U099	CTP25-0270 (F,24)	CATTLE	BORAN (24)	EBH20-0008 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U100	CTP25-0271 (M,24)	CATTLE	BORAN (24)	DM22-1171 (F,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U101	CTP25-0272 (M,24)	CATTLE	BORAN (24)	CTP22-0207 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U102	CTP25-0273 (M,24)	CATTLE	BORAN (24)	CTP22-0108 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U103	CTP25-0274 (M,24)	CATTLE	BORAN (24)	CTP22-0155 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U104	CTP25-0275 (M,24)	CATTLE	BORAN (24)	CTP22-0104 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U105	CTP25-0276 (F,24)	CATTLE	BORAN (24)	CTP22-0109 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 9

Unistat report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requesters. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistat Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistat Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistat Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24404U106	CTP25-0277 (F.24)	CATTLE	BORAN (24)	JVG22-0022 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U107	CTP25-0278 (M.24)	CATTLE	BORAN (24)	CTP21-0178 (F.24)(Not Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid
24404U108	CTP25-0279 (M.24)	CATTLE	BORAN (24)	WZ13-0061 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U109	CTP25-0280 (M.24)	CATTLE	BORAN (24)	BU20-0131 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U110	CTP25-0281 (F.24)	CATTLE	BORAN (24)	BH18-0716 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U111	CTP25-0282 (M.24)	CATTLE	BORAN (24)	CTP21-0104 (F.24)(Valid)	JVG18-0003 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U112	CTP25-0283 (M.24)	CATTLE	BORAN (24)	VST20-0041 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U113	CTP25-0284 (F.24)	CATTLE	BORAN (24)	DLV20-0052 (N/S.24)(Valid)	JVG18-0003 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U114	CTP25-0285 (F.24)	CATTLE	BORAN (24)	BU18-0034 (F.24)(Valid)	PRB18-0001 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U115	CTP25-0286 (M.24)	CATTLE	BORAN (24)	CTP20-0083 (F.24)(Valid)	HOT15-0012 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U116	CTP25-0287 (M.24)	CATTLE	BORAN (24)	NCT21-0018 (F.24)(Valid)	JT18-0198 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U117	CTP25-0288 (M.24)	CATTLE	BORAN (24)	ZIP18-0127 (F.24)(Valid)	CFH13-0328 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 10

Unistat report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistat Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistat Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistat Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

DVS: Dam Valid, Sire Valid

Page : 11

CHARNÉ ROSSOUW
DIVISION MANAGER

Report Date : 02-Oct-2025 09:16

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

24404U129	CTP25-0300 (M,24)	CATTLE	BORAN (24)	CTP22-0028 (F,24)(Valid)	BAS20-0297 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U130	CTP25-0301 (M,24)	CATTLE	BORAN (24)	CTP22-0157 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U131	CTP25-0302 (F,24)	CATTLE	BORAN (24)	CTP21-0045 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U132	CTP25-0303 (M,24)	CATTLE	BORAN (24)	BA18-0804 (F,24)(Valid)		PAR_C	Hair	DV/mNSX : Dam Valid, Multiple Nominated Sires Excluded
24404U133	CTP25-0304 (M,24)	CATTLE	BORAN (24)		KKT21-0011 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid
24404U134	CTP25-0305 (F,24)	CATTLE	BORAN (24)	BH15-0062 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U135	CTP25-0306 (M,24)	CATTLE	BORAN (24)	CTP21-0081 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U136	CTP25-0307 (M,24)	CATTLE	BORAN (24)	CFH10-0085 (N/S,UNK_C)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U137	CTP25-0308 (F,24)	CATTLE	BORAN (24)	CTP22-0166 (F,24)(Valid)	BAS20-0297 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U138	CTP25-0309 (F,24)	CATTLE	BORAN (24)	CTP22-0228 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U139	CTP25-0310 (M,24)	CATTLE	BORAN (24)	BU17-0068 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
24404U140	CTP25-0311 (F,24)	CATTLE	BORAN (24)	BU17-0068 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 12

Unistel report these results on the premises that the biological samples received are from the individuals nominated by the owner/breeder requesters. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24404U141	CTP25-0312 (M.24)	CATTLE	BORAN (24)	EMD20-0074 (F.24)\Valid	HOT15-0012 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U142	CTP25-0189 (M.24)	CATTLE	BORAN (24)	CTP20-0088 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U143	CTP25-0208 (M.24)	CATTLE	BORAN (24)	CTP22-0178 (F.24)\Valid	ELS19-0022 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U144	CTP25-0225 (F.24)	CATTLE	BORAN (24)	CTP22-0200 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U145	CTP25-0254 (F.24)	CATTLE	BORAN (24)	CTP22-0094 (F.24)\Valid	BAS20-0297 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U146	CTP25-0255 (M.24)	CATTLE	BORAN (24)	CTP22-0252 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U147	CTP25-0256 (F.24)	CATTLE	BORAN (24)		JT16-0198 (M.24)\Valid	PAR_C	Hair	Valid SV: Sire Valid
24404U148	CTP25-0257 (M.24)	CATTLE	BORAN (24)	EMD20-0020 (F.24)\Valid	ELS15-0022 (M.UNK_C)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid
24404U149	CTP25-0258 (F.24)	CATTLE	BORAN (24)	JVG22-0129 (F.24)\Valid	HOT15-0012 (M.24)\Valid	PAR_C	Hair	Valid DVS: Dam Valid, Sire Valid

Report Date : 02-Oct-2025 09:16

Page : 13

Uniate! report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Uniate! Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Uniate! Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Uniate! Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 24757U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-10-14

24757U001	CTP25-0313 (N/S,24)	CATTLE	BORAN (24)	JVG21-0004 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U002	CTP25-0314 (F,24)	CATTLE	BORAN (24)	CTP21-0077 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U003	CTP25-0315 (F,24)	CATTLE	BORAN (24)	OA19-0033 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U004	CTP25-0316 (M,24)	CATTLE	BORAN (24)	DLV21-0044 (N/S,24)(Valid)	BAS20-0297 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U005	CTP25-0317 (F,24)	CATTLE	BORAN (24)	ET3-0130 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U006	CTP25-0318 (F,24)	CATTLE	BORAN (24)	CTP21-0090 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U007	CTP25-0319 (F,24)	CATTLE	BORAN (24)	CTP21-0025 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U008	CTP25-0320 (M,24)	CATTLE	BORAN (24)	CTP22-0102 (F,24)(Valid)	JT15-0198 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U009	CTP25-0321 (M,24)	CATTLE	BORAN (24)	CTP21-0137 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586

Report Date : 12-Nov-2025 09:01

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. This results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24757U010	CTP25-0322 (F.24)	CATTLE	BORAN (24)	CTP20-0017 (F.24)\Valid	CFH13-0328 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U011	CTP25-0323 (F.24)	CATTLE	BORAN (24)	CTP22-0280 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U012	CTP25-0324 (M.24)	CATTLE	BORAN (24)	VST22-0253 (F.24)\Valid	VST21-0234 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U013	CTP25-0325 (F.24)	CATTLE	BORAN (24)	FN17-0306 (F.24)\Valid	HOT18-0029 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U014	CTP25-0326 (M.24)	CATTLE	BORAN (24)	BU20-0160 (F.24)\Valid	HOT15-0012 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U015	CTP25-0327 (M.24)	CATTLE	BORAN (24)	CTP21-0134 (F.24)\Valid	ELS15-0022 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U016	CTP25-0331 (M.24)	CATTLE	BORAN (24)	CTP22-0233 (F.24)\Valid	JT16-0198 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U017	CTP25-0332 (F.24)	CATTLE	BORAN (24)	FBGO19-0030 (F.24)\Valid	HOT15-0012 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U018	CTP25-0333 (F.24)	CATTLE	BORAN (24)	CTP22-0154 (F.24)\Valid	BAS20-0287 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U019	CTP25-0334 (F.24)	CATTLE	BORAN (24)	GLB20-0012 (F.24)\Valid	HOT15-0012 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586
24757U020	CTP25-0335 (F.24)	CATTLE	BORAN (24)	SPJ18-0016 (F.24)\Valid	HOT15-0012 (M.24)\Valid	PAR_C	Hair	Valid	DVS\ : Dam Valid, Sire Valid	55586

Report Date : 12-Nov-2025 09:01

Page : 2

Unistal report these results on the premise that the biological samples received are from the individual nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring safeguards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24757U021	CTP25-0336 (M,24)	CATTLE	BORAN (24)	CTP21-0173 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U022	CTP25-0337 (M,24)	CATTLE	BORAN (24)	CTP21-0073 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U023	CTP25-0338 (M,24)	CATTLE	BORAN (24)	MHB11-0045 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U024	CTP25-0340 (F,24)	CATTLE	BORAN (24)	BH16-0177 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U025	CTP25-0341 (F,24)	CATTLE	BORAN (24)	BU20-0065 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U026	CTP25-0342 (M,24)	CATTLE	BORAN (24)	BU21-0048 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U027	CTP25-0343 (M,24)	CATTLE	BORAN (24)	CTP21-0129 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U028	CTP25-0344 (M,24)	CATTLE	BORAN (24)	ELS20-0013 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U029	CTP25-0345 (M,24)	CATTLE	BORAN (24)	JVG22-0062 (F,24)(Valid)	BAS20-0297 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U030	CTP25-0346 (F,24)	CATTLE	BORAN (24)	HOT20-0162 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U031	CTP25-0379 (F,24)	CATTLE	BORAN (24)	TZ17-0061 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586
24757U032	CTP25-0380 (M,24)	CATTLE	BORAN (24)	BH16-0014 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	55586

Report Date : 12-Nov-2025 09:01

Page : 3

Unileaf report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unileaf Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unileaf Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unileaf Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT15-0012 (M,24)(Valid)

DBC16-0046 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0350 (F,24)

24757U044

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT15-0012 (M,24)(Valid)

CTP19-0047 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0351 (M,24)

24757U045

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT18-0029 (M,24)(Valid)

CTP21-0121 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0352 (F,24)

24757U046

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT18-0029 (M,24)(Valid)

DM21-0587 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0354 (F,24)

24757U047

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT15-0012 (M,24)(Valid)

JH18-0104 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0355 (M,24)

24757U048

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT15-0012 (M,24)(Valid)

VST20-0136 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0356 (M,24)

24757U049

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT18-0029 (M,24)(Valid)

PRB18-0004 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0357 (F,24)

24757U050

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT15-0012 (M,24)(Valid)

CTP20-0029 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0359 (M,24)

24757U051

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT18-0029 (M,24)(Valid)

EMD20-0071 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0360 (M,24)

24757U052

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT18-0029 (M,24)(Valid)

EMD20-0006 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0361 (F,24)

24757U053

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

ELS15-0022 (M,24)(Valid)

BOS13-0157 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0362 (M,24)

24757U054

55586

DVS: Dam Valid, Sire Valid

Hair

PAR_C

HOT18-0029 (M,24)(Valid)

QT14-0050 (F,24)(Valid)

BORAN (24)

CATTLE

CTP25-0363 (M,24)

24757U055

Page : 5

Report Date : 12-Nov-2025 09:01

Unisat report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unisat Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisat Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisat Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24757U056	CTP25-0364 (F,24)	CATTLE	BORAN (24)	GLB17-0026 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U057	CTP25-0365 (F,24)	CATTLE	BORAN (24)	OP22-0225 (F,24)(Valid)	JVG20-0035 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U058	CTP25-0366 (M,24)	CATTLE	BORAN (24)	CTP20-0011 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U059	CTP25-0367 (M,24)	CATTLE	BORAN (24)	CTP22-0179 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U060	CTP25-0368 (M,24)	CATTLE	BORAN (24)	CTP22-0226 (F,24)(Valid)	JT16-0189 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U061	CTP25-0369 (M,24)	CATTLE	BORAN (24)	E13-0195 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U062	CTP25-0370 (M,24)	CATTLE	BORAN (24)	ELS17-0019 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U063	CTP25-0371 (M,24)	CATTLE	BORAN (24)	BU18-0002 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U064	CTP25-0372 (M,24)	CATTLE	BORAN (24)	BH11-0036 (F,24)(Valid)	HOT18-0029 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U065	CTP25-0373 (M,24)	CATTLE	BORAN (24)	BU21-0145 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586
24757U066	CTP25-0374 (M,24)	CATTLE	BORAN (24)	DLV21-0050 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55586

Report Date : 12-Nov-2025 09:01

Page : 6

Unistal report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistal Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistal Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistal Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24757U067	CTP25-0375 (F,24)	CATTLE	BORAN (24)	ELS20-0024 (F,24)\Valid	ELS15-0022 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid	55586
24757U068	CTP25-0376 (F,24)	CATTLE	BORAN (24)	ELS15-0049 (F,24)\Valid	ELS15-0022 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid	55586
24757U069	CTP25-0377 (M,24)	CATTLE	BORAN (24)	ELS18-0006 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid	55586
24757U070	CTP25-0378 (F,24)	CATTLE	BORAN (24)	HOT19-0092 (F,24)\Valid	HOT18-0029 (M,24)\Valid	PAR_C	Hair	DVSJ : Dam Valid, Sire Valid	55586

Report Date : 12-Nov-2025 09:01

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER