

Batch Detail Report

Batch : 25801U
 Owner : Cherokee Borane
 Farm :
 Account : CHER01
 Origin : BORAN BREEDERS SOCIETY
 Invoice To : Owner

Created : 2026-01-21

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25801U001	WJ20-0195 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)	
25801U002	BAR20-0512 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)	
25801U003	FN18-0197 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)	
25801U004	WA11-0037 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)	
25801U005	CTP23-0080 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)	
25801U006	CTP25-0472 (M,24)	CATTLE	BORAN (24)	MC17-0103 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U007	CTP25-0473 (F,24)	CATTLE	BORAN (24)	D14-0155 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U008	CTP25-0474 (F,24)	CATTLE	BORAN (24)	CTP21-0002 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U009	CTP25-0475 (M,24)	CATTLE	BORAN (24)	DBC19-0001 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U010	CTP25-0476 (M,24)	CATTLE	BORAN (24)	CTP20-0085 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 11-Feb-2026 10:35

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25801U011	CTP25-0477 (F,24)	CATTLE	BORAN (24)	CTM15-0083 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U012	CTP25-0479 (M,24)	CATTLE	BORAN (24)	CTP23-0010 (F,24)(Not Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
25801U013	CTP25-0480 (M,24)	CATTLE	BORAN (24)	DLV21-0021 (N/S,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U014	CTP25-0481 (M,24)	CATTLE	BORAN (24)	QT15-0040 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U015	CTP25-0482 (M,24)	CATTLE	BORAN (24)			PAR_C	Hair	HER02 : Test to be repeated by lab	
25801U016	CTP25-0483 (M,24)	CATTLE	BORAN (24)	BH15-0164 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U017	CTP25-0486 (M,24)	CATTLE	BORAN (24)	CTP19-0160 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U018	CTP25-0487 (F,24)	CATTLE	BORAN (24)	EMD16-0046 (F,24)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
25801U019	CTP25-0489 (F,24)	CATTLE	BORAN (24)	WJ16-0024 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U020	CTP25-0490 (F,24)	CATTLE	BORAN (24)	DBC17-0017 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U021	CTP25-0491 (F,24)	CATTLE	BORAN (24)	ELS17-0024 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U022	CTP25-0492 (M,24)	CATTLE	BORAN (24)	ELS16-0024 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 11-Feb-2026 10:35

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25801U023	CTP25-0494 (M,24)	CATTLE	BORAN (24)	BU23-0021 (F,24)(Valid)	BAS20-0297 (M,24)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	
25801U024	CTP25-0497 (M,24)	CATTLE	BORAN (24)	SPJ15-0137 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U025	CTP25-0498 (F,24)	CATTLE	BORAN (24)	BU18-0098 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U026	CTP25-0499 (M,24)	CATTLE	BORAN (24)	CTP23-0025 (F,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U027	CTP25-0500 (M,24)	CATTLE	BORAN (24)			PAR_C	Hair	HER02 : Test to be repeated by lab	
25801U028	CTP25-0501 (M,24)	CATTLE	BORAN (24)	ELS15-0043 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U029	CTP25-0502 (F,24)	CATTLE	BORAN (24)	WJ14-0118 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U030	CTP25-0503 (M,24)	CATTLE	BORAN (24)	CTP21-0006 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U031	CTP25-0504 (F,24)	CATTLE	BORAN (24)	BH16-0024 (F,24)(Not Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
25801U032	CTP25-0505 (M,24)	CATTLE	BORAN (24)	FN18-0127 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U033	CTP25-0506 (M,24)	CATTLE	BORAN (24)	HOT17-0025 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 11-Feb-2026 10:35

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25801U034	CTP25-0507 (M,24)	CATTLE	BORAN (24)	W18-0247 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U035	CTP25-0508 (F,24)	CATTLE	BORAN (24)	BMK15-0012 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U036	CTP25-0509 (M,24)	CATTLE	BORAN (24)	BH17-0242 (N,S,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U037	CTP25-0510 (F,24)	CATTLE	BORAN (24)	CTP21-0010 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U038	CTP25-0511 (M,24)	CATTLE	BORAN (24)	W16-0012 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U039	CTP25-0512 (F,24)	CATTLE	BORAN (24)	WJ13-0043 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U040	CTP25-0513 (M,24)	CATTLE	BORAN (24)	ED14-0030 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U041	CTP25-0514 (M,24)	CATTLE	BORAN (24)	BU20-0123 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U042	CTP25-0515 (M,24)	CATTLE	BORAN (24)	ELS16-0023 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U043	CTP25-0516 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	HER02 : Test to be repeated by lab	
25801U044	CTP25-0517 (M,24)	CATTLE	BORAN (24)	ELS16-0007 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25801U045	CTP25-0518 (F,24)	CATTLE	BORAN (24)	HA18-0050 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 11-Feb-2026 10:35

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25801U046	CTP25-0519 (F,24)	CATTLE	BORAN (24)	VST21-0253 (F,24)\(Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
25801U047	CTP25-0520 (M,24)	CATTLE	BORAN (24)	FBGO18-0067 (F,24)\(Valid)	JT16-0198 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
25801U048	CTP25-0521 (M,24)	CATTLE	BORAN (24)	BH20-0460 (F,24)\(Valid)	JT16-0198 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
25801U049	CTP25-0522 (M,24)	CATTLE	BORAN (24)	WS17-0069 (F,24)\(Valid)	JT16-0198 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
25801U050	CTP26-0001 (F,24)	CATTLE	BORAN (24)	BH17-0623 (F,24)\(Valid)	HOT15-0012 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
25801U051	CTP26-0002 (M,24)	CATTLE	BORAN (24)	CTP22-0101 (F,24)\(Valid)	ELS19-0022 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
25801U052	CTP26-0003 (F,24)	CATTLE	BORAN (24)	DM19-0090 (F,24)\(Valid)		PAR_C	Hair	DVSU : Dam Valid, Multiple Nominated Sires Excluded	
25801U053	CTP26-0004 (M,24)	CATTLE	BORAN (24)	BH19-0523 (F,24)\(Valid)	JVG18-0003 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 11-Feb-2026 10:35

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 7079U
Owner :Cherokee Borane
Farm :
Account : CHER01
Invoice To : Owner

Created : 2021-12-06

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIDE	TEST	Tissue Type	RESULT	INVOICE
7079U016	WA21-0012 (M.24)	CATTLE	BORAN (24)	WA11-0037 (F.24)(Valid)		PAR_C	Hair	DV : Dam Valid	40131

Report Date : 11-Feb-2026 12:01

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 10070U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2022-08-17

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10070U075	CTP22-0084 (F,24)	CATTLE	BORAN (24)	WA11-0037 (F,24)(Valid)	ELS12-0061 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42776
10070U077	CTP22-0086 (M,24)	CATTLE	BORAN (24)	BAR20-0512 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	42776

Report Date : 11-Feb-2026 11:51

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 25461U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-12-09

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25461U003	CTP25-0444 (M,24)	CATTLE	BORAN (24)	BAR20-0512 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56196
25461U023	CTP25-0464 (F,24)	CATTLE	BORAN (24)	CTP23-0080 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56196

Report Date : 11-Feb-2026 11:48

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 17331U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2024-03-22

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17331U025	CTP23-0223 (M,24)	CATTLE	BORAN (24)	BAR20-0512 (F,24)(Valid)	227 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	48627
17331U046	CTP23-0246 (F,24)	CATTLE	BORAN (24)	WA11-0037 (F,24)(Valid)	ELS12-0061 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	48627

Report Date : 11-Feb-2026 11:45

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 20852U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2024-12-03

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20852U072	CTP24-0366 (F,24)	CATTLE	BORAN (24)	BAR20-0512 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y

Report Date : 11-Feb-2026 11:40

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 25280U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-11-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Titleue Type	RESULT	INVOICE
25280U019	CTP25-0423 (F,24)	CATTLE	BORAN (24)	WU20-0195 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55993
25280U028	CTP25-0433 (F,24)	CATTLE	BORAN (24)	WA11-0037 (F,24)(Valid)	JT16-0196 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55993

Report Date : 11-Feb-2026 11:36

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 21133U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-01-06

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21133U002	CTP24-0143 (M,24)	CATTLE	BORAN (24)	WJ20-0195 (F,24)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	51426Y
21133U037	CTP24-0395 (M,24)	CATTLE	BORAN (24)	WA11-0037 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51426Y

Report Date : 11-Feb-2026 11:31

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 19998U
Owner :Cherokee Borane
Farm :
Account : CHER01
Origin : BORAN BREEDERS SOCIETY
Invoice To : Owner

Created : 2024-10-01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19998U028	CTP24-0143 (M,24)	CATTLE	BORAN (24)	WJ20-0195 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y

Report Date : 11-Feb-2026 11:22

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER