

Batch Detail Report

Created : 2024-10-28

Batch : 20343U
Owner : JHH(Hoffie) van Blek
Farm : Welgegend
Account : VBLH01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20343U001	JHH24-0030 (JHH24-0030 HERMAN) (M.23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20343U001	JHH24-0030 (JHH24-0030 HERMAN) (M.23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20343U001	JHH24-0030 (JHH24-0030 HERMAN) (M.23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
20343U005	JHH24-0036 (JHH24-0036 THOR) (M.23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20343U005	JHH24-0036 (JHH24-0036 THOR) (M.23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20343U005	JHH24-0036 (JHH24-0036 THOR) (M.23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
20343U006	JHH24-0037 (JHH24-0037 STRIKER) (M.23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20343U006	JHH24-0037 (JHH24-0037 STRIKER) (M.23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20343U006	JHH24-0037 (JHH24-0037 STRIKER)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 11-Mar-2026 13:49

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
	(M,23)							Normal	
20343U008	JHH24-0040 (JHH24-0040 TITAN) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20343U008	JHH24-0040 (JHH24-0040 TITAN) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20343U008	JHH24-0040 (JHH24-0040 TITAN) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
20343U010	JHH24-0042 (JHH24-0042 NOVA) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20343U010	JHH24-0042 (JHH24-0042 NOVA) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20343U010	JHH24-0042 (JHH24-0042 NOVA) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Batch Detail Report

Created : 2024-04-30

Batch : 17805U
Owner :JHH(Hoffie) van Blerk
Farm :Welgegend
Account : VBLH01
Origin : ANGUS CATTLE BREEDERS' SOCIETY
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17805U011	JHH24-0006 (MAX) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U011	JHH24-0006 (MAX) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U011	JHH24-0006 (MAX) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
17805U017	JHH24-0013 (PIETER-STEFF) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U017	JHH24-0013 (PIETER-STEFF) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U017	JHH24-0013 (PIETER-STEFF) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
17805U018	JHH24-0014 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U018	JHH24-0014 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U018	JHH24-0014 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 12-Mar-2026 12:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAq comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17805U019	JHH24-0015 (BEEF KING 10) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U019	JHH24-0015 (BEEF KING 10) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U019	JHH24-0015 (BEEF KING 10) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
17805U020	JHH24-0016 (ROCKY 6) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U020	JHH24-0016 (ROCKY 6) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U020	JHH24-0016 (ROCKY 6) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
17805U024	JHH24-0020 (CHAMP) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U024	JHH24-0020 (CHAMP) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U024	JHH24-0020 (CHAMP) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
17805U025	JHH24-0021 (MERVIN 2) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U025	JHH24-0021 (MERVIN 2) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Report Date : 12-Mar-2026 12:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17805U025	JHH24-0021 (MERVIN 2) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
17805U026	JHH24-0022 (THOR) (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
17805U026	JHH24-0022 (THOR) (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
17805U026	JHH24-0022 (THOR) (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 12-Mar-2026 12:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2025-05-27

Batch : 22920U
Owner :JHH(Hoffie) van Blerk
Farm :Welgeund
Account : VBLH01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22920U009	JHH25-0009 (JHH25-0009 JANNIE) (M,23)	CATTLE	ANGUS (23)	DE13-0230 (F,23)(Valid)	SAV WATERFALL 8081 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53901
22920U010	JHH25-0010 (F,23)	CATTLE	ANGUS (23)	DE13-0230 (F,23)(Valid)	SAV WATERFALL 8081 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53901

Report Date : 27-Feb-2026 15:05

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2025-12-12

Batch : 25531U
Owner :JHH(Hoffie) van Blerk
Farm :Welgedund
Account : VBLH01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25531U001	JHH25-0008 (M.23)	CATTLE	ANGUS (23)	DE13-0230 (F.23)(Not Valid)	SAV WATERFALL 8081 (M.23)(Not Valid)	PAR_C	Hair	DXSX : Darn Excluded, Sire Excluded	56195
25531U002	JHH25-0015 (JHH25-0015 COENIE) (M.23)	CATTLE	ANGUS (23)	DE13-0230 (F.23)(Valid)	SAV WATERFALL 8081 (M.23)(Valid)	PAR_C	Hair	DVSV : Darn Valid, Sire Valid	56195

Report Date : 27-Feb-2026 15:03

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER