

Margenzer

- Jm 1656 - Kalf. 24145 - 1/11/24 Bul. ✓
- Jm 1702 - Kalf. 24144 - 27/10/24 Bul * DNA.
- Jm 1705 - Kalf 24147 - 9/11/24 Bul * DNA.
- Jm 1804 - Kalf 24142 - 16/10/24 Vers (Dood)* DNA.
- Jm 1815 - kalf 24141 - 14/10/24 Bul ✓
- Jm 1819 - kalf 24146 - 6/11/24 Bul.
- Jm 2113 - kalf 24143 - 25/10/24 Vers (Dood).
- Jm 2254 - kalf 24140 - 16/9/24 Vers. NFR.

Owner : Malemba Supreme Charolais/Sim
Batch : 23820U

Owner : Malemba Supreme Charolais/Sim

Farm:Mooirus

Account : MALEM1

Origin : PRIVATE

Invoice To : Owner

Created : 2025-07-29

23820U001	JM24-0141 (M,16)	CATTLE	CHAROLAIS (16)	JM18-0015 (F,16)(Valid)	JM20-0037 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U002	JM24-0144 (M,16)	CATTLE	CHAROLAIS (16)	JM17-0002 (F,16)(Valid)	JM20-0053 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U003	JM24-0145 (M,16)	CATTLE	CHAROLAIS (16)	JM16-0056 (F,16)(Valid)	JM20-0058 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U004	JM24-0146 (M,16)	CATTLE	CHAROLAIS (16)	JM18-0019 (F,16)(Valid)	JM20-0058 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U005	JM24-0147 (M,16)	CATTLE	CHAROLAIS (16)	JM17-0005 (F,16)(Valid)	JM20-0053 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U006	JM24-0175 (F,16)	CATTLE	CHAROLAIS (16)	JM17-0001 (F,16)(Valid)	JM21-0001 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U007	JM24-0176 (M,16)	CATTLE	CHAROLAIS (16)	JM21-0035 (F,16)(Valid)	JM21-0001 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
23820U008	JM24-0177 (F,16)	CATTLE	CHAROLAIS (16)	JM21-0014 (F,16)(Valid)	JM21-0001 (M,16)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 20-Aug-2025 08:57

Page : 1

Unilever report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratoires does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratoires participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER