

Batch Detail Report

Created : 2026-02-24

Batch : 26178U
Owner :Johannes Vos
Farm :
Account : VOSJ02
Origin : DROUGHTMASTER
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26178U001	JWC25-0013 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0005 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U002	JWC25-0045 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U003	JWC25-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	VO19-0034 (F,91)(Valid)	GRB20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U004	JWC25-0067 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U005	JWC25-0103 (M,91)	CATTLE	DROUGHT MASTER (91)	VO16-0017 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
26178U006	JWC25-0104 (M,91)	CATTLE	DROUGHT MASTER (91)	VO19-0047 (F,91)(Valid)	GRB18-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U007	JWC25-0105 (M,91)	CATTLE	DROUGHT MASTER (91)	VO17-0081 (F,91)(Valid)	GRB18-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U008	JWC25-0108 (M,91)	CATTLE	DROUGHT MASTER (91)	VO19-0063 (F,91)(Valid)	GRB18-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U009	JWC25-0115 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U010	JWC25-0153 (M,91)	CATTLE	DROUGHT		GRB20-0067 (M,91)(Valid)	PAR_C	Hair	SV :	

Report Date : 16-Mar-2026 09:37

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26178U011	JWC25-0185 (M,91)	CATTLE	DROUGHT MASTER (91)	JWC17-0033 (F,91)(Valid)	GRB19-0195 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U012	JWC25-0245 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U013	JWC25-0258 (M,91)	CATTLE	DROUGHT MASTER (91)	VO16-0003 (F,91)(Valid)	GRB20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U014	JWC25-0260 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0195 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U015	JWC25-0280 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U016	JWC25-0335 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0184 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U017	JWC25-0363 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U018	JWC25-0377 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0184 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U019	JWC25-0497 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U020	JWC25-0008 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0005 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U021	JWC25-0011 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U022	JWC25-0014 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0195 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U023	JWC25-0015 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0195 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U024	JWC25-0026 (F,91)	CATTLE	DROUGHT MASTER (91)	JWC17-0036 (F,91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple	

Report Date : 16-Mar-2026 09:37

Unisel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unisel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26178U025	JWC25-0029 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	Nominated Sires Excluded SV : Sire Valid	
26178U026	JWC25-0058 (F,91)	CATTLE	DROUGHT MASTER (91)	JWC17-0020 (F,91)(Valid)		PAR_C	Hair	DVmtNSX : Dam Valid, Multiple Nominated Sires Excluded	
26178U027	JWC25-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	VO16-0083 (F,91)(Valid)	GRB18-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U028	JWC25-0074 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U029	JWC25-0025 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U030	JWC25-0077 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0005 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U031	JWC25-0079 (F,91)	CATTLE	DROUGHT MASTER (91)	VO15-0129 (F,91)(Valid)	GRB19-0195 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U032	JWC25-0101 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U033	JWC25-0102 (F,91)	CATTLE	DROUGHT MASTER (91)	VO19-0063 (F,91)(Not Valid)	GRB19-0195 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26178U034	JWC25-0106 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0005 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U035	JWC25-0151 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U036	JWC25-0159 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U037	JWC25-0183 (F,91)	CATTLE	DROUGHT	JWC17-0042 (F,91)(Valid)	GRB20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 16-Mar-2026 09:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26178U038	JWC25-0184 (F,91)	CATTLE	DROUGHT MASTER (91)	JWC17-0023 (F,91)(Valid)	GRB18-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U039	JWC25-0186 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U040	JWC25-0187 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0195 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U041	JWC25-0208 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U042	JWC25-0209 (F,91)	CATTLE	DROUGHT MASTER (91)	VO15-0045 (F,91)(Not Valid)	GRB20-0057 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26178U043	JWC25-0210 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U044	JWC25-0212 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U045	JWC25-0213 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U046	JWC25-0247 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U047	JWC25-0252 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Not Valid)	PAR_C	Hair	SX : Sire Excluded	
26178U048	JWC25-0256 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0005 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U049	JWC25-0257 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U050	JWC25-0259 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0195 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U051	JWC25-0279 (F,91)	CATTLE	DROUGHT		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV :	

Report Date : 16-Mar-2026 09:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26178U052	JWC25-0290 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U053	JWC25-0317 (F,91)	CATTLE	DROUGHT MASTER (91)	JV16-0051 (F,91)(Valid)	GRB20-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U054	JWC25-0318 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U055	JWC25-0321 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB19-0195 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U056	JWC25-0333 (F,91)	CATTLE	DROUGHT MASTER (91)	VO17-0093 (F,91)(Valid)	GRB20-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U057	JWC25-0334 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U058	JWC25-0362 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26178U059	JWC25-0365 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U060	JWC25-0376 (F,91)	CATTLE	DROUGHT MASTER (91)	VO16-0014 (F,91)(Valid)	GRB19-0195 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U061	JWC25-0379 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U062	JWC25-0381 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U063	JWC25-0409 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U064	JWC25-0412 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 16-Mar-2026 09:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26178U065	JWC25-0424 (F,91)	CATTLE	DROUGHT MASTER (91)	VO17-0105 (F,91)(Valid)	GRB19-0195 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26178U066	JWC25-0425 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U067	JWC25-0441 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0102 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U068	JWC25-0500 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0057 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26178U069	JWC25-0540 (F,91)	CATTLE	DROUGHT MASTER (91)	JWC17-0064 (F,91)(Valid)	GRB19-0195 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 16-Mar-2026 09:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER