

Batch Detail Report

Created : 2025-09-23

Batch : 24555U
Owner : Rustin Shawe
Farm : Grassfields Beef
Account : SHAR01
Origin : PRIVATE
Invoice To : Owner

07123 19 DNA - ESB

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U001	GRB25-0127 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U002	GRB25-0128 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U003	GRB25-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0224 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U004	GRB25-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0002 (N/S,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U005	GRB25-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA21-0269 (F,91)(Valid)	PE18-0033 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U006	GRB25-0132 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F,91)(Valid)	PE18-0033 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U007	GRB25-0133 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0185 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U008	GRB25-0134 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U009	GRB25-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0116 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U010	GRB25-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	55385Y
24555U011	GRB25-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0069 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U012	GRB25-0138 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0065 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U013	GRB25-0139 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0283 (F,91)(Valid)	GRB22-0112 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U014	GRB25-0140 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U015	GRB25-0141 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0010 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U016	GRB25-0142 (F,91)	CATTLE	DROUGHT MASTER (91)	DO2013 (F,UNK_C)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U017	GRB25-0143 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0002 (N/S,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U018	GRB25-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0224 (F,91)(Valid)	PE18-0033 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U019	GRB25-0145 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0086 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U020	GRB25-0146 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0152 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAIR	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U021	GRB25-0147 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0318 (F,91)(Valid)	GRB22-0115 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U022	GRB25-0148 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0197 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U023	GRB25-0149 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0171 (F,91)(Valid)	GRB21-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U024	GRB25-0150 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0201 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U025	GRB25-0151 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0164 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U026	GRB25-0152 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0111 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U027	GRB25-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0099 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U028	GRB25-0154 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0250 (F,91)(Valid)	GRB21-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U029	GRB25-0155 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0324 (F,91)(Valid)	GRB22-0112 (N,S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U030	GRB25-0156 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0224 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U031	GRB25-0157 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0185 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U032	GRB25-0158 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0069 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAY	SIKE	TEST	Tissue Type	RESULT	INVOICE
24555U033	GRB25-0159 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0190 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U034	GRB25-0160 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U035	GRB25-0161 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0169 (F,91)(Valid)	GRB21-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U036	GRB25-0162 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0262 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U037	GRB25-0163 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0180 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U038	GRB25-0164 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0044 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U039	GRB25-0165 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0041 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U040	GRB25-0166 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0224 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U041	GRB25-0167 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0148 (F,91)(Valid)	GRB22-0112 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U042	GRB25-0168 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0002 (N/S,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U043	GRB25-0169 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA21-0269 (F,91)(Not Valid)		PAR_C	Hair	DXminSX : Dam Excluded, Multiple Nominated Sires Excluded	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U044	GRB25-0170 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0296 (F,91)(Valid)	GRB22-0057 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U045	GRB25-0171 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0034 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U046	GRB25-0172 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0025 (F,91)(Valid)	GRB21-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U047	GRB25-0173 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0203 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U048	GRB25-0174 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0110 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U049	GRB25-0175 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0197 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U050	GRB25-0176 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0141 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U051	GRB25-0177 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0063 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U052	GRB25-0178 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0198 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U053	GRB25-0179 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	VOVA17-0177 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U054	GRB25-0180 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0134 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U055	GRB25-0181 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0087 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U056	GRB25-0182 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0114 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U057	GRB25-0183 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0114 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U058	GRB25-0184 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0021 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U059	GRB25-0185 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0022 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U060	GRB25-0186 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0124 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U061	GRB25-0187 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0097 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U062	GRB25-0188 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0074 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U063	GRB25-0189 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0166 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U064	GRB25-0190 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0224 (F,91)(Not Valid)		PAR_C	Hair	DXMNSX : Dam Excluded, Multiple Nominated Sires Excluded	55385Y
24555U065	GRB25-0191 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0079 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U066	GRB25-0192 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0088 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Test Type	RESULT	INVOICE
24555U067	GRB25-0193 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO19-0023 (N/S,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U068	GRB25-0194 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0080 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U069	GRB25-0195 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0025 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U070	GRB25-0196 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0150 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U071	GRB25-0197 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0160 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U072	GRB25-0198 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0101 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U073	GRB25-0199 (F,91)	CATTLE	DROUGHT MASTER (91)	FC19-0042 (N/S,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U074	GRB25-0200 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0260 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U075	GRB25-0201 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0217 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U076	GRB25-0202 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0164 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U077	GRB25-0203 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0111 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U078	GRB25-0204 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0134 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U079	GRB25-0205 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0205 (F,91)(Not Valid)		PAR_C	Hair	Valid	
								DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	55385Y
24555U080	GRB25-0206 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0108 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U081	GRB25-0207 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0066 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U082	GRB25-0208 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0137 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U083	GRB25-0209 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0244 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U084	GRB25-0210 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0183 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U085	GRB25-0211 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0011 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U086	GRB25-0212 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0036 (F,91)(Valid)	GRB21-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U087	GRB25-0213 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0048 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U088	GRB25-0214 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0131 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U089	GRB25-0215 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0029 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U090	GRB25-0216 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0039 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U091	GRB25-0217 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0076 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U092	GRB25-0218 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0218 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U093	GRB25-0219 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0205 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U094	GRB25-0220 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB22-0114 (F,91)(Valid)	GRB21-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U095	GRB25-0221 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0242 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U096	GRB25-0222 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0120 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U097	GRB25-0223 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0102 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U098	GRB25-0225 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0119 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U099	GRB25-0226 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0032 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U100	GRB25-0227 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0111 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U101	GRB25-0228 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0102 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U102	GRB25-0229 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0252 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U103	GRB25-0230 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0174 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U104	GRB25-0231 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0139 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U105	GRB25-0232 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0050 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U106	GRB25-0233 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0092 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U107	GRB25-0234 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER04 : No sample in envelope/bag	55385Y
24555U108	GRB25-0235 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0171 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U109	GRB25-0236 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0122 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U110	GRB25-0237 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0180 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U111	GRB25-0238 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0213 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U112	GRB25-0239 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0183 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unisiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U113	GRB25-0240 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0171 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U114	GRB25-0241 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0153 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U115	GRB25-0242 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0153 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U116	GRB25-0243 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0096 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U117	GRB25-0244 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0208 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U118	GRB25-0245 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0029 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U119	GRB25-0246 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0235 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U120	GRB25-0247 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0076 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U121	GRB25-0248 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0200 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U122	GRB25-0249 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0006 (M/S,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U123	GRB25-0250 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0176 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U124	GRB25-0251 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0198 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U125	GRB25-0252 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0161 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U126	GRB25-0253 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0017 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U127	GRB25-0254 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0082 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U128	GRB25-0255 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0039 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U129	GRB25-0256 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0043 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U130	GRB25-0257 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0248 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U131	GRB25-0258 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0217 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U132	GRB25-0259 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0260 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U133	GRB25-0260 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0028 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U134	GRB25-0261 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0050 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U135	GRB25-0262 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0072 (N/S,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U136	GRB25-0263 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0002 (N/S,91)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	55385Y
24555U137	GRB25-0264 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0056 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U138	GRB25-0265 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0182 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U139	GRB25-0266 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0001 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U140	GRB25-0267 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0023 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U141	GRB25-0268 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0068 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U142	GRB25-0269 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0059 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U143	GRB25-0270 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0036 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U144	GRB25-0271 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0234 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U145	GRB25-0272 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0129 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U146	GRB25-0273 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0270 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U147	GRB25-0274 (F,91)	CATTLE	DROUGHT	GRB21-0238 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV :	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Timings Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
24555U148	GRB25-0275 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0158 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U149	GRB25-0276 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0124 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U150	GRB25-0277 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0110 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U151	GRB25-0278 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0172 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U152	GRB25-0279 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0043 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U153	GRB25-0280 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0054 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U154	GRB25-0281 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0148 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U155	GRB25-0282 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0162 (F,91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	55385Y
24555U156	GRB25-0283 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0034 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U157	GRB25-0284 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0225 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U158	GRB25-0285 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0263 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIKE	TEST	Tester Type	RESULT	INVOICE
24555U159	GRB25-0286 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0083 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U160	GRB25-0287 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0228 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U161	GRB25-0288 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0196 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U162	GRB25-0289 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U163	GRB25-0290 (F,91)	CATTLE	DROUGHT MASTER (91)	FC18-0065 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U164	GRB25-0291 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0100A (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U165	GRB25-0292 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0084 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U166	GRB25-0293 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0041 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U167	GRB25-0294 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0175 (F,91)(Not Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	55385Y
24555U168	GRB25-0295 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0149 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U169	GRB25-0296 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0146 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please Note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24555U170	GRB25-0297 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0230 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U171	GRB25-0298 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0031 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U172	GRB25-0299 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0078 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U173	GRB25-0300 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0169 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U174	GRB25-0301 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0196 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U175	GRB25-0302 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0022 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U176	GRB25-0303 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0061 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U177	GRB25-0304 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0096 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U178	GRB25-0305 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0137 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U179	GRB22-0010 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	55385Y
24555U180	WSM22-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	WSM20-0015 (N/S,91)(Valid)		PAR_C	Hair	DVmxSX : Dam Valid, Multiple Nominated Sires Excluded	55385Y
24555U181	FC22-0008 (F,91)	CATTLE	DROUGHT	FC19-0059 (F,91)(Not Valid)	HOT16-0286 (M,91)(Valid)	PAR_C	Hair	DXSV :	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Trunk Type	RESULT	INVOICE
			MASTER (91)					Dam Excluded, Sire Valid	
24555U182	FC22-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	FC18-0065 (F,91)(Valid)	HOT16-0310 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U183	FC22-0002 (F,91)	CATTLE	DROUGHT MASTER (91)	FC19-0042 (N/S,91)(Valid)	HOT16-0310 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U184	FC22-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	FC19-0053 (N/S,91)(Valid)	HOT16-0310 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U185	GRB22-0201 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0068 (F,91)(Valid)	VOVA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U186	GRB24-0312 (M,91)	CATTLE	DROUGHT MASTER (91)	FC22-0008 (F,91)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	55385Y
24555U187	GRB25-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y
24555U188	GRB25-0124 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	PE18-0033 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55385Y

Report Date : 22-Oct-2025 15:18

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2025-12-02

Batch : 25381U
Owner : Rustin Shawe
Farm : Grassfields Beef
Account : SHAR01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25381U001	GRB25-0306 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0091 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U002	GRB25-0307 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0063 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U003	GRB25-0308 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0137 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U004	GRB25-0309 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0093 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U005	GRB25-0310 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0177 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U006	GRB25-0311 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0115 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U007	GRB25-0314 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0093 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U008	GRB25-0315 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO19-0024 (M,S,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U009	GRB25-0316 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0180 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003

Report Date : 14-Jan-2026 15:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25381U010	GRB25-0317 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0201 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U011	GRB25-0318 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0117 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U012	GRB25-0319 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0212 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U013	GRB25-0320 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0158 (F,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U014	GRB25-0321 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0140 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U015	GRB25-0322 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0188 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U016	GRB25-0323 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0060 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U017	GRB25-0324 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0142 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U018	GRB25-0325 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0213 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U019	GRB25-0326 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0219 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U020	GRB25-0327 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0093 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003

Report Date : 14-Jan-2026 15:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25381U021	GRB25-0328 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0006 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U022	GRB25-0329 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0187 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U023	GRB25-0330 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0200 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U024	GRB25-0331 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0157 (F,91)(Valid)	GRB22-0007 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U025	GRB25-0334 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0174 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U026	GRB25-0335 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0007 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U027	GRB25-0336 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0198 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U028	GRB25-0337 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0058 (F,91)(Valid)	GRB21-0118 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U029	GRB25-0338 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0116 (F,91)(Valid)	GRB20-0092 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U030	GRB25-0339 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0090 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U031	GRB25-0340 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0014 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U032	GRB25-0341 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0143 (F,91)(Valid)	GRB22-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003

Report Date : 14-Jan-2026 15:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATA	DATE	TEST	Tissue Type	RESULT	INVOICE
25381U033	GRB25-0342 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0089 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	56003
25381U034	GRB25-0343 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER04 : No sample in envelope/bag	01
25381U035	GRB25-0344 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0201 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U036	GRB25-0343 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0265 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
25381U037	GRB25-0345 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0275 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U038	GRB25-0346 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0243 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U039	GRB25-0347 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0023 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U040	GRB25-0348 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0038 (N/S,91)(Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U041	GRB25-0349 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0013 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U042	GRB25-0351 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0209 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003
25381U043	GRB25-0350 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0143 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	56003

Report Date : 14-Jan-2026 15:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25381U044	GRB25-0352 (M,91)	CATTLE	DROUGHT MASTER (91)	FC19-0059 (N/S,91)(Not Valid)	GRB22-0340 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	56003
25381U045	GRB25-0323 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0120 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U046	GRB25-0354 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0112 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U047	GRB25-0355 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0202 (F,91)(Valid)	GRB22-0005 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U048	GRB25-0356 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0221 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U049	GRB25-0357 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0069 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U050	GRB25-0358 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0219 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U051	GRB25-0359 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0094 (F,91)(Valid)	GRB22-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U052	GRB25-0360 (M,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0014 (F,91)(Valid)	GRB21-0276 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U053	GRB25-0361 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0169 (F,91)(Valid)	GRB22-0104 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U054	GRB25-0362 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0032 (F,91)(Valid)	CSA21-0050 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56003
25381U055	GRB25-0205 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0205 (F,91)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded,	56003

Report Date : 14-Jan-2026 15:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW

DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAIV	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Multiple Nominated Sires Excluded	

Report Date : 14-Jan-2026 15:04

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2023-08-29

Batch : 14834U
Owner : Rustin Shawe
Farm : Grassfields Beef
Account : SHAF01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14834U001	GRB23-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0050 (F,91)(Valid)		PAR_C	Hair	DVmtNSX : Dam Valid, Multiple Nominated Sires Excluded	
14834U002	GRB23-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	FC19-0074 (M/S,91)(Valid)	CSA19-0006 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U003	GRB23-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0124 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U004	GRB23-0012 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0066 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U005	GRB23-0013 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0201 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U006	GRB23-0015 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0202 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U007	GRB23-0016 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0020 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U008	GRB23-0018 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0137 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U009	GRB23-0019 (F,91)	CATTLE	DROUGHT	GRB20-0023 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 26-Sep-2023 16:08

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAIR	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
14834U010	GRB23-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0252 (F,91)(Valid)	GRB20-0144 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U011	GRB23-0021 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0141 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U012	GRB23-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0038 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U013	GRB23-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0087 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U014	GRB23-0024 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0218 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U015	GRB23-0025 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0054 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U016	GRB23-0026 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0059 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U017	GRB23-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0271 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U018	GRB23-0028 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0009 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U019	GRB23-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0016 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U020	GRB23-0030 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0014 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	THRU Type	RESULT	INVOICE
14834U021	GRB23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0236 (F,91)(Valid)	GRB20-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U022	GRB23-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0069 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U023	GRB23-0033 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0260 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U024	GRB23-0034 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0164 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U025	GRB23-0035 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0167 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U026	GRB23-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0096 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U027	GRB23-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0007 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U028	GRB23-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0029 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U029	GRB23-0039 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0180 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U030	GRB23-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0034 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U031	GRB23-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0074 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U032	GRB23-0042 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0047 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14834U033	GRB23-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0031 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U034	GRB23-0049 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0205 (F,91)(Valid)	GRB20-0090 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U035	GRB23-0055 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0162 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U036	GRB23-0056 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0169 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U037	GRB23-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0217 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U038	GRB23-0058 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0176 (F,91)(Valid)	GRB20-0144 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U039	GRB23-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0230 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U040	GRB23-0060 A (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0129 (F,91)(Valid)	GRB20-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U041	GRB23-0060 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0037 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U042	GRB23-0061 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0071 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U043	GRB23-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Threat Type	RESULT	INVOICE
14834U044	GRB23-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U045	GRB23-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0080 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U046	GRB23-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U047	GRB23-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U048	GRB23-0067 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0208 (F,91)(Not Valid)	GRB20-0011 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
14834U049	GRB23-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U050	GRB23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	DO2013 (F,UNK_C)(Valid)	LEEROY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U051	GRB23-0070 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U052	GRB23-0071 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U053	GRB23-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0174 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U054	GRB23-0073 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U055	GRB23-0074 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAIR	SIRE	TEST	Thrusse Type	RESULT	INVOICE
14834U056	GRB23-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	
14834U057	GRB23-0076 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0208 (F,91)(Valid)	GRB20-0011 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U058	GRB23-0077 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U059	GRB23-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U060	GRB23-0079 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0174 (F,91)(Valid)	GRB20-0011 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U061	GRB23-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U062	GRB23-0081 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	GRB20-0011 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U063	GRB23-0082 (F,91)	CATTLE	DROUGHT MASTER (91)	DO2013 (F,UNK_C)(Valid)	DUDLEY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U064	GRB23-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U065	GRB23-0084 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0095 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U066	GRB23-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0082 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14834U067	GRB23-0086 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0056 (F,91)(Valid)	GRB20-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U068	GRB23-0087 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0100A (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U069	GRB23-0088 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0140 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U070	GRB23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0255 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U071	GRB23-0090 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0143 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U072	GRB23-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0008 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U073	GRB23-0092 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0200 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U074	GRB23-0093 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0142 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U075	GRB23-0094 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0028 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U076	GRB23-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0182 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U077	GRB23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0108 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U078	GRB23-0097 (M,91)	CATTLE	DROUGHT MASTER (91)	W21-0006 (F,91)(Valid)	W18-0051 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATA	SIRE	TEST	Test Type	RESULT	INVOICE
14834U079	GRB23-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0079 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U080	GRB23-0099 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	KAPALEE FANCY BOY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U081	GRB23-0100 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	KAPALEE FANCY BOY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U082	GRB23-0101 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0197 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U083	GRB23-0102 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F,91)(Valid)	KAPALEE FANCY BOY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U084	GRB23-0103 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0006 (F,91)(Valid)	GRB14-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U085	GRB23-0104 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0087 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U086	GRB23-0105 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	KAPALEE FANCY BOY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U087	GRB23-0106 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0117 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U088	GRB23-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0035 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U089	GRB23-0108 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0083 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tested Type	RESULT	INVOICE
14834U090	GRB23-0109 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0052 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U091	GRB23-0110 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0043 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U092	GRB23-0111 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0132 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U093	GRB23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0131 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U094	GRB23-0113 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U095	GRB23-0114 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0153 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U096	GRB23-0115 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0153 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U097	GRB23-0116 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0088 (F,91)(Valid)	GRB19-0223 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U098	GRB23-0117 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0166 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U099	GRB23-0118 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0157 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U100	GRB23-0119 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0052 (F,91)(Valid)	GRB19-0055 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U101	GRB23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0166 (F,91)(Valid)	GRB20-0187 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Trace Type	RESULT	INVOICE
14834U102	GRB23-0121 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0055 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U103	GRB23-0122 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0137 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U104	GRB23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0164 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U105	GRB23-0124 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0166 (F,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U106	GRB23-0125 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0117 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U107	GRB23-0126 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0010 (F,91)(Valid)	GLENLANDS 1086 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U108	GRB23-0127 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0023 (F,91)(Valid)	KAPALEE FANCY BOY (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U109	GRB23-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	FXF03-0092 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U110	GRB23-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	DO2013 (F,UNK_C)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U111	GRB23-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	DO2013 (F,UNK_C)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U112	GRB23-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0117 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tested Type	RESULT	INVOICE
14834U113	GRB23-0132 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0054 (F,91)(Valid)	GRB19-0055 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U114	GRB23-0133 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0188 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U115	GRB23-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0120 (F,91)(Valid)		PAR_C	Hair	DVmxSX : Dam Valid, Multiple Nominated Sires Excluded	
14834U116	GRB23-0135 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0280 (F,91)(Valid)	GRB20-0144 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U117	GRB23-0136 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0093 (F,91)(Valid)	GRB20-0144 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U118	GRB23-0137 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0196 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U119	GRB23-0138 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0265 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U120	GRB23-0139 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0275 (F,91)(Valid)	OW18-0477 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U121	GRB23-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0168 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U122	GRB23-0141 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HEER03 : Repeat requested - no roots on hair	
14834U123	GRB23-0142 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0067 (F,91)(Valid)	GRB20-0186 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U124	GRB23-0143 (M,91)	CATTLE	DROUGHT	GRB20-0263 (F,91)(Valid)	GRB19-0267 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
14834U125	GRB23-0144 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0201 (F,91)\(Valid)	GRB19-0047 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U126	GRB23-0145 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0124 (F,91)\(Valid)	GRB19-0047 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U127	GRB23-0146 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0185 (F,91)\(Valid)	GRB20-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U128	GRB23-0147 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0241 (F,91)\(Valid)	GRB19-0055 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
14834U129	GRB23-0148 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0174 (F,91)\(Valid)	GRB20-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Sep-2023 16:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.