

Batch Detail Report

Batch : 26669U
 Owner :Willie Becker
 Farm :
 Account : BECW01
 Origin : BEEFMASTER BREEDERS SOCIETY
 Invoice To : Owner

Created : 2026-04-10

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26669U001	KKB23-0902 (N/S,31)	CATTLE	BEEFMASTER (31)	SP17-0089 (N/S,31)(Valid)	RG18-0086 (N/S,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U002	KKB23-0783 (N/S,31)	CATTLE	BEEFMASTER (31)	KKB19-0101 (N/S,31)(Not Valid)	MB20-0141 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26669U003	KKB23-0979 (N/S,31)	CATTLE	BEEFMASTER (31)	WO20-0221 (F,31)(Valid)	BOS20-0207 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U004	KKB23-0883 (N/S,31)	CATTLE	BEEFMASTER (31)		V817-0146 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U005	KKB23-0779 (N/S,31)	CATTLE	BEEFMASTER (31)	BOS15-5203 (F,31)(Valid)	V817-0146 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U006	KKB23-0797 (N/S,31)	CATTLE	BEEFMASTER (31)	MB16-0660 (F,31)(Valid)	V817-0146 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U007	KKB23-0801 (N/S,31)	CATTLE	BEEFMASTER (31)	BOS15-5119 (F,31)(Not Valid)	V817-0146 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26669U008	KKB23-0774 (N/S,31)	CATTLE	BEEFMASTER (31)		MB20-0141 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U009	KKB23-0879 (N/S,31)	CATTLE	BEEFMASTER (31)	WO17-0979 (F,31)(Not Valid)	V817-0146 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	

Report Date : 06-May-2026 12:04

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26669U010	KKB23-0935 (N/S,31)	CATTLE	BEEFMASTER (31)		WIL19-0120 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U011	KKB23-0875 (N/S,31)	CATTLE	BEEFMASTER (31)		V816-0067 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U012	KKB23-0949 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8346 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U013	KKB23-0833 (N/S,31)	CATTLE	BEEFMASTER (31)		V816-0067 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U014	KKB23-0963 (N/S,31)	CATTLE	BEEFMASTER (31)		V816-0067 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U015	KKB23-0976 (N/S,31)	CATTLE	BEEFMASTER (31)		WIL19-0120 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U016	KKB23-0975 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS20-0207 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U017	KKB23-0926 (N/S,31)	CATTLE	BEEFMASTER (31)	WO20-0458 (F,31)(Valid)	MB20-0141 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U018	KKB23-0882 (N/S,31)	CATTLE	BEEFMASTER (31)	MB17-0432 (F,31)(Valid)	V816-0067 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U019	KKB23-0899 (N/S,31)	CATTLE	BEEFMASTER (31)		V817-0146 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U020	KKB23-0942 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8346 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U021	KKB23-0890 (N/S,31)	CATTLE	BEEFMASTER (31)		V816-0067 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26669U022	KKB23-0877 (N/S,31)	CATTLE	BEEFMASTER (31)	WO17-0979 (F,31)(Valid)	V816-0067 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26669U023	KKB23-0856 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8496 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 06-May-2026 12:04

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26669U024	KKB23-0917 (N/S,31)	CATTLE	BEEFMASTER (31)	WO20-0372 (F,31)(Not Valid)	V817-0146 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 26670U
 Owner :Willie Becker
 Farm :
 Account : BECW01
 Origin : BEEFMASTER BREEDERS SOCIETY
 Invoice To : Owner

Created : 2026-04-10

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26670U001	KKB26-0540 (N/S,31)	CATTLE	BEEFMASTER (31)		V816-0067 (M,31)(Valid) KKB21-0484 (N/S,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
26670U002	KKB26-0532 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB20-0311 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U003	KKB26-0531 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB20-0311 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U004	KKB26-0533 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB20-0311 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U005	KKB26-0530 (N/S,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26670U006	KKB26-0535 (N/S,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26670U007	KKB26-0539 (N/S,31)	CATTLE	BEEFMASTER (31)	KKB19-0084 (N/S,31)(Valid)	KKB20-0311 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26670U008	KKB26-0534 (N/S,31)	CATTLE	BEEFMASTER (31)	KKB19-0114 (N/S,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
26670U009	KKB26-0536 (N/S,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	

Report Date : 06-May-2026 12:48

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26670U010	KKB26-0543 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB22-0578 (N/S,31)\(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U011	KKB26-0559 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB22-0578 (N/S,31)\(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U012	KKB26-0551 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB22-0578 (N/S,31)\(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U013	KKB26-0550 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB22-0578 (N/S,31)\(Valid)	PAR_C	Hair	SV : Sire Valid	
26670U014	KKB26-0549 (N/S,31)	CATTLE	BEEFMASTER (31)	SP13-0071 (F,31)\(Valid)	KKB22-0578 (N/S,31)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26670U015	KKB26-0542 (N/S,31)	CATTLE	BEEFMASTER (31)		KKB21-0402 (M,31)\(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 06-May-2026 12:48

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER