

Subject: Swartland Veeboere Inskrywings en regstel van foute lys

From: "Philip de Waal" <locheim@xsinet.co.za>

Date: 2026/06/07, 11:43 am

To: "'Linette Cloete'" <lcloete@angus.org.za>

CC: "'Marietjie'" <marietjie@studbook.co.za>

Die volgende bulle op ons veiling het foute wat reggestel is, ek soek rekenaar nommers vir hulle sodat ek die speengewigte kan stuur.

WDW24-62, WDW24-26, WDW24-63, WDW24-59. Sorteer Asb spoedig uit aangesien dit die katalogus gaan ophou. Ek stuur alle DNA sodra ek rekenaar nommers het.

Marietjie, daar veskyn diere op navrae, wat geen foute het nie, die res bv uitstaande speengewigte en vaders sowel as uitstaande kalwers is aangestuur. Laat weet indien daar nog navrae is.

BV WDW1937 WAT OP NAVRAAG IS. Sy het kalwers in 22, 23, 24, 25. Daar is niks fout met haar ouderdom eerste kalf nie.

Bulle vir veiling

WDW 24-10

WDW24-26. Kort n rekenaar nommer

WDW24-27

WDW24-44

WDW24-14

WDW24-36

WDW24-50

WDW24-21

WDW24-59 Kort n rekenaar nommer

WDW24-19

WDW24-63 Kort n rekenaar nommer

WDW24-12

Groete Philip

Batch Detail Report

Created : 2026-04-23

Batch : 26811U
Owner : Philip de Waal
Farm : Bossiesvlei
Account : DWAA01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26811U030	WDW24-0033 (M,40)	CATTLE	HEREFORD (40)		WDW20-0023 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U042	WDW24-0068 (N/S,23)	CATTLE	ANGUS (23)		WDW13-0006 (F,23)(Valid)	DE21-0012 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
26811U044	WDW24-0073 (N/S,23)	CATTLE	ANGUS (23)		WDW15-0038 (F,23)(Valid)	DE21-0012 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid

Report Date : 02-Jun-2026 12:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2026-04-23

Batch : 26811U
Owner : Philip de Waal
Farm : Bossiesvlei
Account : DWAA01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26811U043	WDW24-0082 (N/S,23)	CATTLE	ANGUS (23)	DE18-0011 (F,23)(Valid)	WDW21-0047 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 02-Jun-2026 11:00

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2026-04-23

Batch : 26811U
Owner :Philip de Waal
Farm :Bossiesvlei
Account : DWAA01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAW	SIRE	TEST	Tissue Type	RESULT	INVOICE
26811U001	WDW24-0067 (WDW2467) (M,2)	CATTLE	SIMMENTALE R (2)		WDW18-0048 (M,33)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U002	WDW24-0057 (WDW2457) (M,2)	CATTLE	SIMMENTALE R (2)	WDW21-0078 (F,2)(Valid)	WDW18-0048 (M,33)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26811U003	WDW24-0070 (WDW2470) (M,2)	CATTLE	SIMMENTALE R (2)		MAD21-0003 (N/S,2)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U004	WDW24-0021 (WDW2421) (M,2)	CATTLE	SIMMENTALE R (2)	WDW21-0058 (F,2)(Valid)	PN19-0684 (M,2)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26811U005	WDW24-0075 (WDW2475) (M,2)	CATTLE	SIMMENTALE R (2)	WDW22-0012 (F,2)(Valid)	CSS20-0301 (M,2)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26811U006	WDW24-0045 (WDW2445) (M,2)	CATTLE	SIMMENTALE R (2)	WDW21-0070 (F,2)(Valid)	WDW18-0048 (M,33)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26811U007	WDW24-0092 (WDW2492) (M,2)	CATTLE	SIMMENTALE R (2)		MAD21-0003 (N/S,2)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U008	WDW24-0048 (WDW2448) (M,2)	CATTLE	SIMMENTALE R (2)		CSS20-0301 (M,2)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U009	WDW24-0076 (WDW2476) (M,2)	CATTLE	SIMMENTALE R (2)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26811U010	WDW24-0062 (WDW2462) (M,2)	CATTLE	SIMMENTALE R (2)		MAD21-0003 (N/S,2)(Valid)	PAR_C	Hair	SV : Sire Valid	

Unistel report these results on the premise that the biological samples received are from the individual/s nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAQ comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26811U024	WDW24-0085 (M,40)	CATTLE	HEREFORD (40)		DVB20-0045 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U025	WDW24-0128 (M,40)	CATTLE	HEREFORD (40)		WDW20-0088 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U026	WDW24-0106 (M,40)	CATTLE	HEREFORD (40)		WDW20-0002 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U027	WDW24-0102 (M,40)	CATTLE	HEREFORD (40)		WDW20-0017 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U028	WDW24-0084 (M,40)	CATTLE	HEREFORD (40)		DVB20-0045 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U029	WDW24-0113 (M,40)	CATTLE	HEREFORD (40)		WDW20-0088 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U030	WDW24-0033 (M,40)	CATTLE	HEREFORD (40)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26811U031	WDW24-0026 (M,40)	CATTLE	HEREFORD (40)		WDW19-0009 (N/S,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U032	WDW23-0151 (M,40)	CATTLE	HEREFORD (40)		DVB20-0045 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U033	WDW24-0115 (M,40)	CATTLE	HEREFORD (40)	WDW17-0136 (F,40)(Valid)	WDW20-0088 (M,40)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26811U034	WDW24-0015 (M,40)	CATTLE	HEREFORD (40)	WDW17-0138 (F,40)(Valid)	WDW20-0017 (M,40)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26811U035	WDW24-0006 (M,40)	CATTLE	HEREFORD (40)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26811U036	WDW24-0035 (M,40)	CATTLE	HEREFORD (40)		WDW20-0002 (M,40)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U037	WDW24-0039 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Jun-2026 11:33

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26811U038	WDW24-0049 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U039	WDW24-0067 (N/S,23)	CATTLE	ANGUS (23)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26811U040	WDW24-0062 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U041	WDW24-0050 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U042	WDW24-0068 (N/S,23)	CATTLE	ANGUS (23)	WDW13-0006 (F,23)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
26811U043	WDW24-0082 (N/S,23)	CATTLE	ANGUS (23)	DE18-0011 (F,23)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
26811U044	WDW24-0073 (N/S,23)	CATTLE	ANGUS (23)	WDW15-0038 (F,23)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
26811U045	WDW24-0027 (N/S,23)	CATTLE	ANGUS (23)		1AN01397 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U046	WDW24-0026 (N/S,23)	CATTLE	ANGUS (23)		001AN01454 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U047	WDW24-0019 (N/S,23)	CATTLE	ANGUS (23)		1AN01397 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U048	WDW24-0044 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U049	WDW24-0077 (N/S,23)	CATTLE	ANGUS (23)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26811U050	WDW24-0014 (N/S,23)	CATTLE	ANGUS (23)		DE19-0006 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Jun-2026 11:33

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26811U051	WDW24-0063 (N/S,23)	CATTLE	ANGUS (23)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
26811U052	WDW24-0001 (N/S,23)	CATTLE	ANGUS (23)		DE19-0006 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U053	WDW24-0054 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U054	WDW24-0038 (N/S,23)	CATTLE	ANGUS (23)		WDW21-0015 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U055	WDW24-0021 (N/S,23)	CATTLE	ANGUS (23)		1AND1397 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U056	WDW24-0036 (N/S,23)	CATTLE	ANGUS (23)		RAINFALL 6846 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U057	WDW24-0059 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U058	WDW24-0010 (N/S,23)	CATTLE	ANGUS (23)		DE19-0006 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U059	WDW24-0047 (N/S,23)	CATTLE	ANGUS (23)		SAC CONVERSATION JS02 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
26811U060	WDW24-0022 (N/S,23)	CATTLE	ANGUS (23)			ST_C	Hair	Store : Store this sample	
26811U061	WDW24-0016 (N/S,23)	CATTLE	ANGUS (23)			ST_C	Hair	Store : Store this sample	
26811U062	WDW24-0008 (N/S,23)	CATTLE	ANGUS (23)			ST_C	Hair	Store : Store this sample	

Report Date : 01-Jun-2026 11:33

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER