

Batch Detail Report

Batch : 10690U
Owner :Linde Du Plessis
Owner Email:admin@brandwater.co.za;mari@brandwater.co.za
Owner CellPhone No. :0837008592
Farm :Bloemhoek
Account : DUPLL0
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2022-10-09

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10690U001	HOT22-0909 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U001	HOT22-0909 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U002	HOT22-0910 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U002	HOT22-0910 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U003	HOT22-0911 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U003	HOT22-0911 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U004	HOT22-0912 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U004	HOT22-0912 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U005	HOT22-0913 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L	

Report Date : 25-Oct-2022 12:29

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
10690U005	HOT22-0913 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U006	HOT22-0914 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U006	HOT22-0914 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U007	HOT22-0915 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U007	HOT22-0915 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U008	HOT22-0916 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U008	HOT22-0916 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U009	HOT22-0917 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U009	HOT22-0917 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U010	HOT22-0918 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U010	HOT22-0918 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 25-Oct-2022 12:29

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10690U011	HOT22-0919 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0596 (F,91)(Valid)	HOT15-0208 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
10690U011	HOT22-0919 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U011	HOT22-0919 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U012	HOT22-0920 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U012	HOT22-0920 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U013	HOT22-0921 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U013	HOT22-0921 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U014	HOT22-0922 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U014	HOT22-0922 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U015	HOT22-0924 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U015	HOT22-0924 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U016	HOT22-0925 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L	

Report Date : 25-Oct-2022 12:29

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
10690U016	HOT22-0925 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U017	HOT22-0926 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U017	HOT22-0926 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U018	HOT22-0927 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U018	HOT22-0927 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U019	HOT22-0928 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U019	HOT22-0928 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U020	HOT22-0929 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U020	HOT22-0929 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U021	HOT22-0930 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U021	HOT22-0930 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	

Report Date : 25-Oct-2022 12:29

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
10690U022	HOT22-0931 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U022	HOT22-0931 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U023	HOT22-0932 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U023	HOT22-0932 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U024	HOT22-0933 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U024	HOT22-0933 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
10690U025	HOT22-0934 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U025	HOT22-0934 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U026	HOT22-0935 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U026	HOT22-0935 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
10690U027	HOT22-0936 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
10690U027	HOT22-0936 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 25-Oct-2022 12:29

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER