



Edit Lists



Animal ID	Birth	Sire	Dam	Editing Required
PARTICIPANT: 0711394DMA WATERFORD DROUGHTMASTERS				
BATCH: ADMAA0711394LX15				
WBT260045	28/03/2026		DMAFWBT 140116	Moeder nie aktief op geboortedatum van kal[02-DEC-22 Interkalfwing na vorige kalf is te groot - 1280 dae -ras 730 (24-SEP-22 - DMAAMWBT 220055)
DMAFWBT 260045				
BATCH: ADMAA0711394LX17				
WBT190098	18/11/2019	DMAAMCSA 150031	DMAFWBT 130044	Moeder het reeds 'n natuurlike kalfwing op die datum en nie gemerk as tweeling
DMAFWBT 190098				
BATCH: ADMAA0711394LX80				
WBT260104	19/05/2026		DMAFWBT 180097	Interkalfwing periode is te klein - 39 dae -ras 271 (09-APR-26 - DMAAMWBT 260072)
DMAFWBT 260104				
BATCH: ADMAA0711394LX79				
WBT240199	15/07/2024		DMAFWBT 140116	Moeder gekanselleer op 02/12/2022
DMAAMWBT 240199				
BATCH: ADMAA0711394LX80				
WBT260090	03/05/2026		DMAFEV 170027	Interkalfwing na vorige kalf is te groot - 2095
DMAFWBT 260090				
BATCH: ADMAA0711394LX60				
WBT250301	11/01/2026		DMAFWBT 230132	Moeder nie aktief op geboortedatum van kalf gekanselleer Junie 2025
DMAFWBT 260301				

HERINSTEL ASB

Admin 6/22/26, 6:17:27 PM

HERINSTEL 23-0132 ASB.

Admin 6/22/26, 6:18:42 PM



Edit Lists

compiled by the S.A. Studbook and Animal Improvement Association



DROUGHTMASTER SA

Animal ID	Birth	Sire	Dam	Editing Required
PARTICIPANT: 0711394DMA WATERFORD DROUGHTMASTERS				
BATCH: ADMA0711394LX15				
WB1260045	28/03/2026		DMAFWBT 140116	Moeder nie aktief op geboortedatum van kal[02-DEC-22
DMAFWBT 260045				Interkalfing na vorige kalf is te groot - 1280 dae -ras 720 (24-SEP-22 - DMAFWBT 220035)
BATCH: ADMA0711394LX17				
WB1190098	18/11/2019	DMAAMCSA 150031	DMAFWBT 130044	Moeder het reeds 'n natuurlike kalfing op die datum en nie gemerk as Inseifing
DMAFWBT 190098				
BATCH: ADMA0711394LX80				
WB1260104	18/05/2026		DMAFWBT 180097	Interkalfing periode is te klein - 39 dae -ras 271 (09-APR-26 - DMAFWBT 280072)
DMAFWBT 260104				
BATCH: ADMA0711394LX79				
WB1240199	15/07/2024		DMAFWBT 140116	Moeder gekanselleer op 02/12/2022
DMAFWBT 240199				
BATCH: ADMA0711394LX80				
WB1260090	03/05/2026		DMAFBV 170027	Interkalfing na vorige kalf is te groot - 2065 dae -ras 720 (05-AUG-20 - DMAFSB 200034)
DMAFWBT 260090				
BATCH: ADMA0711394LX60				
WB1250301	11/01/2026		DMAFWBT 230132	Moeder nie aktief op geboortedatum van kalf gekanselleer Junie 2025
DMAFWBT 260301				

Admin 6/22/26, 6:16:29 PM

WB119-111 SE MA IS WB116-0011 EN NIE WB113-0044
NIE. EK HEG LABUITSLAG AAN: 600U035

Batch Detail Report

Batch : 260414U
Owner : C Crous
Farm : Waterford Bdy Trust
Account :
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 173111

Created: 2026-05-06

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results		Invoice
								PAR		
260414U001	WBT26-0061 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT13-0038 (F,186)(Invalid)	HOT20-0753 (M,91)(Valid)	Dam Excluded, Sire Valid		
260414U002	WBT26-0062 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT18-0063 (F,91)(Valid)		Dam Valid, Multiple Sires Excluded		
260414U003	WBT26-0063 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT23-0233 (F,91)(Valid)	CTM22-0014 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U004	WBT26-0064 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT20-0056 (F,91)(Valid)	AGO21-0115 (U,91)(Valid)	Dam Valid, Sire Valid		
260414U005	WBT26-0065 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT16-0039 (F,91)(Valid)	HOT20-0753 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U006	WBT26-0066 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT19-0055 (F,186)(Valid)	HOT20-0753 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U007	WBT26-0067 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT21-0028 (F,186)(Valid)	HOT20-0753 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U008	WBT26-0068 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT22-0072 (F,91)(Valid)	WBT22-0060 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U009	WBT26-0069 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT13-0047 (F,91)(Valid)	HOT20-0753 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U010	WBT26-0070 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT17-0015 (F,91)(Valid)	WBT23-0062 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U011	WBT26-0071 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT22-0048 (F,91)(Valid)	HOT20-0753 (M,91)(Valid)	Dam Valid, Sire Valid		
260414U012	WBT26-0072 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT18-0097 (F,91)(Valid)	HOT20-0753 (M,91)(Valid)	Dam Valid, Sire Valid		

Report Date: 09-Jun-2026 13:50

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Patrow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tyngervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekel, HU Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)

Batch Detail Report

Batch : 260414U
Owner : C Crous
Farm : Waterford Bdy Trust
Account :
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 173111

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results PAR	Invoice
260414U013	WB126-0073 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	GRB19-0264 (F,91)(Valid)	HOT20-0753 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U014	WB126-0075 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT19-0027 (F,186)(Valid)	WBT23-0062 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U015	WB126-0076 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT22-0077 (F,91)(Valid)	WBT23-0062 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U016	WB126-0077 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT16-0121 (F,91)(Valid)	WBT23-0062 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U017	WB126-0078 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT16-0052 (F,91)(Valid)	HOT20-0753 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U018	WB126-0079 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT19-0063 (F,186)(Valid)	HOT20-0753 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U019	WB126-0080 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT16-0097 (F,91)(Valid)	WBT22-0060 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U020	WB126-0081 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT19-0041 (F,91)(Valid)	AGO21-0115 (U,91)(Valid)	Damn Valid, Sire Valid	
260414U021	WB126-0082 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT23-0064 (F,91)(Valid)	CTM22-0014 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U022	WB126-0083 (M)	✓	CATTLE	DROUGHT MASTER (91)	HAIR	WBT21-0102 (F,186)(Valid)	WBT22-0060 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U023	WB126-0084 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT21-0076 (F,186)(Valid)	WBT22-0060 (M,91)(Valid)	Damn Valid, Sire Valid	
260414U024	WB126-0086 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	WBT21-0029 (F,186)(Valid)	HOT20-0753 (M,91)(Valid)	Damn Valid, Sire Valid	

Report Date: 09-Jun-2026 13:50

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Harnes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Wheeldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1999/021075/07)

Created : 2020-05-21

Batch Detail Report

Batch : 600U
 Owner : Carl Crous
 Farm : Rudolph Boerdery Trust
 Account :
 Invoice To : Owner

15 17

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
600U001	WBT14-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	C13-0004 (F,91)(Valid)	C12-0001 (M,186)(Not Valid)	PAR_C	DVSV : Dam Valid, Sire <u>Excluded</u>	34569
600U002	WBT14-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0228 (F,186)(Valid)	C12-0001 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U003	WBT14-0015 (F,91)	CATTLE	DROUGHT MASTER (91)		C12-0001 (M,91)(Valid)	PAR_C	SV : Sire Valid	34569
600U004	CSA15-0054 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0227 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U005	WBT16-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	DUX13-0523 (F,91)(Valid)	C12-0001 (M,186)(Not Valid)	PAR_C	DVSV : Dam Valid, Sire Excluded	34569
600U006	WBT16-0061 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0009 (F,91)(Valid)	C12-0001 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U007	TOP16-0117 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0140 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U008	WBT17-0023 (M,91)	CATTLE	DROUGHT MASTER (91)	DO02-0111 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U009	WBT17-0058 (M,91)	CATTLE	DROUGHT MASTER (91)		ROCKET (M,91)(Valid)	PAR_C	SV : Sire Valid	34569
600U010	WBT17-0070 (F,91)	CATTLE	DROUGHT MASTER (91)		SWAN GO CAT (M,91)(Valid)	PAR_C	SV : Sire Valid	34569

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error.
 Should gross negligence be proven the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
600U011	WBT17-0073 (M.91)	CATTLE	DROUGHT MASTER (91)		SWAN GO CAT (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U012	WBT17-0075 (M.91)	CATTLE	DROUGHT MASTER (91)		ROCKET (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U013	WBT17-0078 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0038 (F.186)\(Not Valid)	WBT13-0053 (M.186)\(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	34569
600U014	17-0084 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT14-0014 (F.91)\(Valid)	WBT13-0053 (M.186)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U015	WBT17-0088 (F.91)	CATTLE	DROUGHT MASTER (91)		C12-0001 (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U016	WBT17-0098 (F.91)	CATTLE	DROUGHT MASTER (91)		WBT13-0053 (M.186)\(Valid)	PAR_C	SV : Sire Valid	34569
600U017	WBT17-0119 (M.91)	CATTLE	DROUGHT MASTER (91)		C08-0469 (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U018	WBT18-0010 (F.91)	CATTLE	DROUGHT MASTER (91)		C13-0013 (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U019	WBT18-0012 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT13-0022 (F.186)\(Valid)	ZON14-0011 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U020	WBT18-0028 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT16-0011 (F.91)\(Valid)	ZON14-0011 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U021	WBT18-0038 (F.91)	CATTLE	DROUGHT MASTER (91)	DUX13-0915 (F.91)\(Valid)	ZON14-0011 (M.91)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U022	WBT18-0044 (F.91)	CATTLE	DROUGHT MASTER (91)		ZON14-0011 (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U023	WBT18-0045 (F.91)	CATTLE	DROUGHT MASTER (91)		ZON14-0011 (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569
600U024	WBT18-0046 (F.91)	CATTLE	DROUGHT		ZON14-0011 (M.91)\(Valid)	PAR_C	SV : Sire Valid	34569

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			MASTER (91)				Sire Valid	
600U025	WBT18-0071 (F,91)	CATTLE	DROUGHT MASTER (91)		ROCKET (M,91)(Not Valid)	PAR_C	SX : Sire Excluded	34569
600U026	WBT18-0104 (F,91)	CATTLE	DROUGHT MASTER (91)		ZON14-0011 (M,91)(Valid)	PAR_C	SV : Sire Valid	34569
600U027	WBT19-0016 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0031 (M,91)(Valid)	PAR_C	SV : Sire Valid	34569
600U028	WBT19-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0059 (F,186)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U029	WBT19-0028 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0054 (M,91)(Valid)	PAR_C	SV : Sire Valid	34569
600U030	WBT19-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT14-0003 (F,91)(Valid)	CSA15-0054 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U031	WBT19-0093 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0016 (F,186)(Valid)	TOP15-0101 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U032	WBT19-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT14-0014 (F,91)(Valid)	TOP15-0102 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U033	WBT19-0098 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0044 (F,186)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U034	WBT19-0101 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT14-0015 (F,91)(Valid)	CSA15-0031 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569
600U035	WBT19-0111 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0011 (F,91)(Valid)	TOP15-0101 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	34569

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER