

Batch Detail Report

Batch : 260430U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 173127

Created: 2026-05-07

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results		Invoice
PAR										
260430U001	VOVA23-0027 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA19-0025 (F,91)(Valid)	DUDLEY (HAMADRA DUDLEY) (M,91)(Valid)	Dam Valid, Sire Valid		
260430U002	VOVA23-0042 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA19-0025 (F,91)(Valid)	DUDLEY (HAMADRA DUDLEY) (M,91)(Valid)	Dam Valid, Sire Valid		
260430U003	VOVA23-0051 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0022 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U004	VOVA23-0054 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0022 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U005	VOVA23-0095 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA18-0029 (F,91)(Invalid)	CSA18-0199 (M,91)(Invalid)	Dam Excluded, Sire Excluded		
260430U006	VOVA23-0096 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA18-0200 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U007	VOVA23-0103 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	TOP17-0210 (F,91)(Valid)	TRADITION (GLENLANDS TRADITION) (M,91)(Valid)	Dam Valid, Sire Valid		
260430U008	VOVA23-0115 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA15-0065 (F,91)(Valid)	VOVA19-0019 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U009	VOVA23-0149 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA19-0197 (M,91)(Valid)	Sire Valid		
260430U010	VOVA23-0182 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	C09-0221 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U011	VOVA23-0193 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA18-0200 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U012	VOVA23-0201 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	Dam Valid, Sire Valid		

Report Date: 24-Jun-2026 13:48

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories Participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannas Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No.: 1998/021075/07)

Page 1 of 4



Animal Genetic Testing

Batch Detail Report

Batch : 260430U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 173127

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results PAR	Invoice
260430U013	VOVA23-0204 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA20-0116 (F,91)(Valid)	DO05-0029 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U014	VOVA23-0214 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA18-0140 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U015	VOVA23-0246 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA20-0015 (M,91)(Valid)	Sire Valid	
260430U016	VOVA23-0274 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	TOP17-0210 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U017	VOVA23-0277 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	TOP17-0210 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U018	VOVA23-0309 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA19-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U019	VOVA23-0327 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	C09-0221 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U020	VOVA23-0330 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U021	VOVA23-0343 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U022	VOVA23-0348 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U023	VOVA23-0350 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	HOT15-0161 (F,91)(Valid)	TRADITION (GLENLANDS TRADITION) (M,91)(Valid)	Dam Valid, Sire Valid	
260430U024	VOVA23-0369 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA18-0038 (M,91)(Valid)	Sire Valid	

Report Date: 24-Jun-2026 13:48

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindray-Whieldon, M Senekal, HU Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/02/07507)

Batch Detail Report

Batch : 260430U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 173127

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results	
								PAR	Invoice
260430U025	VOVA23-0383 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA20-0122 (M,91)(Valid)	Sire Valid	
260430U026	VOVA23-0403 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA13-0047 (F,91)(Valid)	YARALLA PATTON (M,91)(Valid)	Dam Valid, Sire Valid	
260430U027	VOVA23-0406 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	TOP17-0210 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U028	VOVA23-0414 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA21-0115 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U029	VOVA23-0419 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	ZEL15-0592 (F,91)(Valid)	97-0049 SWAN EAGLE HAWK (SWAN EAGLE HAWK X) (M,91)(Valid)	Dam Valid, Sire Valid	
260430U030	VOVA23-0432 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA21-0020 (M,91)(Valid)	Sire Valid	
260430U031	VOVA23-0444 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA20-0121 (M,91)(Valid)	Sire Valid	
260430U032	VOVA23-0470 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA18-0045 (F,91)(Valid)	VOVA19-0202 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U033	VOVA23-0360 (M)		CATTLE	DROUGHT MASTER (91)	HAIR		VOVA16-0157 (M,91)(Valid)	Sire Valid	
260430U034	VOVA23-0458 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	C11-0035 (F,91)(Invalid)	VOVA20-0015 (M,91)(Invalid)	Dam Excluded, Sire Excluded	
260430U035	VOVA24-0278 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA22-0022 (F,91)(Valid)	CSA15-0029 (M,91)(Valid)	Dam Valid, Sire Valid	
260430U036	VOVA24-0280 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA22-0022 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	

Report Date : 24-Jun-2026 13:48

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindley, Wheldon, M Senekel, RJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)

Batch Detail Report

Batch : 260430U

Owner : HD Watson

Farm : Glenside Farm

Account : WATHD1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 173127

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results		Invoice
Pair										
260430U037	VOVA24-0302 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA22-0022 (F,91)(Valid)	AGO20-0048 (M,91)(Valid)	Dam Valid, Sire Valid		
260430U038	VOVA25-0020 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	VOVA18-0008 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid		

Report Date: 24-Jun-2026 13:48

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA

Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA

Tel: +27 (21) 021 007 5616

Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindlay-Whieldon, M Senekel, HU Pearce

Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)



Batch Detail Report

Batch : 260430U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPUCATbovine03
Job No : 173127

Created: 2026-05-07

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results			Invoice
						PMG1	PMG2	PMG3	
260430U001	VOVA23-0027 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U002	VOVA23-0042 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U003	VOVA23-0051 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U004	VOVA23-0054 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260430U005	VOVA23-0095 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U006	VOVA23-0096 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U007	VOVA23-0103 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U008	VOVA23-0115 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U009	VOVA23-0149 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U010	VOVA23-0182 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U011	VOVA23-0193 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260430U012	VOVA23-0201 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	

Report Date: 18-Jun-2026 12:25

Disclaimer

Unisel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unisel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannas Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Wheldon, M Senekel, HJ Pearce
Unisel Medical Laboratories (Pty) Ltd (Reg No-- 1998/021075/07)



Batch Detail Report

Batch : 260430U

Owner : HD Watson

Farm : Glenside Farm

Account : WATHD1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 173127

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results		Invoice
						DMG1	QMG2	QMG3
260430U013	VOVA23-0204 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U014	VOVA23-0214 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U015	VOVA23-0246 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U016	VOVA23-0274 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U017	VOVA23-0277 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U018	VOVA23-0309 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U019	VOVA23-0327 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
260430U020	VOVA23-0330 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U021	VOVA23-0343 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U022	VOVA23-0348 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
260430U023	VOVA23-0350 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
260430U024	VOVA23-0369 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821

Report Date: 18-Jun-2026 12:25

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tigger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA

Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA

Tel: +27 (21) 021 007 5616

Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindlay-Whieldon, M Senekel, HJ Pearce

Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)

Batch Detail Report

Batch : 260430U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPUCATbovine03
Job No : 173127

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results			Invoice
						DNA1	DNA2	DNA3	
260430U025	VOVA23-0383 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U026	VOVA23-0403 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260430U027	VOVA23-0406 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260430U028	VOVA23-0414 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260430U029	VOVA23-0419 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260430U030	VOVA23-0432 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U031	VOVA23-0444 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U032	VOVA23-0470 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U033	VOVA23-0360 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U034	VOVA23-0458 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U035	VOVA24-0278 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U036	VOVA24-0280 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	

Report Date: 18-Jun-2026 12:25

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Posinlei Suile 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Thiant (CEO), B Girdlay-Wheldon, M Senekal, HU Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 260430U
Owner : HD Watson
Farm : Glenside Farm
Account : WATHD1
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPUCATbovine03
Job No : 173127

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results			Invoice
						DMG1	DMG2	DMG3	
260430U037	VOVA24-0302 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260430U038	VOVA25-0020 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 18-Jun-2026 12:25

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindray-Whieldon, M Senekal, HU Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)