

Batch Detail Report

Batch : 24006U
Owner : J(Kerneels) van Rensburg
Farm : Nooitverwag Beefmasters
Account : VRENJ1
Origin : PRIVATE
Invoice To : Owner

Created : 2025-08-12

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24006U001	FRJ23-0016 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U002	FRJ23-0018 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U003	FRJ23-0020 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U004	FRJ23-0029 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U005	FRJ23-0046 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U006	FRJ23-0052 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U007	FRJ23-0087 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U008	FRJ23-0091 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U009	FRJ23-0104 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 09-Sep-2025 10:23

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
24006U010	FRJ23-0107 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U011	FRJ23-0111 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U012	FRJ23-0127 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U013	FRJ23-0128 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U014	FRJ23-0137 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U015	FRJ23-0142 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U016	FRJ23-0145 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U017	FRJ23-0152 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U018	FRJ23-0164 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U019	FRJ23-0166 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U020	FRJ23-0185 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24006U021	FRJ23-0187 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U022	FRJ23-0189 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U023	FRJ23-0193 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U024	FRJ23-0200 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U025	FRJ23-0205 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U026	FRJ23-0207 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U027	FRJ23-0221 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U028	FRJ23-0225 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U029	FRJ23-0231 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U030	FRJ23-0239 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U031	FRJ23-0250 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U032	FRJ23-0251 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 09-Sep-2025 10:23

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
24006U033	FRJ23-0254 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U034	FRJ23-0256 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U035	FRJ23-0267 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U036	FRJ23-0270 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U037	FRJ23-0275 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U038	FRJ23-0282 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U039	FRJ23-0283 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U040	FRJ23-0285 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U041	FRJ23-0290 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U042	FRJ23-0301 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U043	FRJ23-0302 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	

Report Date : 09-Sep-2025 10:23

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24006U044	FRJ23-0313 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U045	FRJ23-0331 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U046	FRJ23-0336 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U047	FRJ23-0606 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U048	FRJ23-0611 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U049	FRJ23-0617 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U050	FRJ23-0626 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U051	FRJ23-0634 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U052	FRJ23-0651 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U053	FRJ23-0666 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U054	FRJ23-0692 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U055	FRJ23-0707 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
24006U056	FRJ23-0724 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U057	FRJ23-0725 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U058	FRJ23-0738 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U059	FRJ23-0740 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U060	FRJ23-0761 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U061	FRJ23-0762 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U062	FRJ23-0769 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U063	FRJ23-0773 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U064	FRJ23-0778 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U065	FRJ23-0780 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U066	FRJ23-0786 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 09-Sep-2025 10:23

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24006U067	FRJ23-0797 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U068	FRJ23-0799 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U069	FRJ23-0807 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
24006U070	FRJ23-0813 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U071	FRJ23-0835 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U072	FRJ23-0845 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U073	FRJ23-0859 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U074	FRJ23-0863 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U075	FRJ23-0868 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24006U076	FRJ23-0876 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 09-Sep-2025 10:23

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER