

Batch Detail Report

Created : 2025-09-12

Batch : 24387U
Owner : JJ (Nelius) Ferreira
Farm : Grootdraai / Ferrero Stoet
Account : FERJ01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24387U001	AJF24-0014 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U001	AJF24-0014 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U002	AJF24-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U002	AJF24-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U003	AJF24-0021 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U003	AJF24-0021 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U004	AJF24-0023 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U004	AJF24-0023 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U005	AJF24-0033 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 01-Oct-2025 11:13

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

						Normal
24387U005	AJF24-0033 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U006	AJF24-0034 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U006	AJF24-0034 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U007	AJF24-0036 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U007	AJF24-0036 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U008	AJF24-0044 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U008	AJF24-0044 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U009	AJF24-0052 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U009	AJF24-0052 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U010	AJF24-0054 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U010	AJF24-0054 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal

Report Date : 01-Oct-2025 11:13

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories accept no responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and adheres to international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

24387U011	AJF24-0055 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U011	AJF24-0055 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U012	AJF24-0078 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote
24387U012	AJF24-0078 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U013	AJF24-0079 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U013	AJF24-0079 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U014	AJF24-0083 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U014	AJF24-0083 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U015	AJF24-0086 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U015	AJF24-0086 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U016	AJF24-0087 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U016	AJF24-0087 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821

Page : 3

Report Date : 01-Oct-2025 11:13

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

						Normal
24387U017	AJF24-0089 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U017	AJF24-0089 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U018	AJF24-0093 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U018	AJF24-0093 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U019	AJF24-0094 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U019	AJF24-0094 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U020	AJF24-0103 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20HET Myostatin - Q204X Heterozygote
24387U020	AJF24-0103 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U021	AJF24-0106 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal
24387U021	AJF24-0106 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR Myostatin - nt821 Normal
24387U022	AJF24-0107 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR Myostatin - Q204X Normal

Report Date : 01-Oct-2025 11:13

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Note: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and adheres to international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Report Date : 01-Oct-2025 11:13

24387U022	AJF24-0107 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U023	AJF24-0112 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal
24387U023	AJF24-0112 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U024	AJF24-0119 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal
24387U024	AJF24-0119 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U024	AJF24-0119 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal
24387U024	AJF24-0119 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U025	AJF24-0122 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal
24387U025	AJF24-0122 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U026	AJF24-0124 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal
24387U026	AJF24-0124 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U027	AJF24-0128 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal
24387U027	AJF24-0128 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	Normal
24387U028	AJF24-0134 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	Normal

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimers: While every reasonable effort is made to prevent faulty results, the claim shall not exceed the value of the contract. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring starcards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24387U028	AJF24-0134 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	Normal nt8NOR : Myostatin - nt821 Normal
24387U029	AJF24-0138 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U029	AJF24-0138 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U030	AJF24-0144 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U030	AJF24-0144 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U031	AJF24-0147 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U031	AJF24-0147 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U032	AJF24-0151 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U032	AJF24-0151 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U033	AJF24-0154 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U033	AJF24-0154 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal

Report Date : 01-Oct-2025 11:13

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Notes: Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories do not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and adheres to international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24387U034	AJF24-0160 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U034	AJF24-0160 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U035	AJF24-0161 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U035	AJF24-0161 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U036	AJF24-0162 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U036	AJF24-0162 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U037	AJF24-0164 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U037	AJF24-0164 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U038	AJF24-0169 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U038	AJF24-0169 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U039	AJF24-0172 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U039	AJF24-0172 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821

Report Date : 01-Oct-2025 11:13

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

							Normal
24387U040	AJF24-0177 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U040	AJF24-0177 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U041	AJF24-0185 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U041	AJF24-0185 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U042	AJF24-0187 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U042	AJF24-0187 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U043	AJF24-0195 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U043	AJF24-0195 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U044	AJF24-0199 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
24387U044	AJF24-0199 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
24387U045	AJF24-0201 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Report Date : 01-Oct-2025 11:13

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and adheres to international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

24387U045	AJF24-0201 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U046	AJF24-0202 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U046	AJF24-0202 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U047	AJF24-0208 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U047	AJF24-0208 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U048	AJF24-0216 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U048	AJF24-0216 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U049	AJF24-0220 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U049	AJF24-0220 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U050	AJF24-0224 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U050	AJF24-0224 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U051	AJF24-0227 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X

Report Date : 01-Oct-2025 11:13

Page : 9

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Report Date : 01-Oct-2025 11:13

Page : 11

24387U057	AJF24-0255 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	O20NOR Myostatin - Q204X Normal
24387U057	AJF24-0255 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	n18NOR Myostatin - n1821 Normal
24387U058	AJF24-0259 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	O20HET Myostatin - Q204X Heterozygote
24387U058	AJF24-0259 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	n18NOR Myostatin - n1821 Normal
24387U059	AJF24-0262 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	O20NOR Myostatin - Q204X Normal
24387U059	AJF24-0262 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	n18NOR Myostatin - n1821 Normal
24387U060	AJF24-0271 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	O20NOR Myostatin - Q204X Normal
24387U060	AJF24-0271 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	n18NOR Myostatin - n1821 Normal
24387U061	AJF24-0272 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	O20NOR Myostatin - Q204X Normal
24387U061	AJF24-0272 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	n18NOR Myostatin - n1821 Normal
24387U062	AJF24-0281 (M,1)	CATTLE	BONSMARA	(1)	DMG-2_C	Hair	O20NOR Myostatin - Q204X Normal
24387U062	AJF24-0281 (M,1)	CATTLE	BONSMARA	(1)	DMG-3_C	Hair	n18NOR Myostatin - n1821 Normal

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAQ comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROSSOUW
DIVISION MANAGER

24387U063	AJF24-0282 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Normal Q20NOR : Myostatin - Q204X Normal
24387U063	AJF24-0282 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U064	AJF24-0287 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U064	AJF24-0287 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U065	AJF24-0291 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote
24387U065	AJF24-0291 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
24387U066	AJF24-0308 (M,1)	CATTLE	BONSMARA (1)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal
24387U066	AJF24-0308 (M,1)	CATTLE	BONSMARA (1)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal

Report Date : 01-Oct-2025 11:13

Page : 12

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER