



Created : 2022-03-18

Batch Detail Report

Batch : 8209U
Owner : JH(Johan) Erasmus
Farm : Wolwengat
Account : ERAJH1
Invoice To : Owner

8209U901

WJ19-0187 (F,24)

CATTLE

BORAN (24)

WJ17-0113 (F,24)(Valid)

JR516-0100 (M,24)(Valid)

PAR_C

Hair

DVS_V :
Dam Valid, Sire
Valid

41183

21 Feb 21

HS 2nd year No
Studbook

Report Date : 29-Apr-2025 15:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

16302U010	WG22-0014 (F:24)	CATTLE	BORAN (24)	WG18-0089 (M:24)(Valid)	PAR_C	Hair	SV: Sire Valid
16302U011	WG22-0008 (F:24)	CATTLE	BORAN (24)	WJ18-0100 (M:24)(Valid)	PAR_C	Hair	SV: Sire Valid
16302U012	JRS21-0320 (F:24)	CATTLE	BORAN (24)	B07-0017 (F:24)(Valid)	PAR_C	Hair	DVSV: Dam Valid, Sire Valid
				C107-0001 (M:24)(Valid)			

1525
 24-150
 ATTN: CH...

Report Date : 16-Jan-2024 08:43

CHARNÉ ROSSOUW
 DIVISION MANAGER

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2025-04-08

Batch : 22286U
Owner : JH(Johan) Erasmus
Farm : Wolvengat
Account : ERAJH
Origin : PRIVATE
Invoice To : Owner

22286U001	DWJ24-0260 (F:24)	CATTLE	BORAN (24)	WJ13-0135 (F:24)(Valid)	WJ11-0006 (M:24)(Valid)	PAR_C	Hair	DV SV : Dam Valid Sire Valid	52353Y
22286U002	JRS24-0336 (F:24)	CATTLE	BORAN (24)	WG17-0172 (F:24)(Not Valid)	JRS19-0256 (M:24)(Valid)	PAR_C	Hair	Dx SV : Dam Excluded Sire Valid	52353Y
22286U003	JRS24-0266 (F:24)	CATTLE	BORAN (24)	WJ20-0232 (M:24)(Valid)		PAR_C	Hair	SV : Sire Valid	52353Y
22286U004	DWJ24-0090 (F:24)	CATTLE	BORAN (24)	WJ20-0146 (M:24)(Valid)		PAR_C	Hair	SV : Sire Valid	52353Y
22286U005	WJ24-0292 (F:24)	CATTLE	BORAN (24)	JRS19-0256 (M:24)(Valid)		PAR_C	Hair	SV : Sire Valid	52353Y
22286U006	DWJ24-0278 (F:24)	CATTLE	BORAN (24)			PAR_C	Hair	PU : Profile (Unistel)	52353Y
22286U007	JRS24-0320 (F:24)	CATTLE	BORAN (24)	WJ18-0127 (F:24)(Valid)	WJ20-0146 (M:24)(Valid)	PAR_C	Hair	DV SV : Dam Valid Sire Valid	52353Y
22286U008	JRS24-0322 (F:24)	CATTLE	BORAN (24)	JRS08-0002 (F:24)(Valid)	JRS19-0256 (M:24)(Valid)	PAR_C	Hair	DV SV : Dam Valid Sire Valid	52353Y
22286U009	JRS24-0144 (F:24)	CATTLE	BORAN (24)		WJ20-0282 (M:24)(Valid) WJ20-0208 (M:24)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	52353Y
22286U010	JRS24-0307 (F:24)	CATTLE	BORAN (24)		JRS20-0115 (M:24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y

Report Date : 18-Jul-2025 11:09

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer : While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note : some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

22446U035	JRSS24-0042 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	mNSV : Multiple Nominated Sires Valid
22446U036	JRSS24-0043 (F,24)	CATTLE	BORAN (24)	JRS16-0022 (F,24)(Valid)	WJ20-0282 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22446U037	JRSS24-0044 (F,24)	CATTLE	BORAN (24)		B12-0105 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid
22446U038	JRSS24-0046 (F,24)	CATTLE	BORAN (24)		C108-0034 (M,24)(Valid) WG11-0010 (M,24)(Valid) JRS15-0046 (M,24)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid
22446U039	JRSS24-0047 (F,24)	CATTLE	BORAN (24)	WJ20-0179 (F,24)(Valid)		PAR_C	Hair	DVmxNSX : Dam Valid, Multiple Nominated Sires Excluded
22446U040	JRSS24-0049 (F,24)	CATTLE	BORAN (24)	MXM11-0059 (F,24)(Valid)	WJ20-0282 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22446U041	JRSS24-0050 (F,24)	CATTLE	BORAN (24)		WJ20-0282 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid
22446U042	JRSS24-0051 (F,24)	CATTLE	BORAN (24)		WJ20-0282 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid
22446U043	JRSS24-0052 (F,24)	CATTLE	BORAN (24)	MOU08-0021 (F,24)(Valid)	WJ20-0146 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22446U044	JRSS24-0056 (F,24)	CATTLE	BORAN (24)		WJ20-0282 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid
22446U045	JRSS24-0062 (F,24)	CATTLE	BORAN (24)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded
22446U046	JRSS24-0069 (F,24)	CATTLE	BORAN (24)		Z06-0051 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid

Report Date : 09-May-2025 12:39

Unstiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replicates all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unstiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unstiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unstiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE ROE
DIVISION MAI

22285U109	JRS24-0218 (F.24)	CATTLE	BORAN (24)		WJ20-0146 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U110	JRS24-0113 (F.24)	CATTLE	BORAN (24)		JRS22-0093 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U111	JRS24-0124 (F.24)	CATTLE	BORAN (24)		WJ20-0282 (M.24)(Valid) JRS20-0115 (M.24)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	52353Y
22285U112	JRS24-0126 (F.24)	CATTLE	BORAN (24)	QT21-0080 (F.24)(Valid)	JH20-0066 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	52353Y
22285U113	CCL24-0240 (F.24)	CATTLE	BORAN (24)		HOT20-0218 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U114	CCL24-0249 (F.24)	CATTLE	BORAN (24)		JRS19-0256 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U115	DVJ23-0140 (F.24)	CATTLE	BORAN (24)		JRS20-0115 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U116	DVJ24-0115 (F.24)	CATTLE	BORAN (24)		WJ18-0152 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U117	JRS24-0026 (F.24)	CATTLE	BORAN (24)		WJ20-0208 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y
22285U118	JRS24-0034 (F.24)	CATTLE	BORAN (24)	JRS18-0064 (F.24)(Valid)	HOT20-0218 (M.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	52353Y
22285U119	JRS24-0037 (SAMPLE = 24-0037) (F.24)	CATTLE	BORAN (24)		WJ20-0282 (M.24)(Valid)	PAR_C	Hair	SV : Sire Valid	52353Y

Report Date : 18-Jul-2025 11:09

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

22446U010	JRS23-0086 (F:24)	CATTLE	BORAN (24)	CFH12-0716 (F:24)(Not Valid)	JRS20-0115 (M:24)(Valid)	PAR C	Hair	Sire Valid DxSV Dam Excluded Sire Valid
22446U011	JRS23-0088 (F:24)	CATTLE	BORAN (24)		WJ20-0146 (M:24)(Valid)	PAR C	Hair	SV Sire Valid
22446U012	JRS23-0089 (F:24)	CATTLE	BORAN (24)		JRS20-0115 (M:24)(Valid)	PAR C	Hair	SV Sire Valid
22446U013	JRS23-0099 (F:24)	CATTLE	BORAN (24)		JRS20-0115 (M:24)(Valid)	PAR C	Hair	SV Sire Valid
22446U014	JRS23-0101 (F:24)	CATTLE	BORAN (24)	WGD20-0007 (F:24)(Valid)	WJ20-0146 (M:24)(Valid)	PAR C	Hair	DxSV Dam Valid Sire Valid
22446U015	JRS23-0112 (F:24)	CATTLE	BORAN (24)	EMD19-0046 (F:24)(Valid)	JRS20-0115 (M:24)(Valid)	PAR C	Hair	DxSV Dam Valid Sire Valid
22446U016	JRS23-0113 (F:24)	CATTLE	BORAN (24)	JRS19-0238 (F:24)(Valid)	JRS19-0182 (M:24)(Valid)	PAR C	Hair	DxSV Dam Valid Sire Valid
22446U017	JRS23-0130 (F:24)	CATTLE	BORAN (24)			PAR C	Hair	mNSX Multiple Nominated Sires Excluded
22446U018	JRS23-0164 (F:24)	CATTLE	BORAN (24)			PAR C	Hair	mNSX Multiple Nominated Sires Excluded
22446U019	JRS23-0171 (F:24)	CATTLE	BORAN (24)		JRS16-0100 (M:24)(Valid)	PAR C	Hair	SV Sire Valid
22446U020	JRS23-0188 (F:24)	CATTLE	BORAN (24)	JRS19-0105 (F:24)(Valid)		PAR C	Hair	Dx/mNSX Dam Valid Multiple Nominated Sires Excluded
22446U021	JRS23-0191 (F:24)	CATTLE	BORAN (24)		JRS14-0013 (M:24)(Valid)	PAR C	Hair	SV Sire Valid

Report Date : 09-May-2025 12:39

Unstet report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unstet Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unstet Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unstet Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profiles.

22447U023	DVJ24-0333 (F.24)	CATTLE	BORAN (24)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded
22447U024	JRS21-0267 (F.24)	CATTLE	BORAN (24)		PAR_C	Hair	SV : Sire Valid
22447U025	JRS21-0302 (F.24)	CATTLE	BORAN (24)	B06-0117 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U026	JRS21-0306 (F.24)	CATTLE	BORAN (24)	B09-0545 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U027	JRS21-0307 (F.24)	CATTLE	BORAN (24)	B09-0545 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U028	JRS21-0312 (F.24)	CATTLE	BORAN (24)	B07-0120 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U029	JRS21-0313 (F.24)	CATTLE	BORAN (24)	B07-0120 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U030	JRS21-0321 (F.24)	CATTLE	BORAN (24)	CA14-0021 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U031	JRS21-0425 (F.24)	CATTLE	BORAN (24)	JRS12-0025 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
22447U032	JRS21-0440 (F.24)	CATTLE	BORAN (24)	JRS12-0025 (F.24)(Not Valid)	PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded
22447U033	JRS23-0020 (F.24)	CATTLE	BORAN (24)		PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded
22447U034	JRS23-0026 (F.24)	CATTLE	BORAN (24)	JH15-0049 (F.24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire

Report Date : 14-May-2025 12:53

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Sires Excluded

DVSU :
Dam Valid, Sire
Valid

mNSV :
Multiple Nominated
Sires Valid

HERO2 :
Test to be repeated
by lab

mNSV :
Multiple Nominated
Sires Valid

DVSU :
Dam Valid, Sire
Valid

HERO2 :
Test to be repeated
by lab

SV :
Sire Valid

mNSV :
Multiple Nominated
Sires Valid

SV :
Sire Valid

DVSU :
Dam Valid, Sire
Valid

SV :
Sire Valid

DVSU :
Dam Valid, Sire
Valid

born

JRS16.45

PAR_C

HA11-0002 (M,24)(Valid)
B12-0105 (M,24)(Valid)

PAR_C

Hair

PAR_C

Hair

PAR_C

Hair

PAR_C

Hair

PAR_C

Hair

PAR_C

Hair

PAR_C

Hair

PAR_C

Hair

Report Date : 07-May-2025 14:31

Unstiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requester. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unstiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unstiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unstiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNE RO
DIVISION M