



Batch Detail Report

Created : 2026-03-10

Batch : 26332U
Owner : John Leonard
Farm : Kristalkop Droughtmasters
Account : KRIST1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U001	KOP25-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0075 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U002	KOP25-0015 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0075 (N/S,91)(Not Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26332U003	KOP25-0008 (F,91)	CATTLE	DROUGHT MASTER (91)		TOP21-0119 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U004	KOP25-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0112 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U005	KOP25-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0121 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U006	KOP25-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0096 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U007	KOP25-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0045 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U008	KOP25-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0105 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U009	KOP25-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0032 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee . This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U010	KOP25-0044 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0060 (N/S,91)\(Valid)	WBT21-0030 (M,186)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U011	KOP25-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0095 (N/S,91)\(Valid)	GRB21-0127 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U012	KOP25-0030 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0071 (N/S,91)\(Valid)	WBT21-0030 (M,186)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U013	KOP25-0005 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0043 (N/S,91)\(Valid)	GRB21-0127 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U014	KOP25-0006 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0090 (N/S,91)\(Valid)	WBT21-0030 (M,186)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U015	KOP25-0025 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0044 (N/S,91)\(Valid)	WBT21-0030 (M,186)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U016	KOP25-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0051 (N/S,91)\(Valid)	TOP21-0119 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U017	KOP25-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0057 (N/S,91)\(Valid)	GRB21-0127 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U018	KOP25-0018 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0077 (N/S,91)\(Valid)	GRB21-0127 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U019	KOP25-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0123 (N/S,91)\(Valid)	WBT21-0030 (M,186)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U020	KOP25-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0101 (N/S,91)\(Valid)	GRB21-0127 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U021	KOP25-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0028 (N/S,91)\(Valid)	WBT21-0030 (M,186)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U022	KOP25-0020 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0115 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U023	KOP25-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0058 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U024	KOP25-0024 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0036 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U025	KOP25-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0125 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U026	KOP25-0026 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0047 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U027	KOP25-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0106 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U028	KOP25-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0085 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U029	KOP25-0043 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0088 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U030	KOP25-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0128 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U031	KOP25-0019 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0038 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U032	KOP25-0007 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0037 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U033	KOP25-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0018 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U034	KOP25-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0117 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U035	KOP25-0033 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0127 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U036	KOP25-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0059 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U037	KOP25-0032 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0092 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U038	KOP25-0021 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0052 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U039	KOP25-0147 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0118 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U040	KOP25-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0124 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U041	KOP25-0012 (F,91)	CATTLE	DROUGHT MASTER (91)		TOP21-0119 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U042	KOP25-0028 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0127 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U043	KOP25-0003 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA22-0039 (F,91)(Valid)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
26332U044	KOP25-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA22-0424 (F,91)(Valid)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U045	KOP25-0071 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0133 (F,91)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	
26332U046	KOP25-0177 (SAMPLE=KOP25-0171) (F,91)	CATTLE	DROUGHT MASTER (91)	PB22-0083 (F,91)(Valid)	TOP23-0256 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U047	KOP25-0176 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB23-0247 (F,91)(Valid)	TOP23-0256 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U048	KOP25-0180 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0251 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U049	KOP25-0181 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0022 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U050	KOP25-0182 (M,91)	CATTLE	DROUGHT MASTER (91)	AGO19-0014 (N/S,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U051	KOP25-0163 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0022 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U052	KOP25-0179 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0186 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U053	KOP25-0166 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0181 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U054	KOP25-0169 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0069 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U055	KOP25-0170 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM22-0028 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U056	KOP25-0171 (F,91)	CATTLE	DROUGHT	GRB21-0266 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U057	KOP25-0175 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0176 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid DVSV : Dam Valid, Sire Valid	
26332U058	KOP25-0183 (F,91)	CATTLE	DROUGHT MASTER (91)	HS21-0689 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U059	KOP25-0178 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0037 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U060	KOP25-0102 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U061	KOP25-0100 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U062	KOP25-0095 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP15-0050 (N/S,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U063	KOP25-0090 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U064	KOP25-0146 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U065	KOP25-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0153 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U066	KOP25-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0112 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U067	KOP25-0159 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0060 (N/S,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U068	KOP25-0048 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP17-0110 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U069	KOP25-0085 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT17-0365 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U070	KOP25-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0045 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U071	KOP25-0161 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0170 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U072	KOP25-0055 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0043 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U073	KOP25-0051 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0005 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U074	KOP25-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP17-0108 (N/S,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U075	KOP25-0086 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U076	KOP25-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0040 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U077	KOP25-0088 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP15-0082 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U078	KOP25-0070 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP16-0006 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U079	KOP25-0136 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U080	KOP25-0134 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0057 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U081	KOP25-0138 (F,91)	CATTLE	DROUGHT	KOP21-0164 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type*	RESULT	INVOICE
26332U082	KOP25-0137 (M,91)	CATTLE	MASTERT (91) DROUGHT MASTER (91)	KOP21-0121 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid DVSV : Dam Valid, Sire Valid	
26332U083	KOP25-0133 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U084	KOP25-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0084 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U085	KOP25-0142 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U086	KOP25-0139 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U087	KOP25-0111 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U088	KOP25-0110 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0089 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U089	KOP25-0116 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0162 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U090	KOP25-0109 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U091	KOP25-0101 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT17-0365 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U092	KOP25-0108 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U093	KOP25-0129 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U094	KOP25-0127 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Thruout Type	RESULT	INVOICE
26332U095	KOP25-0141 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0081 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U096	KOP25-0140 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HERO2 : Test to be repeated by lab	
26332U097	KOP25-0128 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U098	KOP25-0131 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U099	KOP25-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0137 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U100	KOP25-0122 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U101	KOP25-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP16-0051 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U102	KOP25-0118 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U103	KOP25-0114 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB20-0060 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U104	KOP25-0113 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0104 (N/S,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U105	KOP25-0049 (F,91)	CATTLE	DROUGHT MASTER (91)		GRB18-0077 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U106	KOP25-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP15-0113 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U107	KOP25-0053 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP15-0094 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U108	KOP25-0052 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0093 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U109	KOP25-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0102 (N/S,91)(Valid)	GRB18-0077 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U110	KOP25-0047 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP15-0055 (N/S,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U111	KOP25-0099 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0136 (N/S,91)(Valid)	GRB20-0060 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U112	KOP25-0126 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0123 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U113	KOP25-0117 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0127 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U114	KOP25-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0159 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U115	KOP25-0143 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0169 (N/S,91)(Not Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26332U116	KOP25-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0063 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U117	KOP25-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0158 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U118	KOP21-0132 (SAMPLE = KOP25-0132) (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0118 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U119	KOP215-0125 (SAMPLE= KOP25-0125)	CATTLE	DROUGHT MASTER (91)	KOP21-0059 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIIR	TEST	Triang. Type	RESULT	INVOICE
	(F,91)							Valid	
26332U120	KOP25-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0027 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U121	KOP25-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP19-0038 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U122	KOP25-0097 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0073 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U123	KOP25-0093 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0086 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U124	KOP25-0081 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0175 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U125	KOP25-0084 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0101 (N/S,91)(Not Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	
26332U126	KOP25-0105 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HEER02 : Test to be repeated by lab	
26332U127	KOP25-0079 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0072 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U128	KOP25-0076 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP19-0152 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U129	KOP25-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0065 (N/S,91)(Not Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	
26332U130	KOP25-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP17-0048 (N/S,91)(Not Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U131	KOP25-0121 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP17-0048 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U132	KOP25-0091 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP15-0158 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U133	KOP25-0120 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0119 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U134	KOP25-0077 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0127 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U135	KOP25-0074 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0065 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U136	KOP25-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0038 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U137	KOP25-0144 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0150 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U138	KOP25-0148 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP17-0005 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U139	KOP25-0145 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0122 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U140	KOP25-0066 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP20-0111 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U141	KOP25-0065 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER01 : Repeat sample is requested	
26332U142	KOP25-0056 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0049 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U143	KOP25-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0055 (N/S,91)(Not Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	
26332U144	KOP25-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP19-0076 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U145	KOP25-0062 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0068 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U146	KOP25-0061 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0147 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U147	KOP25-0060 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0154 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U148	KOP25-0057 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP19-0037 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U149	KOP25-0115 (F,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0053 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U150	KOP25-0094 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0167 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U151	KOP25-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP19-0041 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U152	KOP25-0082 (M,91)	CATTLE	DROUGHT MASTER (91)		TOP21-0119 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U153	KOP25-0104 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0156 (N/S,91)(Valid)	WBT21-0030 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U154	KOP25-0103 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP22-0019 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U155	KOP25-0107 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0184 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U156	KOP25-0092 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0042 (N/S,91)(Valid)	GRB21-0127 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U157	KOP25-0067 (M,91)	CATTLE	DROUGHT MASTER (91)		GRB21-0127 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U158	KOP25-0124 (M,91)	CATTLE	DROUGHT MASTER (91)	KOP21-0111 (N/S,91)(Valid)	TOP21-0119 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U159	KOP25-0059 (F,91)	CATTLE	DROUGHT MASTER (91)		TOP21-0119 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
26332U160	KOP26-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0280 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U161	KOP26-0002 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT18-0502 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U162	KOP26-0003 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT23-0098 (F,91)(Valid)	TOP23-0256 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U163	KOP26-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	RVT22-0002 (F,91)(Valid)	TOP23-0256 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U164	KOP25-0162 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0022 (F,91)(Not Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
26332U165	KOP25-0167 (F,91)	CATTLE	DROUGHT MASTER (91)	RVT22-0002 (F,91)(Valid)	HOT17-0365 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U166	KOP25-0165 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0028 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26332U167	KOP25-0164 (F,91)	CATTLE	DROUGHT MASTER (91)	RVT22-0002 (F,91)\(Valid)	HOT17-0365 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U168	KOP25-0172 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT18-0502 (F,91)\(Valid)	CSA17-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U169	KOP25-0173 (M,91)	CATTLE	DROUGHT MASTER (91)	RVT22-0002 (F,91)\(Valid)	CSA17-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U170	KOP25-0154 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0019 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26332U171	KOP25-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	RVT22-0002 (F,91)\(Valid)	HOT17-0365 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Apr-2026 09:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in iSAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.