

Batch Detail Report

Batch : 13506U
Owner : Maritz Wolfaardt
Farm :
Account :
Origin : PRIVATE
Invoice To : Owner

Created : 2023-05-29

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13506U001	MZ22-0095 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U002	MZ22-0096 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U003	MZ22-0097 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U004	MZ22-0098 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U005	MZ22-0093 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U006	MZ22-0092 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U007	MZ22-0091 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U008	MZ22-0090 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ17-7219 (N/S,31)(Valid)	BOS17-7341 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U009	MZ22-0089 (N/S,31)	CATTLE	BEEFMASTER (31)	BOS16-6305 (F,31)(Valid)	BOS18-8313 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U010	MZ22-0088 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U011	MZ22-0087 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jun-2023 08:34

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13506U012	MZ22-0086 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U013	MZ22-0085 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U014	MZ22-0084 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ18-8025 (N/S,31)(Valid)	BOS17-7341 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U015	MZ22-0083 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U016	MZ22-0082 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U017	MZ22-0081 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U018	MZ22-0080 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U019	MZ22-0079 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U020	MZ22-0078 (N/S,31)	CATTLE	BEEFMASTER (31)	ROCK20-0006 (F,31)(Valid)	BOS18-8313 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U021	MZ22-0077 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U022	MZ22-0075 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U023	MZ22-0074 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U024	MZ22-0100 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U025	MZ22-0101 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U026	MZ22-0102 (N/S,31)	CATTLE	BEEFMASTER		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV :	

Report Date : 27-Jun-2023 08:34

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Sire Valid	
13506U027	MZ22-0103 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U028	MZ22-0105 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U029	MZ22-0107 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U030	MZ22-0108 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U031	MZ22-0109 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U032	MZ22-0111 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U033	MZ22-0112 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ17-7294 (N/S,31)(Valid)	BOS18-8313 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U034	MZ22-0113 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U035	MZ22-0114 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U036	MZ22-0115 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U037	MZ22-0116 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U038	MZ22-0117 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U039	MZ22-0118 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U040	MZ22-0119 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jun-2023 08:34

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13506U041	MZ22-0120 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U042	MZ22-0121 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U043	MZ22-0122 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U044	MZ22-0123 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U045	MZ22-0127 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U046	MZ22-0126 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ18-8027 (N/S,31)(Valid)	JAN17-7005 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U047	MZ22-0125 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U048	MZ22-0124 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7262 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U049	MZ23-0017 (N/S,31)	CATTLE	BEEFMASTER (31)	BOS20-0191 (F,31)(Valid)	BA13-0454 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U050	MZ23-0018 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U051	MZ23-0016 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ17-7653 (N/S,31)(Valid)	BOS17-7341 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U052	MZ23-0015 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7262 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U053	MZ23-0014 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U054	MZ23-0012 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jun-2023 08:34

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13506U055	MZ23-0011 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U056	MZ23-0010 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U057	MZ23-0009 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U058	MZ23-0028 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U059	MZ23-0027 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U060	MZ23-0026 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U061	MZ23-0025 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U062	MZ22-0073 (N/S,31)	CATTLE	BEEFMASTER (31)	ROCK20-0008 (F,31)(Valid)	BOS18-8313 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U063	MZ23-0002 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS18-8313 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U064	MZ23-0006 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7262 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U065	MZ23-0007 (N/S,31)	CATTLE	BEEFMASTER (31)		JAN17-7005 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U066	MZ23-0008 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U067	MZ23-0004 (N/S,31)	CATTLE	BEEFMASTER (31)	BOS16-6064 (F,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
13506U068	MZ23-0005 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7262 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 27-Jun-2023 08:34

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13506U069	MZ23-0003 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7262 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U070	MZ23-0019 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U071	MZ23-0020 (N/S,31)	CATTLE	BEEFMASTER (31)		BOS17-7341 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U072	MZ23-0021 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ17-7566 (N/S,31)(Valid)	BOS17-7341 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U073	MZ23-0022 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U074	MZ23-0023 (N/S,31)	CATTLE	BEEFMASTER (31)		BA13-0454 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
13506U075	MZ23-0029 (N/S,31)	CATTLE	BEEFMASTER (31)	WO20-0607 (F,31)(Valid)	WO19-0170 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U076	MZ22-0094 (N/S,31)	CATTLE	BEEFMASTER (31)	BOS18-8449 (F,31)(Valid)	BOS17-7085 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U077	MZ22-0072 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ18-8201 (N/S,31)(Valid)	BOS19-9277 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
13506U078	MZ22-0061 (N/S,31)	CATTLE	BEEFMASTER (31)	MZ18-8409 (N/S,31)(Valid)	BOS18-8483 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 27-Jun-2023 08:34

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER