

Batch Detail Report

Batch : 23671U
Owner :Franco Koch
Farm :Wolfgat
Account : KOCC01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-07-18

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23671U001	KT25-0003 (HARMONY) (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV17-0067 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U002	KT25-0002 (HEIDI) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT20-0069 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U003	KT25-0004 (HAZEL) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT10-0023 (F,85)(Valid)	KT17-0008 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U004	KT25-0001 (HILUX) (M,85)	CATTLE	SANTA GERTRUDIS (85)		KT20-0069 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U005	KT25-0013 (HAYDEN) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT22-0034 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U006	KT25-0029 (HUSTLER) (M,85)	CATTLE	SANTA GERTRUDIS (85)	KT12-0025 (F,85)(Valid)	2022 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U007	KT25-0039 (HELOISE) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT17-0023 (F,85)(Valid)	HH17-0045 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U008	KT25-0040 (HERCULES) (M,85)	CATTLE	SANTA GERTRUDIS (85)		HH17-0045 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U009	KT25-0030 (HALAFAX) (M,85)	CATTLE	SANTA GERTRUDIS	KT14-0022 (F,85)(Valid)	HH17-0045 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 15-Aug-2025 14:39

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)					Valid	
23671U010	KT25-0033 (HURLEY) (M,85)	CATTLE	SANTA GERTRUDIS (85)		HH17-0045 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U011	KT25-0038 (HANNAH) (F,85)	CATTLE	SANTA GERTRUDIS (85)		HH17-0045 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U012	KT25-0035 (HAYZAL) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT20-0038 (F,85)(Valid)	HH17-0045 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U013	KT25-0034 (HARTLEY) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT18-0015 (F,85)(Valid)	HH17-0045 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U014	KT25-0036 (HABIBA) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT16-0030 (F,85)(Valid)	HH17-0045 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U015	KT25-0037 (HOTSPOT) (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV17-0019 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U016	KT25-0026 (HAWA) (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV17-0149 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U017	KT25-0014 (HILZE) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT22-0019 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U018	KT25-0012 (HELLEN) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT17-0008 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U019	KT25-0010 (HEAVEN) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT18-0016 (F,85)(Valid)	KT17-0008 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U020	KT25-0018 (HUNTER) (M,85)	CATTLE	SANTA GERTRUDIS (85)		KT22-0019 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 15-Aug-2025 14:39

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23671U021	KT25-0009 (HAILEY) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT21-0016 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U022	KT25-0006 (HOPE) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT21-0016 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U023	KT25-0007 (HAVANA) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT20-0073 (F,85)(Valid)	KT22-0034 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U024	KT25-0008 (HONEY) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT22-0034 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U025	KT25-0011 (HADLEE) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT21-0016 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U026	KT25-0005 (HOLLY) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT17-0008 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U027	KT25-0015 (HALEY) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KT21-0016 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U028	KT25-0016 (HIDALGO) (M,85)	CATTLE	SANTA GERTRUDIS (85)		KT22-0019 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U029	KT25-0020 (HHH) (M,85)	CATTLE	SANTA GERTRUDIS (85)		KT21-0016 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U030	KT25-0019 (HUDSON) (M,85)	CATTLE	SANTA GERTRUDIS (85)	KVS18-0225 (F,85)(Valid)	KT22-0019 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U031	TK25-0002 (CAMILA) (F,91)	CATTLE	DROUGHT MASTER (91)	WA22-0008 (F,91)(Valid)	AGO16-0085 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U032	TK25-0004 (CHILA) (F,91)	CATTLE	DROUGHT MASTER (91)	HOT20-0764 (F,91)(Valid)	CSA18-0197 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 15-Aug-2025 14:39

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
23671U033	TK25-0003 (CLASSIC) (M,91)	CATTLE	DROUGHT MASTER (91)	GC21-0032 (F,91)(Valid)	AGO16-0085 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U034	TK25-0001 (CUSTOMLINE) (M,91)	CATTLE	DROUGHT MASTER (91)	C12-0312 (F,91)(Valid)	VOVA22-0430 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U035	TK25-0008 (CORVETTE) (M,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0095 (F,91)(Valid)	TOP21-0225 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U036	TK25-0005 (CHARLIE) (F,91)	CATTLE	DROUGHT MASTER (91)	WA19-0003 (F,91)(Valid)	TOP21-0225 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U037	TK25-0006 (CAPRI) (F,91)	CATTLE	DROUGHT MASTER (91)	RUB17-0011 (F,91)(Valid)	TOP21-0225 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U038	CSA24-0328 (CSA) (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0007 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U039	CSA24-0207 (CSA) (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0137 (F,91)(Valid)	CSA21-0100 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U040	KT25-0022 (HECTOR) (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV20-0176 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U041	KT25-0024 (HARISON) (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV20-0176 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U042	KT25-0027 (HALI) (F,85)	CATTLE	SANTA GERTRUDIS (85)	KT20-0028 (F,85)(Valid)	KT20-0069 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U043	KT25-0021 (HITMAN) (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV20-0176 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 15-Aug-2025 14:39

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23671U044	KT25-0023 (HALIMA) (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV20-0176 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U045	IGB25-0005 (JAN) (M,85)	CATTLE	SANTA GERTRUDIS (85)	IGB19-0067 (F,85)(Valid)	HHB20-0006 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23671U046	IGB19-0067 (ERIKI) (F,85)	CATTLE	SANTA GERTRUDIS (85)		KVS15-0194 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	
23671U047	CSA20-0137 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
23671U048	TK25-0007 (COPPERHEAD) (M,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0587 (F,91)(Valid)	TOP21-0225 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 15-Aug-2025 14:39

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER