

Batch Detail Report

Batch : 24090U

Owner :Gerald Saunders/Greenway/Bonsmaras

Farm :Botswana Bonsmara / Park Roil

Account : SAUG01

Origin : BONSMARA SA

Invoice To : Owner

Created : 2025-08-20

0578365 BAN
ESB 136436 B 136046-01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24090U001	GHS24-0003 (F,1) 04-01-24	CATTLE	BONSMARA (1)	GHS15-0119 (N/S,1)(Valid) No existing dam	WWP14-0129 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U002	GHS24-0005 (M,1) ✓	CATTLE	BONSMARA (1)	GHS19-0111 (F,1)(Valid)	WWP14-0129 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U003	GHS24-0007 (F,1) 07-01-24	CATTLE	BONSMARA (1)	GHS18-0053 (F,1)(Valid) No existing dam. (See Non Comp 1. 2022.)	GHS19-0047 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U004	GHS24-0009 (F,1) ✓	CATTLE	BONSMARA (1)	GHS12-0131 (F,1)(Valid)	GHS19-0138 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U005	GHS24-0026 (F,1) NCR	CATTLE	BONSMARA (1)	GHS18-0136 (F,1)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
24090U006	GHS24-0044 (M,1) ✓	CATTLE	BONSMARA (1)	GHS20-0039 (F,1)(Valid)	BBM17-0165 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U007	GHS24-0045 (F,1) NCR	CATTLE	BONSMARA (1)	GHS21-0067 (F,1)(Valid)	BBM17-0165 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U008	GHS24-0051 (F,1) NCR	CATTLE	BONSMARA (1)	GHS19-0145 (F,1)(Valid)	BBM15-0051 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
24090U009	GHS24-0053 (M,1)	CATTLE	BONSMARA	GHS21-0007 (F,1)(Valid)	WWP15-0106 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 09-Sep-2025 14:39

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER