



Batch Detail Report

Batch : 261012U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174304

Created: 2026-06-04

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results PAR	Invoice
261012U001	RVT26-0036 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT24-0004 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U002	RVT26-0009 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT23-0032 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U003	RVT26-0004 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA19-0137 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U005	RVT26-0033 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT23-0036 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U006	RVT26-0007 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	GRB19-0146 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U007	RVT26-0001 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)		Dam Valid	
261012U008	RVT26-0008 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	C13-0565 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U009	RVT25-0084 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	GRB18-0249 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U010	RVT25-0085 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT23-0021 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U011	RVT26-0003 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA20-0122 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U013	RVT26-0005 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT22-0011 (U,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U014	RVT24-0039 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA21-0116 (F,91)(Valid)	CSA21-0156 (M,91)(Valid)	Dam Valid, Sire Valid	

Report Date: 16-Jul-2026 10:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 261012U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174304

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results	Invoice
PAR									
261012U015	RVT26-0007 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	GRB19-0146 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U016	RVT26-0037 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA22-0031 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U017	RVT26-0034 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA20-0025 (F,91)(Invalid)	CSA21-0003 (M,91)(Valid)	Dam Excluded, Sire Valid	
261012U018	RVT26-0005 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT22-0011 (U,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U019	RVT26-0032 (F)		CATTLE	DROUGHT MASTER (91)	HAIR			DNA Profile	
261012U020	RVT26-0002 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT23-0007 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U021	RVT26-0013 (F)		CATTLE	DROUGHT MASTER (91)	HAIR		CSA21-0003 (M,91)(Valid)	Sire Valid	
261012U022	RVT26-0006 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	RVT23-0023 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U024	RVT26-0010 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA20-0028 (F,91)(Invalid)	CSA21-0003 (M,91)(Valid)	Dam Excluded, Sire Valid	
261012U025	RVT26-0035 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA17-0096 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U026	RVT26-0031 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA20-0025 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U027	RVT25-0083 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	GRB15-0106 (U,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	

Report Date: 16-Jul-2026 10:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 261012U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174304

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results	Invoice
PAR									
261012U028	RVT25-0086 (M)		CATTLE	DROUGHT MASTER (91)	HAIR			Repeat sample is requested	
261012U029	RVT26-0019 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA17-0096 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U030	RVT26-0018 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA18-0187 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U031	RVT26-0017 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	C13-0565 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U032	RVT26-0016 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA21-0116 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U033	RVT26-0015 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	C13-0565 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U034	RVT26-0012 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	RVT24-0092 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U035	RVT26-0011 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U036	RVT26-0025 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	RVT24-0082 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U037	RVT26-0024 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA18-0187 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U038	RVT26-0023 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA18-0159 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U039	RVT26-0022 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA24-0002 (F,91)(Valid)	RVT24-0084 (M,91)(Valid)	Dam Valid, Sire Valid	

Report Date: 16-Jul-2026 10:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 261012U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174304

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results	Invoice
								PAR	
261012U040	RVT26-0020 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	TOP22-0132 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U041	RVT25-0059 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA19-0118 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U042	RVT26-0021 (M)		CATTLE	DROUGHT MASTER (91)	HAIR	W20-0033 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U043	RVT26-0026 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA18-0159 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U044	RVT26-0027 (F)		CATTLE	DROUGHT MASTER (91)	HAIR	CSA21-0116 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	Dam Valid, Sire Valid	
261012U004	RVT26-0004 (M)		CATTLE	DROUGHT MASTER (91)	HAIR			Storage	
261012U012	RVT26-0003 (F)		CATTLE	DROUGHT MASTER (91)	HAIR			Storage	
261012U023	RVT26-0006 (F)		CATTLE	DROUGHT MASTER (91)	HAIR			Storage	

Report Date: 16-Jul-2026 10:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)