



Batch Detail Report

Batch : 260829U

Owner : Alfred Meyer Dippenaar

Farm : Wagnou

Account : DIPAM1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 174039

Created: 2026-06-12

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results			Invoice
						DMG1	DMG2	DMG3	
260829U001	WAG23-0012 (M)		CATTLE	BEEFMASTER (31)	HAIR	Repeat sample is requested	Repeat sample is requested	Repeat sample is requested	
260829U002	WAG23-0024 (M)		CATTLE	BEEFMASTER (31)	HAIR	Repeat sample is requested	Repeat sample is requested	Repeat sample is requested	
260829U003	WAG23-0043 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U004	WAG23-0044 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260829U005	WAG23-0048 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U006	WAG23-0059 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U007	WAG23-0060 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260829U008	WAG23-0070 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U009	WAG23-0071 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U010	WAG23-0077 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260829U011	WAG23-0080 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U012	WAG23-0084 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260829U013	WAG23-0089 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U014	WAG23-0090 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U015	WAG23-0092 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U016	WAG23-0102 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U017	WAG23-0105 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U018	WAG23-0110 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 14-Jul-2026 06:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 260829U

Owner : Alfred Meyer Dippenaar

Farm : Wagnou

Account : DIPAM1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 174039

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results			Invoice
						DMG1	DMG2	DMG3	
260829U019	WAG23-0120 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U020	WAG23-0125 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U021	WAG23-0132 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U022	WAG23-0133 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U023	WAG23-0142 (M)		CATTLE	BEEFMASTER (31)	HAIR	Repeat sample is requested	Repeat sample is requested	Repeat sample is requested	
260829U024	WAG23-0145 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U025	WAG23-0146 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U026	WAG23-0156 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U027	WAG23-0159 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U028	WAG23-0168 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U029	WAG23-0169 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U030	WAG23-0172 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Repeat sample is requested	Homozygous Normal for NT821	
260829U031	WAG23-0176 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U032	WAG23-0178 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U033	WAG23-0184 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U034	WAG23-0185 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U035	WAG23-0211 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U036	WAG23-0229 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 14-Jul-2026 06:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 260829U

Owner : Alfred Meyer Dippenaar

Farm : Wagnou

Account : DIPAM1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 174039

Sample	Animal	Microchip	Species	Breed	Tissue Type	Test Results			Invoice
						DMG1	DMG2	DMG3	
260829U037	WAG23-0230 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U038	WAG23-0231 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U039	WAG23-0235 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U040	WAG23-0236 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
260829U041	WAG23-0248 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U042	WAG23-0267 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
260829U043	WAG23-0273 (M)		CATTLE	BEEFMASTER (31)	HAIR	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 14-Jul-2026 06:57

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)