

Subject: RE: Keuring - VEA Stud Breeders 10 Jul 2026

From: "Boerbok SA" <info@boerboksa.co.za>

Date: 2026/07/13, 10:23 10/10

To: "'Andries Vollgraaff'" <a.vollgraaff@gmail.com>, "'DaleenB'" <daleenb@studbook.co.za>, "'William Smit'" <william@veaagriandtourism.co.za>

Baie Dankie Andries

Groete / Regards



CHANTELLE SMIT
Rasdirekteur / Breed Director



082 735 6118



info@boerboksa.co.za



www.boerboksa.co.za

Disclaimer: This email and any attachments are confidential and may contain personal information protected under POPIA. It is intended solely for the addressed recipient. Unauthorised use or disclosure is prohibited. If received in error, please notify the sender and delete it. The South African Boer Goat Association accepts no liability for any loss or damage arising from its use.

From: Andries Vollgraaff <a.vollgraaff@gmail.com>

Sent: Friday, 10 July 2026 13:36

To: SA Boerboktelersvereniging <info@boerboksa.co.za>; DaleenB <daleenb@studbook.co.za>; William Smit <william@veaagriandtourism.co.za>

Subject: Keuring - VEA Stud Breeders 10 Jul 2026

BBG

1/2

43/ 02727

Die Suid-Afrikaanse Boerboktelersvereniging

The South African Boer Goat Breeders Association

Inspeksiesertifikaat - Inspection Certificate

Teler Naam en Van VEA STUD BREEDERS	SABTV lid nr. & Stamboek nr. 0719309	Datum 10/07/26
Inspekteur/s Naam en Nr. A. Volgracht	Inspekteur/s handtekening A. Volgracht	Teler handtekening [Signature]

K: Kudde bouvorm (alle diere met kudde bouvorm ongeag registrasie) KR: Kudde Registrasie (Stoet bouvorm, voldoen nie aan registrasie vereistes - alle Telers, insluitend Tipe D telers)
 KKS: Kudde speen EN kleur KS: Kudde speen KK: Kudde kleur S: Stoet

Stoet nr	ID nr	Keurings kode	Plaat nr	Stoet nr	ID nr	Keurings kode	Plaat nr
1	2149	25-222	TE JONK	21	2149	25-183	K(R+B) G43/248
2	2149	25-0184	K(B) G43/232	22	"	25-123	K(S+R) G43/249
3	2149	25-074	S B43/141	23	"	25-149	K(S) G43/250
4	"	25-067	S B43/142	24	"	25-142	K(S) G43/251
5	"	25-110	K(S) G43/233	25	"	25-117	S B43/143
6	"	25-160	K(B) G43/234	26	"	25-226	K(S) G43/252
7	"	25-113	PRUL	27	"	25-089	K(B) G43/253
8	"	25-136	K(K+S) G43/235	28	"	25-190	K(R) G43/254
9	"	25-115	K(P) G43/236	29	"	25-199	K(R+S) G43/255
10	"	25-106	K(K) G43/237	30	"	25-148	K(K+S) G43/256
11	"	25-059	K(B) G43/238	31	"	25-194	PRUL
12	"	25-130	K(R+S) G43/239	32	"	25-118	S B43/144
13	"	25-137	K(S) G43/240	33	"	25-211	K(B) G43/257
14	"	25-180	K(S) G43/241	34	"	25-177	S B43/145
15	"	25-132	K(K) G43/242	35	"	25-200	K(B) G43/258
16	"	25-173	K(K+P+S) G43/243	36	"	25-168	S B43/146
17	"	25-170	K(B) G43/244	37	"	25-093	K(K) G43/259
18	"	25-220	K(S+R) G43/245	38	"	25-144	K(S) G43/260
19	"	25-189	K(S) G43/246	39	"	25-043	S B43/147
20	"	25-090	K(K) G43/247	40	1695	25-034	K(S) G43/261

2/2

43/02728



Die Suid-Afrikaanse Boerboktelersvereniging

The South African Boer Goat Breeders Association



Inspeksiesertifikaat - Inspection Certificate

Teler Naam en Van VEA BREEDERS 0719309.	SABTV lid nr. & Stamboek nr.	Datum 10/07/26
Inspekteur/s Naam en Nr. A. VOLGRAAFF 0604084	Inspekteur/s handtekening <i>[Signature]</i>	Teler handtekening <i>[Signature]</i>

K: Kudde bouwvorm (alle diere met kudde bouwvorm ongeag registrasie) KR: Kudde Registrasie (Stoet bouwvorm, voldoen nie aan registrasie vereistes - alle Telers, insluitend Tipe D telers)

KKS: Kudde speen EN kleur KS: Kudde speen KK: Kudde kleur S: Stoet

OCTE

Stoet nr	ID nr	Keurings kode	Plaat nr	Stoet nr	ID nr	Keurings kode	Plaat nr
1	2149	25-097	K(K) G43/262	21	2149	25-213	K(K) G43/267
2	"	25-159	S B43/148	22	"	25-198	K(S) G43/271
3	"	25-165	S B43/149	23	"	25-086	K(K) G43/272
4	"	25-092	K(K) G43/263	24	"	25-224	K(S) G43/273
5	"	25-103	S B43/150	25	"	25-274	TE SWK
6	"	25-107	S B43/151	26	"	25-152	
7	"	25-101	S B43/152	27	"	25-146	S B43/160
8	"	25-091	K(S) G43/264	28			
9	"	25-116	K(K) G43/265	29			
10	"	25-169	S B43/153	30			
11	"	25-099	K(K) G43/266	31			
12	"	25-078	K(S) G43/267	32			
13	"	25-120	K(K+P) G43/268	33			
14	"	25-058	S B43/154	34			
15	"	25-215	S B43/155	35			
16	"	25-119	K(K+P) G43/269	36			
17	"	25-073	S B43/156	37			
18	"	25-188	S B43/157	38			
19	"	25-206	S B43/158	39			
20	"	25-210	S B43/159	40			