

Batch Detail Report

Batch : 23574U
Owner : M de Klerk
Farm : Wonderpoort
Account : DEKM01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2025-07-11

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23574U001	VOA24-0015 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA21-0012 (F,91)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
23574U002	VOA24-0016 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA21-0045 (F,91)(Valid)	VOA21-0008 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U003	VOA24-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA13-0023 (F,91)(Valid)	VOVA16-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U004	VOA24-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA18-0007 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U005	VOA24-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA14-0003 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U006	VOA24-0033 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA16-0034 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U007	VOA24-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA18-0006 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U008	VOA24-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA16-0067 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U009	VOA24-0037 (F,91)	CATTLE	DROUGHT	VOA19-0025 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 07-Aug-2025 15:53

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
23574U010	VOA24-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA14-0035 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U011	VOA24-0040 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA19-0031 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U012	VOA24-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA16-0060 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U013	VOA24-0043 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA19-0032 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U014	VOA24-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA19-0038 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U015	VOA24-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA16-0006 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U016	VOA24-0046 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA19-0007 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U017	VOA24-0047 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA16-0061 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U018	VOA24-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA17-0018 (F,91)(Valid)	VOVA16-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U019	VOA24-0049 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA15-0013 (F,91)(Valid)	ZON19-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U020	VOA24-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA20-0006 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23574U021	VOA24-0051 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA20-0023 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U022	VOA24-0052 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA17-0027 (F,91)(Valid)	VOVA16-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U023	VOA24-0053 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA19-0002 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U024	VOA24-0055 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA20-0043 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U025	VOA24-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	VOA17-0003 (F,91)(Valid)	VOVA16-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U026	VOA24-0060 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA18-0009 (F,91)(Valid)	VOVA16-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U027	VOA24-0061 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA19-0012 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U028	VOA24-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA18-0057 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U029	VOA24-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA18-0073 (F,91)(Valid)	VOVA16-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23574U030	VOA24-0067 (F,91)	CATTLE	DROUGHT MASTER (91)	VOA20-0022 (F,91)(Valid)	VOA20-0035 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 07-Aug-2025 15:53

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER