

Batch Detail Report

Batch : 22940U
Owner : Harriet English
Farm : T and G Beefmasters
Account : TANDG1
Origin : BEEFMASTER BREEDERS SOCIETY
Invoice To : Owner

Created : 2025-05-29

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U001	TG25-0001 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U002	TG24-0001 (F,31)	CATTLE	BEEFMASTER (31)	WO17-0107 (F,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
22940U003	TG24-0007 (F,31)	CATTLE	BEEFMASTER (31)		X12-0105 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U004	TG24-0014 (F,31)	CATTLE	BEEFMASTER (31)		WO18-0535 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U005	TG24-0021 (F,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U006	TG24-0024 (F,31)	CATTLE	BEEFMASTER (31)	TG18-0165 (F,31)(Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U007	TG24-0025 (F,31)	CATTLE	BEEFMASTER (31)		X12-0105 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U008	TG24-0035 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U009	TG24-0036 (F,31)	CATTLE	BEEFMASTER (31)	TG18-0183 (F,31)(Valid)	VOVA17-0014 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U010	TG24-0043 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0148 (F,31)(Valid)	BA17-0068 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U011	TG24-0046 (F,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U012	TG24-0051 (F,31)	CATTLE	BEEFMASTER (31)	TG18-0166 (F,31)(Valid)	BA17-0068 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U013	TG24-0054 (F,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U014	TG24-0059 (F,31)	CATTLE	BEEFMASTER (31)		VOVA17-0014 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U015	TG24-0064 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U016	TG24-0073 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0078 (F,31)(Valid)	TG21-0132 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U017	TG24-0074 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U018	TG24-0076 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0056 (F,31)(Not Valid)	TG21-0158 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U019	TG24-0081 (F,31)	CATTLE	BEEFMASTER (31)		WO18-0535 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U020	TG24-0083 (F,31)	CATTLE	BEEFMASTER (31)	TG20-0055 (F,31)(Not Valid)	BC15-1138 (M,31)(Valid) TG20-0215 (M,31)(Valid)	PAR_C	Hair	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
22940U021	TG24-0085 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0069 (F,31)(Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U022	TG24-0087 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0222 (F,31)(Valid)	TG22-0076 (M,31)(Valid) WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
22940U023	TG24-0092 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0220 (F,31)(Valid)	TG21-0048 (M,31)(Valid) WO10-0093 (N/S,31)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple	

Report Date : 01-Jul-2025 12:24

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Nominated Sires Valid	
22940U024	TG24-0093 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0128 (F,31)(Valid)	TG21-0048 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U025	TG24-0095 (F,31)	CATTLE	BEEFMASTER (31)		BA16-0224 (M,31)(Valid) TG22-0118 (M,31)(Valid) WO08-0113 (N/S,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U026	TG24-0101 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0234 (F,31)(Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U027	TG24-0105 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0207 (F,31)(Valid)	TG21-0198 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U028	TG24-0108 (F,31)	CATTLE	BEEFMASTER (31)	WO17-1101 (F,31)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
22940U029	TG24-0110 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0185 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U030	TG24-0111 (F,31)	CATTLE	BEEFMASTER (31)		BC15-1138 (M,31)(Valid) TG21-0106 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U031	TG24-0115 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0119 (F,31)(Not Valid)	TG21-0053 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U032	TG24-0116 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0083 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U033	TG24-0118 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0100 (F,31)(Not Valid)	TG21-0198 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U034	TG24-0120 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0170 (F,31)(Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 01-Jul-2025 12:24

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
22940U035	TG24-0127 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0181 (F,31)(Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U036	TG24-0130 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0215 (F,31)(Valid)	TG21-0048 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U037	TG24-0136 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0049 (F,31)(Not Valid)	VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U038	TG24-0137 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0290 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U039	TG24-0138 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0228 (F,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
22940U040	TG24-0139 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0249 (F,31)(Not Valid)	TG21-0070 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U041	TG24-0141 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0252 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U042	TG24-0142 (F,31)	CATTLE	BEEFMASTER (31)		BC15-1138 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U043	TG24-0147 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0193 (F,31)(Valid)	TG21-0048 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U044	TG24-0148 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0097 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U045	TG24-0152 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0141 (F,31)(Valid)	TG21-0048 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.	CHARNÉ ROSSOUW DIVISION MANAGER
--	--

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U046	TG24-0153 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0040 (F,31)(Valid)	BC15-1138 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U047	TG24-0154 (F,31)	CATTLE	BEEFMASTER (31)		WO20-0595 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U048	TG24-0157 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0188 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U049	TG24-0159 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0277 (F,31)(Not Valid)	VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U050	TG24-0169 (F,31)	CATTLE	BEEFMASTER (31)		WO19-0499 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U051	TG24-0173 (F,31)	CATTLE	BEEFMASTER (31)		WO08-0219 (N/S,31)(Valid) WO14-0403 (N/S,31)(Valid) WO20-0595 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U052	TG24-0175 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U053	TG24-0178 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0179 (F,31)(Valid)	TG21-0125 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U054	TG24-0180 (F,31)	CATTLE	BEEFMASTER (31)	WO20-0468 (F,31)(Not Valid)	WIL19-0120 (M,31)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
22940U055	TG24-0183 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0112 (F,31)(Valid)	TG21-0053 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U056	TG24-0187 (F,31)	CATTLE	BEEFMASTER (31)		TG21-0123 (M,31)(Valid) WO13-0049 (N/S,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U057	TG24-0188 (F,31)	CATTLE	BEEFMASTER (31)	WO18-0371 (F,31)(Valid)	WIL19-0120 (N/S,31)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
22940U058	TG24-0195 (F,31)	CATTLE	BEEFMASTER	TG21-0262 (F,31)(Valid)	TG21-0053 (M,31)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 01-Jul-2025 12:24

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Dam Valid, Sire Valid	
22940U059	TG24-0196 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0129 (F,31)(Not Valid)	WO19-0499 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U060	TG24-0200 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0243 (F,31)(Valid)	TG21-0125 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U061	TG24-0209 (F,31)	CATTLE	BEEFMASTER (31)	WO17-0343 (F,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
22940U062	TG24-0211 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0104 (F,31)(Valid)	BC18-1220 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U063	TG24-0212 (F,31)	CATTLE	BEEFMASTER (31)	TG20-0019 (F,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
22940U064	TG24-0219 (F,31)	CATTLE	BEEFMASTER (31)		BC18-1220 (M,31)(Valid) TG20-0104 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U065	TG24-0220 (F,31)	CATTLE	BEEFMASTER (31)		BA16-0563 (M,31)(Valid) BC15-1138 (M,31)(Valid) WO13-0620 (N/S,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U066	TG24-0221 (F,31)	CATTLE	BEEFMASTER (31)		WO10-0102 (N/S,31)(Valid) WO20-1125 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U067	TG24-0223 (F,31)	CATTLE	BEEFMASTER (31)	WO15-0764 (F,31)(Valid)	TG21-0125 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U068	TG24-0232 (F,31)	CATTLE	BEEFMASTER (31)		BA15-0312 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U069	TG24-0236 (F,31)	CATTLE	BEEFMASTER (31)	TG17-0015 (F,31)(Not Valid)	WO10-0664 (N/S,31)(Valid) WO11-0292 (N/S,31)(Valid)	PAR_C	Hair	DXmNSV : Dam Excluded,	

Report Date : 01-Jul-2025 12:24

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
					WO13-0282 (N/S,31)(Valid)			Multiple Nominated Sires Valid	
22940U070	TG24-0239 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0119 (F,31)(Valid)	TG21-0053 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U071	TG24-0244 (TG24-0244) (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	NSR : No Sample Received	
22940U072	TG24-0242 (F,31)	CATTLE	BEEFMASTER (31)		TG19-0039 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U073	TG24-0243 (F,31)	CATTLE	BEEFMASTER (31)		WO20-1125 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U074	TG24-0251 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0313 (F,31)(Valid)	TG21-0071 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U075	TG24-0256 (F,31)	CATTLE	BEEFMASTER (31)	TG16-0049 (F,31)(Valid)	TG19-0039 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U076	TG24-0258 (F,31)	CATTLE	BEEFMASTER (31)	WO18-0457 (F,31)(Valid)	VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U077	TG24-0260 (F,31)	CATTLE	BEEFMASTER (31)	WO18-0673 (F,31)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
22940U078	TG24-0272 (F,31)	CATTLE	BEEFMASTER (31)	TG16-0037 (F,31)(Valid)	WO20-1125 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U079	TG24-0284 (F,31)	CATTLE	BEEFMASTER (31)	TG15-0001 (F,31)(Valid)	WO19-0499 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U080	TG24-0287 (F,31)	CATTLE	BEEFMASTER (31)		BC18-1062 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U081	TG24-0290 (F,31)	CATTLE	BEEFMASTER		TG21-0321 (M,31)(Valid)	PAR_C	Hair	SV :	

Report Date : 01-Jul-2025 12:24

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Sire Valid	
22940U082	TG24-0295 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0278 (F,31)(Valid)	TG21-0071 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U083	TG24-0302 (F,31)	CATTLE	BEEFMASTER (31)	TG19-0107 (F,31)(Not Valid)	TG21-0087 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U084	TG24-0312 (F,31)	CATTLE	BEEFMASTER (31)	TG20-0217 (F,31)(Valid)	TG18-0544 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U085	TG24-0319 (F,31)	CATTLE	BEEFMASTER (31)	TG20-0206 (F,31)(Valid)	BC18-1062 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U086	TG24-0324 (F,31)	CATTLE	BEEFMASTER (31)	TG17-0009 (F,31)(Valid)	BC18-1062 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U087	TG24-0328 (F,31)	CATTLE	BEEFMASTER (31)	TG21-0246 (F,31)(Not Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U088	TG24-0329 (F,31)	CATTLE	BEEFMASTER (31)		TG21-0321 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U089	TG24-0330 (F,31)	CATTLE	BEEFMASTER (31)		BC18-1062 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U090	TG24-0340 (F,31)	CATTLE	BEEFMASTER (31)	TG20-0087 (F,31)(Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U091	TG24-0341 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0184 (N/S,31)(Valid) WO20-1125 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U092	TG24-0342 (F,31)	CATTLE	BEEFMASTER (31)	TG20-0119 (F,31)(Valid)	TG21-0321 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U093	TG24-0352 (F,31)	CATTLE	BEEFMASTER (31)		WO13-0349 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U094	TG24-0353 (F,31)	CATTLE	BEEFMASTER (31)		BA16-0386 (M,31)(Valid) BC18-1062 (M,31)(Valid) WO12-0058 (N/S,31)(Valid) WO14-0135 (N/S,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U095	TG24-0358 (F,31)	CATTLE	BEEFMASTER (31)	TG18-0163 (F,31)(Not Valid)	TG21-0064 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U096	TG24-0366 (F,31)	CATTLE	BEEFMASTER (31)		WO19-0499 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U097	TG24-0375 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U098	TG24-0396 (F,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U099	TG23-0111 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	HER02 : Test to be repeated by lab	
22940U100	TG20-0019 (F,31)	CATTLE	BEEFMASTER (31)		BOS11-1726 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U101	TG20-0037 (F,31)	CATTLE	BEEFMASTER (31)		BA14-0558 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U102	TG18-0012 (F,31)	CATTLE	BEEFMASTER (31)	WO10-0538 (F,31)(Valid)	WO12-0825 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U103	TG18-0019 (F,31)	CATTLE	BEEFMASTER (31)	BA10-0131 (F,31)(Valid)	BC10-0157 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U104	TG17-0005 (F,31)	CATTLE	BEEFMASTER (31)		BC10-0157 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U105	TG17-0012 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	
22940U106	TG17-0028 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	

Report Date : 01-Jul-2025 12:24

Page : 9

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U107	TG16-0009 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	
22940U108	TG16-0037 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	
22940U109	TG16-0049 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	
22940U110	TG16-0053 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	
22940U111	TG15-0015 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	PU : Profile (Unistel)	
22940U112	WO24-0220 (F,31)	CATTLE	BEEFMASTER (31)		WIL19-0120 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U113	TG24-0013 (M,31)	CATTLE	BEEFMASTER (31)		BC18-1062 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U113	TG24-0013 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
22940U114	TG24-0017 (M,31)	CATTLE	BEEFMASTER (31)		X12-0105 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U115	TG24-0019 (M,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U116	TG24-0020 (M,31)	CATTLE	BEEFMASTER (31)		WO08-0095 (N/S,31)(Valid) WO11-0570 (N/S,31)(Valid) WO18-0535 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U117	TG24-0027 (M,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U118	TG24-0031 (M,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U119	TG24-0037 (M,31)	CATTLE	BEEFMASTER (31)	TG19-0087 (F,31)(Valid)	BA17-0068 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 10

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U120	TG24-0039 (M,31)	CATTLE	BEEFMASTER (31)	TG19-0187 (F,31)(Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U121	TG24-0041 (M,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U122	TG24-0045 (M,31)	CATTLE	BEEFMASTER (31)		FRENZEL 712 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U123	TG24-0055 (M,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U124	TG24-0057 (M,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U124	TG24-0057 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22940U125	TG24-0058 (M,31)	CATTLE	BEEFMASTER (31)	TG18-0037_2 (F,31)(Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U126	TG24-0065 (M,31)	CATTLE	BEEFMASTER (31)	TG16-0073 (F,31)(Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U126	TG24-0065 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22940U127	TG24-0066 (M,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U128	TG24-0067 (M,31)	CATTLE	BEEFMASTER (31)		BA17-0068 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U128	TG24-0067 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22940U129	TG24-0068 (M,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 11

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U130	TG24-0078 (M,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U130	TG24-0078 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
22940U131	TG24-0079 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0197 (F,31)(Not Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U132	TG24-0088 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0058 (F,31)(Valid)	WO10-0576 (N/S,31)(Valid) WO12-0232 (N/S,31)(Valid) WO14-0216 (N/S,31)(Valid) WO18-0535 (M,31)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
22940U133	TG24-0089 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0174 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U134	TG24-0090 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0124 (F,31)(Not Valid)	WO18-0535 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U134	TG24-0090 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22940U135	TG24-0099 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0010 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U136	TG24-0103 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0068 (F,31)(Not Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U137	TG24-0106 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0156 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U138	TG24-0122 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0210 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U139	TG24-0125 (M,31)	CATTLE	BEEFMASTER (31)		X12-0105 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 12

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U139	TG24-0125 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
22940U140	TG24-0131 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0164 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U141	TG24-0133 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0195 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U142	TG24-0134 (M,31)	CATTLE	BEEFMASTER (31)	TG16-0009 (F,31)(Valid)	X12-0105 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U143	TG24-0140 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0077 (F,31)(Valid)	TG21-0198 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U144	TG24-0143 (M,31)	CATTLE	BEEFMASTER (31)		VOVA18-0223 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U145	TG24-0144 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0196 (F,31)(Valid)	TG21-0198 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U146	TG24-0146 (M,31)	CATTLE	BEEFMASTER (31)		BC15-1138 (M,31)(Valid) TG21-0106 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U147	TG24-0151 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0175 (F,31)(Valid)	TG21-0053 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U148	TG24-0163 (M,31)	CATTLE	BEEFMASTER (31)		BA16-0224 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U149	TG24-0165 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0086 (F,31)(Valid)	TG21-0053 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U149	TG24-0165 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 01-Jul-2025 12:24

Page : 13

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U150	TG24-0167 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0253 (F,31)(Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U151	TG24-0177 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0066 (F,31)(Not Valid)	WO21-0048 (N/S,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
22940U152	TG24-0182 (M,31)	CATTLE	BEEFMASTER (31)	TG19-0161 (F,31)(Valid)	BC15-1138 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U153	TG24-0184 (M,31)	CATTLE	BEEFMASTER (31)	TG21-0108 (F,31)(Valid)	TG21-0198 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U154	TG24-0210 (M,31)	CATTLE	BEEFMASTER (31)		BC15-1138 (M,31)(Valid) TG19-0166 (M,31)(Valid) WO13-0321 (N/S,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U154	TG24-0210 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
22940U155	TG24-0225 (M,31)	CATTLE	BEEFMASTER (31)	TG16-0045 (F,31)(Valid)	BC15-1138 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U156	TG24-0227 (M,31)	CATTLE	BEEFMASTER (31)		VOVA17-0014 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U157	TG24-0238 (M,31)	CATTLE	BEEFMASTER (31)	TG19-0067 (F,31)(Valid)	BA15-0094 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U158	TG24-0286 (M,31)	CATTLE	BEEFMASTER (31)	TG19-0081 (F,31)(Valid)	BA17-0068 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U159	TG24-0303 (M,31)	CATTLE	BEEFMASTER (31)	WO20-0089 (F,31)(Valid)	JM12-0371 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U160	TG24-0327 (M,31)	CATTLE	BEEFMASTER (31)		TG21-0087 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22940U161	TG24-0333 (M,31)	CATTLE	BEEFMASTER (31)	TG20-0174 (F,31)(Valid)	TG19-0039 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U162	TG24-0339 (M,31)	CATTLE	BEEFMASTER (31)		WO09-0335 (N/S,31)(Valid) WO10-0081 (N/S,31)(Valid) WO18-0535 (M,31)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	
22940U163	TG24-0357 (M,31)	CATTLE	BEEFMASTER (31)		FRENZEL 712 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U164	TG24-0374 (M,31)	CATTLE	BEEFMASTER (31)		TG21-0064 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U165	TG23-0033 (M,31)	CATTLE	BEEFMASTER (31)		X12-0105 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
22940U165	TG23-0033 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22940U166	WO24-0204 (M,31)	CATTLE	BEEFMASTER (31)	WO20-0410 (F,31)(Valid)	WIL19-0120 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22940U167	TG24-0240 (N/S,31)	CATTLE	BEEFMASTER (31)	TG21-0136 (F,31)(Valid)	TG21-0198 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 01-Jul-2025 12:24

Page : 15

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER