



Batch Detail Report

Batch : 260897U
Owner : CC Van Der Merwe
Farm : Hencil Bonsmaras
Account : VDMCC1(02)
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 174108

Created: 2026-05-27

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results	Invoice
								PAR	
260897U001	CCV24-0018 (F)		CATTLE	BONSMARA (1)	HAIR	CCV19-0050 (U,1)(Valid)	CCV23-0001 (M,1)(Valid)	Dam Valid, Sire Valid	57869
260897U002	CCV24-0029 (F)		CATTLE	BONSMARA (1)	HAIR	CCV16-0032 (F,1)(Valid)	CCV23-0001 (M,1)(Valid)	Dam Valid, Sire Valid	57869
260897U003	CCV24-0033 (F)		CATTLE	BONSMARA (1)	HAIR	CCV18-0140 (F,1)(Valid)		Dam Valid, Multiple Sires Excluded	57869
260897U004	CCV24-0043 (F)		CATTLE	BONSMARA (1)	HAIR		CCV20-0129 (U,1)(Valid)	Sire Valid	57869
260897U005	CCV24-0057 (F)		CATTLE	BONSMARA (1)	HAIR	CCV18-0124 (F,1)(Valid)		Dam Valid	57869
260897U006	CCV24-0059 (F)		CATTLE	BONSMARA (1)	HAIR	CCV18-0135 (F,1)(Valid)		Dam Valid, Multiple Sires Excluded	57869
260897U007	CCV24-0064 (F)		CATTLE	BONSMARA (1)	HAIR	CCV17-0112 (F,1)(Valid)		Dam Valid, Multiple Sires Excluded	57869
260897U008	CCV24-0109 (F)		CATTLE	BONSMARA (1)	HAIR	CCV18-0173 (F,1)(Valid)		Dam Valid, Multiple Sires Excluded	57869
260897U009	CCV24-0118 (F)		CATTLE	BONSMARA (1)	HAIR	CCV14-0169 (F,1)(Valid)		Dam Valid, Multiple Sires Excluded	57869
260897U010	CCV24-0120 (F)		CATTLE	BONSMARA (1)	HAIR	CCV18-0114 (F,1)(Valid)		Dam Valid, Multiple Sires Excluded	57869

Report Date: 30-Jul-2026 12:38

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)