

Batch Detail Report

Batch : 26399U
Owner :Johannes Botha
Farm :Bodeel
Account : BOTJ02
Origin : PRIVATE
Invoice To : Owner

Created : 2026-03-16

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26399U001	BD24-0013 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U001	BD24-0013 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U001	BD24-0013 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U002	BD24-0053 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U002	BD24-0053 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U002	BD24-0053 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U003	BD24-0059 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U003	BD24-0059 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U003	BD24-0059 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 01-Apr-2026 11:51

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26399U004	BD24-0062 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U004	BD24-0062 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U004	BD24-0062 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U005	BD24-0072 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U005	BD24-0072 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U005	BD24-0072 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U006	BD24-0087 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U006	BD24-0087 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U006	BD24-0087 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U007	BD24-0098 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U007	BD24-0098 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Report Date : 01-Apr-2026 11:51

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26399U007	BD24-0098 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U008	BD24-0103 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U008	BD24-0103 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U008	BD24-0103 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U009	BD24-0106 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U009	BD24-0106 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U009	BD24-0106 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U010	BD24-0130 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U010	BD24-0130 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U010	BD24-0130 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
26399U011	BD24-0265 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U011	BD24-0265 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 01-Apr-2026 11:51

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26399U011	BD24-0265 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U012	BD24-0274 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U012	BD24-0274 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U012	BD24-0274 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U013	BD24-0305 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U013	BD24-0305 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U013	BD24-0305 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U014	BD24-0307 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U014	BD24-0307 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U014	BD24-0307 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U015	BD24-0309 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 01-Apr-2026 11:51

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26399U015	BD24-0309 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U015	BD24-0309 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U016	BD24-0344 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U016	BD24-0344 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U016	BD24-0344 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U017	BD24-0345 (M,23)	CATTLE	ANGUS (23)			PAR_C	Hair	HER02 : Test to be repeated by lab	
26399U017	BD24-0345 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U017	BD24-0345 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U017	BD24-0345 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U018	BD24-0360 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U018	BD24-0360 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U018	BD24-0360 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 01-Apr-2026 11:51

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26399U019	BD24-0362 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U019	BD24-0362 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U019	BD24-0362 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U020	BD24-0366 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U020	BD24-0366 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U020	BD24-0366 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U021	BD24-0403 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U021	BD24-0403 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U021	BD24-0403 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
26399U022	BD24-0411 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U022	BD24-0411 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Report Date : 01-Apr-2026 11:51

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26399U022	BD24-0411 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER