

Batch Detail Report

Batch : 22552U
Owner : Jacques Odendaal/Big J
Farm : Springfontein
Account : ODEJ01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-05-06

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22552U001	JO23-0001 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0067 (F,85)(Valid)	VV16-0151 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U002	JO23-0002 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0055 (F,85)(Valid)	VV16-0151 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U003	JO23-0003 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0053 (F,85)(Valid)	VV16-0151 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U004	JO23-0006 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0025 (F,85)(Valid)	VV16-0151 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U005	JO23-0015 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO16-0060 (F,85)(Valid)	JO17-0035 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U006	JO23-0019 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO16-0111 (F,85)(Valid)	JO20-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U007	JO23-0020 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0058 (F,85)(Valid)	JO19-0005 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U008	JO23-0046 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO18-0119 (F,85)(Valid)	JO18-0039 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U009	JO23-0052 (F,85)	CATTLE	SANTA GERTRUDIS	JO19-0046 (F,85)(Valid)	JO19-0005 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	53585Y

Report Date : 25-Jun-2025 15:20

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)					Valid	
22552U010	JO23-0053 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO17-0246 (F,85)(Valid)	JO20-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U011	JO23-0063 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO17-0172 (F,85)(Valid)	JO20-0104 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U012	JO23-0071 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO19-0262 (F,85)(Valid)	JO19-0005 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U013	JO23-0085 (F,85)	CATTLE	SANTA GERTRUDIS (85)		VV19-0114 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U014	JO23-0087 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JO20-0107 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U015	JO23-0088 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JO18-0038 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U016	JO23-0089 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO16-0502 (F,85)(Not Valid)	JO19-0115 (M,85)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	53585Y
22552U017	JO23-0102 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO17-0167 (F,85)(Valid)	JO18-0038 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U018	JO23-0104 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO15-0668 (F,85)(Valid)	JO20-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U019	JO23-0108 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO17-0008 (F,85)(Valid)	JO17-0035 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U020	JO23-0120 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JO17-0035 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y

Report Date : 25-Jun-2025 15:20

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22552U021	JO23-0131 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO19-0045 (F,85)(Valid)	JO18-0038 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U022	JO23-0135 (F,85)	CATTLE	SANTA GERTRUDIS (85)		JO17-0035 (M,85)(Valid) JO20-0097 (M,85)(Valid) JO20-0138 (M,85)(Valid)	PAR_C	Hair	mNSV : Multiple Nominated Sires Valid	53585Y
22552U023	JO23-0147 (F,85)	CATTLE	SANTA GERTRUDIS (85)	JO18-0040 (F,85)(Valid)	JO20-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U024	JO23-0009 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV13-0121 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U025	JO23-0012 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0134 (F,85)(Valid)	JO20-0122 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U026	JO23-0017 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO16-0139 (F,85)(Valid)	JO18-0028 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U027	JO23-0022 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0011 (F,85)(Valid)	SS15-0092 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U028	JO23-0025 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0099 (F,85)(Valid)	JO20-0063 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U029	JO23-0027 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO19-0165 (F,85)(Valid)	JO20-0122 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U030	JO23-0028 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JH14-0008 (F,85)(Valid)	VV19-0114 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U031	JO23-0031 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO19-0181 (F,85)(Valid)	JO20-0107 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U032	JO23-0037 (M,85)	CATTLE	SANTA GERTRUDIS	JO18-0116 (F,85)(Valid)	VV11-0176 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	53585Y

Report Date : 25-Jun-2025 15:20

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(85)					Valid	
22552U033	JO23-0043 (M,85)	CATTLE	SANTA GERTRUDIS (85)		JO21-0026 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U034	JO23-0054 (M,85)	CATTLE	SANTA GERTRUDIS (85)		JO18-0028 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U035	JO23-0061 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO18-0097 (F,85)(Valid)	JO20-0122 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U036	JO23-0073 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO18-0051 (F,85)(Valid)	JO20-0122 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U037	JO23-0095 (M,85)	CATTLE	SANTA GERTRUDIS (85)		VV10-0099 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U038	JO23-0107 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO18-0096 (F,85)(Valid)	JO17-0035 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U039	JO23-0127 (M,85)	CATTLE	SANTA GERTRUDIS (85)		GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U040	JO23-0140 (M,85)	CATTLE	SANTA GERTRUDIS (85)	JO20-0070 (F,85)(Valid)	JO21-0296 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U041	JO23-0164 (M,31)	CATTLE	BEEFMASTER (31)		JO16-0239 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U042	JO23-0180 (M,31)	CATTLE	BEEFMASTER (31)	JO15-0607 (F,85)(Valid)	JO18-0039 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U043	JO23-0202 (M,31)	CATTLE	BEEFMASTER (31)	JO19-0148 (F,85)(Valid)	TD11-0037 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U044	JO23-0203 (M,31)	CATTLE	BEEFMASTER	JO16-0206 (F,85)(Valid)	TD11-0037 (M,85)(Valid)	PAR_C	Hair	DVSV :	53585Y

Report Date : 25-Jun-2025 15:20

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Dam Valid, Sire Valid	
22552U045	JO23-0205 (M,31)	CATTLE	BEEFMASTER (31)		GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U046	JO23-0208 (M,31)	CATTLE	BEEFMASTER (31)	JO19-0074 (F,85)(Valid)	GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U047	JO23-0214 (M,31)	CATTLE	BEEFMASTER (31)		GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U048	JO23-0219 (M,31)	CATTLE	BEEFMASTER (31)	JO19-0016 (F,85)(Valid)	GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U049	JO23-0220 (M,31)	CATTLE	BEEFMASTER (31)		TD11-0037 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U050	JO23-0221 (M,31)	CATTLE	BEEFMASTER (31)		GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U051	JO23-0226 (M,31)	CATTLE	BEEFMASTER (31)	JO19-0202 (F,85)(Valid)	GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53585Y
22552U052	JO23-0229 (M,31)	CATTLE	BEEFMASTER (31)		GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U053	JO23-0234 (M,31)	CATTLE	BEEFMASTER (31)		GC19-0125 (M,UNK_C)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U054	JO23-0240 (M,31)	CATTLE	BEEFMASTER (31)		JO16-0239 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U055	JO23-0261 (M,31)	CATTLE	BEEFMASTER (31)		JO19-0022 (M,85)(Valid)	PAR_C	Hair	SV : Sire Valid	53585Y
22552U056	BR23-0019 (M,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	53585Y
22552U057	MS20-0297 (M,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated	53585Y

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Sires Excluded	
22552U058	MS21-0094 (M,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	53585Y

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER