

Batch Detail Report

Batch : 21964U
Owner :BSYF Bonsmara Stoet
Farm :Plaas Syferfontein
Account : BSYF01
Origin : BONSMARA SA
Invoice To : Owner

Created : 2025-03-14

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21964U001	BSF24-0202 (F,1)	CATTLE	BONSMARA (1)	SYF21-0314 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U002	BSF24-0224 (M,1)	CATTLE	BONSMARA (1)	SYF21-0312 (F,1)(Valid)	SYF20-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U003	BSF24-0225 (F,1)	CATTLE	BONSMARA (1)	SBJ19-0049 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U004	BSF24-0230 (F,1)	CATTLE	BONSMARA (1)		SYF20-0213 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U005	BSF24-0246 (M,1)	CATTLE	BONSMARA (1)	SYF19-0202 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U006	BSF24-0256 (F,1)	CATTLE	BONSMARA (1)		SYF20-0213 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U007	BSF24-0266 (F,1)	CATTLE	BONSMARA (1)	SYF21-0026 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U008	BSF24-0267 (F,1)	CATTLE	BONSMARA (1)	SYF21-0090 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U009	BSF24-0270 (F,1)	CATTLE	BONSMARA (1)	SYF20-0064 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Apr-2025 12:23

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21964U010	BSF24-0276 (M,1)	CATTLE	BONSMARA (1)	SYF21-0016 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U011	BSF24-0277 (F,1)	CATTLE	BONSMARA (1)	SYF21-0068 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U012	BSF24-0280 (F,1)	CATTLE	BONSMARA (1)	SYF21-0056 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U013	BSF24-0287 (M,1)	CATTLE	BONSMARA (1)		SYF21-0063 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U014	BSF24-0290 (F,1)	CATTLE	BONSMARA (1)	SYF20-0221 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U015	BSF24-0292 (F,1)	CATTLE	BONSMARA (1)		SYF20-0213 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U016	BSF24-0295 (F,1)	CATTLE	BONSMARA (1)	SYF21-0054 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U017	BSF24-0301 (M,1)	CATTLE	BONSMARA (1)	SYF20-0016 (F,1)(Valid)	SYF21-0430 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U018	BSF24-0305 (M,1)	CATTLE	BONSMARA (1)	SYF21-0310 (F,1)(Valid)	SYF20-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U019	BSF24-0306 (M,1)	CATTLE	BONSMARA (1)		SYF20-0213 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U020	BSF24-0312 (F,1)	CATTLE	BONSMARA (1)	SYF21-0481 (F,1)(Valid)	SYF20-0037 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U021	BSF24-0318 (M,1)	CATTLE	BONSMARA (1)		SYF21-0409 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U022	BSF24-0319 (F,1)	CATTLE	BONSMARA (1)	SYF19-0079 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 10-Apr-2025 12:23

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
21964U023	BSF24-0320 (M,1)	CATTLE	BONSMARA (1)	SYF20-0204 (F,1)(Valid)	SYF21-0063 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U024	BSF24-0321 (M,1)	CATTLE	BONSMARA (1)	SYF20-0007 (F,1)(Not Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
21964U025	BSF24-0322 (F,1)	CATTLE	BONSMARA (1)	SYF19-0036 (F,1)(Not Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
21964U026	BSF24-0327 (M,1)	CATTLE	BONSMARA (1)	SYF20-0216 (F,1)(Valid)	SYF21-0430 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U027	BSF24-0329 (M,1)	CATTLE	BONSMARA (1)	SYF21-0014 (F,1)(Valid)	SYF21-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U028	BSF24-0333 (F,1)	CATTLE	BONSMARA (1)	BDX19-0009 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U029	BSF24-0334 (F,1)	CATTLE	BONSMARA (1)	SYF20-0038 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U030	BSF24-0337 (M,1)	CATTLE	BONSMARA (1)		SYF21-0409 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U031	BSF24-0340 (F,1)	CATTLE	BONSMARA (1)	SYF19-0164 (F,1)(Valid)	SYF21-0430 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U032	BSF24-0344 (M,1)	CATTLE	BONSMARA (1)	SYF18-0138 (F,1)(Valid)	SBJ20-0014 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U033	BSF24-0349 (M,1)	CATTLE	BONSMARA (1)	SYF19-0250 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U034	BSF24-0351 (F,1)	CATTLE	BONSMARA	BDX19-0079 (F,1)(Valid)	SYF20-0213 (M,1)(Valid)	PAR_C	Hair	DVSV :	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(1)					Dam Valid, Sire Valid	
21964U035	BSF24-0353 (M,1)	CATTLE	BONSMARA (1)	SYF21-0019 (F,1)(Valid)	SYF21-0409 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21964U036	BSF24-0357 (F,1)	CATTLE	BONSMARA (1)		SYF21-0409 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U037	BSF24-0380 (M,1)	CATTLE	BONSMARA (1)		SYF21-0430 (M,1)(Valid)	PAR_C	Hair	SV : Sire Valid	
21964U038	SYF21-0314 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U039	SYF21-0312 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U040	SYF19-0202 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U041	SYF21-0026 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U042	SYF21-0090 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U043	SYF20-0064 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U044	SYF21-0016 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U045	SYF21-0068 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U046	SYF21-0056 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U047	SYF20-0221 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U048	SYF21-0054 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	

Report Date : 10-Apr-2025 12:23

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21964U049	SYF20-0016 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U050	SYF21-0310 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U051	SYF21-0481 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U052	SYF19-0079 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U053	SYF20-0204 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U054	SYF20-0007 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U055	SYF19-0036 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U056	SYF20-0216 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U057	SYF21-0014 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U058	SYF20-0038 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U059	SYF19-0164 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U060	SYF18-0138 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	
21964U061	SYF19-0250 (F,1)	CATTLE	BONSMARA (1)			PROFX_C	External Profile	PEX : External Profile	

Report Date : 10-Apr-2025 12:23

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER