

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26399U019	BD24-0362 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U019	BD24-0362 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U019	BD24-0362 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26399U018	BD24-0360 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26399U018	BD24-0360 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26399U018	BD24-0360 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 01-Apr-2026 11:51

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER