

Batch Detail Report

Batch : 26453U
Owner :IJ (Jaco) van der Walt
Farm :Mosdene Ranch
Account : VDWI01
Origin : PRIVATE
Invoice To : Owner

Created : 2026-03-23

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26453U001	MOS26-0099 (M,24)	CATTLE	BORAN (24)	MOS23-0465 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U002	MOS26-0109 (F,24)	CATTLE	BORAN (24)	MOS23-0229 (F,24)(Valid)	MOS21-0005 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U003	MOS26-0117 (M,24)	CATTLE	BORAN (24)	BH19-0358 (F,24)(Valid)	PRB16-0007 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U004	MOS26-0118 (F,24)	CATTLE	BORAN (24)	E12-0050 (F,24)(Valid)	MOS22-0337 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U005	MOS26-0121 (M,24)	CATTLE	BORAN (24)	BH17-0056 (F,24)(Valid)	PRB16-0007 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U006	MOS26-0122 (M,24)	CATTLE	BORAN (24)	MOS23-0321 (F,24)(Valid)	MOS21-0005 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U007	MOS26-0123 (M,24)	CATTLE	BORAN (24)	MOS23-0246 (F,24)(Valid)	MOS21-0005 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U008	MOS26-0124 (M,24)	CATTLE	BORAN (24)	BH16-0093 (F,24)(Valid)	MOS22-0337 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U009	MOS26-0125 (M,24)	CATTLE	BORAN (24)	MOS20-0087 (F,24)(Valid)	DLV22-0024 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 17-Apr-2026 13:29

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
26453U010	MOS26-0128 (F,24)	CATTLE	BORAN (24)	E20-0035 (F,24)(Valid)	DLV22-0024 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U011	MOS26-0129 (F,24)	CATTLE	BORAN (24)	MOS23-0174 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U012	MOS26-0130 (F,24)	CATTLE	BORAN (24)	MOS23-0213 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U013	MOS26-0131 (F,24)	CATTLE	BORAN (24)	MOS23-0279 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U014	MOS26-0132 (F,24)	CATTLE	BORAN (24)	BH16-0380 (F,24)(Valid)	BH18-0607 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U015	MOS26-0133 (M,24)	CATTLE	BORAN (24)	MOS20-0182 (F,24)(Valid)	MOS22-0337 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U016	MOS26-0134 (F,24)	CATTLE	BORAN (24)	MOS23-0468 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U017	MOS26-0135 (F,24)	CATTLE	BORAN (24)	MOS23-0292 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U018	MOS26-0136 (M,24)	CATTLE	BORAN (24)	MOS21-0099 (F,24)(Valid)	BAS18-0216 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U019	MOS26-0138 (F,24)	CATTLE	BORAN (24)	BH15-0191 (F,24)(Valid)	MOS21-0039 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U020	MOS26-0139 (F,24)	CATTLE	BORAN (24)	E11-0153 (F,24)(Valid)	DLV22-0024 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 17-Apr-2026 13:29

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26453U021	MOS26-0140 (F,24)	CATTLE	BORAN (24)	GUJ17-0024 (F,24)(Valid)	DLV22-0024 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U022	MOS26-0141 (M,24)	CATTLE	BORAN (24)	MOS22-0157 (F,24)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
26453U023	MOS26-0142 (M,24)	CATTLE	BORAN (24)	BH16-0329 (F,24)(Valid)	BH18-0607 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U024	MOS26-0144 (M,24)	CATTLE	BORAN (24)	MOS23-0293 (F,24)(Valid)	MOS21-0005 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U025	MOS26-0145 (M,24)	CATTLE	BORAN (24)	MOS23-0355 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U026	MOS26-0146 (F,24)	CATTLE	BORAN (24)	MOS23-0543 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U027	MOS26-0147 (M,24)	CATTLE	BORAN (24)	MOS22-0157 (F,24)(Valid)	MOS20-0192 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U028	MOS26-0148 (M,24)	CATTLE	BORAN (24)	E13-0090 (F,24)(Valid)	BAS18-0216 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U029	MOS26-0150 (M,24)	CATTLE	BORAN (24)	MOS23-0424 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U030	MOS26-0152 (F,24)	CATTLE	BORAN (24)	MOS23-0378 (F,24)(Valid)	MOS21-0259 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U031	MOS26-0153 (M,24)	CATTLE	BORAN (24)	MOS23-0225 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U032	MOS26-0156 (M,24)	CATTLE	BORAN (24)	MOS23-0445 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 17-Apr-2026 13:29

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Dam Valid, Sire Valid	
26453U033	MOS26-0157 (F,24)	CATTLE	BORAN (24)	MOS23-0491 (F,24)(Valid)	MOS21-0034 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U034	MOS26-0158 (F,24)	CATTLE	BORAN (24)	MOS22-0365 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U035	MOS26-0159 (M,24)	CATTLE	BORAN (24)	MOS23-0414 (F,24)(Valid)	MOS21-0259 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U036	MOS26-0160 (M,24)	CATTLE	BORAN (24)	MOS23-0438 (F,24)(Valid)	MOS21-0034 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U037	MOS26-0162 (F,24)	CATTLE	BORAN (24)	MOS23-0478 (F,24)(Valid)	MOS21-0034 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U038	MOS26-0163 (M,24)	CATTLE	BORAN (24)	MOS23-0561 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U039	MOS26-0164 (M,24)	CATTLE	BORAN (24)	MOS23-0552 (F,24)(Valid)	MOS21-0018 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26453U040	MOS26-0165 (F,24)	CATTLE	BORAN (24)	BH16-0097 (F,24)(Valid)	E20-0049 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 17-Apr-2026 13:29

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER