

Batch Detail Report

Batch : 25640U
Owner : TL/RL Horn
Farm : Terraro Zucht
Account : HORT02
Origin : BONSMARA SOC NAMIBIA
Invoice To : Owner

Created : 2025-12-30

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25640U001	RLH22-0207 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U001	RLH22-0207 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U001	RLH22-0207 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U002	RLH22-0213 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U002	RLH22-0213 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U002	RLH22-0213 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U003	RLH22-0216 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U003	RLH22-0216 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U003	RLH22-0216 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 23-Jan-2026 08:33

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
25640U004	RLH23-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U004	RLH23-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U004	RLH23-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U005	RLH23-0007 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U005	RLH23-0007 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U005	RLH23-0007 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U006	RLH23-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U006	RLH23-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
25640U006	RLH23-0009 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U007	RLH23-0013 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U007	RLH23-0013 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25640U007	RLH23-0013 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U008	RLH23-0021 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U008	RLH23-0021 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U008	RLH23-0021 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U009	RLH23-0047 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U009	RLH23-0047 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
25640U009	RLH23-0047 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U010	RLH23-0102 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U010	RLH23-0102 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U010	RLH23-0102 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U011	RLH23-0104 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U011	RLH23-0104 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 23-Jan-2026 08:33

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
25640U011	RLH23-0104 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U012	RLH23-0107 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U012	RLH23-0107 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U012	RLH23-0107 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U013	RLH23-0108 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U013	RLH23-0108 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U013	RLH23-0108 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U014	RLH23-0119 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U014	RLH23-0119 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U014	RLH23-0119 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U015	RLH23-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 23-Jan-2026 08:33

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25640U015	RLH23-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U015	RLH23-0125 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U016	RLH23-0129 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U016	RLH23-0129 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U016	RLH23-0129 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U017	RLH23-0135 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U017	RLH23-0135 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
25640U017	RLH23-0135 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
25640U018	RLH23-0139 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
25640U018	RLH23-0139 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
25640U018	RLH23-0139 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 23-Jan-2026 08:33

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER