

Batch Detail Report

Batch : 20382U
Owner : Roan van Tonder
Farm : Klipfontein Plaas / Soetvelde
Account : VTOR01
Origin : PRIVATE
Invoice To : Owner

Created : 2024-10-29

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20382U001	RVT24-0047 (F,91)	CATTLE	DROUGHT MASTER (91)		VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
20382U002	RVT24-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0021 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U003	RVT24-0036 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	
20382U004	RVT23-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Not Valid)	C08-0469 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
20382U005	RVT24-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Not Valid)		PAR_C	Hair	DX : Dam Excluded	
20382U006	RVT24-0029 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0019 (F,91)(Valid)	CSA18-0197 (M,91)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
20382U007	RVT24-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0137 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U008	RVT23-0028 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	C11-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U009	RVT24-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	CSA21-0163 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Nov-2024 12:03

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20382U010	RVT24-0030 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0187 (F,91)(Valid)	CSA21-0163 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U011	RVT24-0033 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0163 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
20382U012	RVT24-0037 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0147 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U013	RVT24-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0152 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U014	RVT24-0018 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	
20382U015	RVT23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)		C12-0338 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
20382U016	RVT23-0003 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	C06-0222 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U017	RVT23-0011 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U018	RVT24-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U019	RVT23-0024 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0106 (N/S,91)(Valid)	GRB19-0047 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U020	RVT22-0001 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA19-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U021	RVT24-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Nov-2024 12:03

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20382U022	RVT24-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U023	RVT23-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0137 (F,91)(Valid)	CSA18-0197 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U024	RVT23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U025	W23-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	W20-0033 (F,91)(Valid)	W18-0051 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U026	RVT23-0007 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	DO2009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U027	RVT23-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0187 (F,91)(Valid)	C06-0222 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U028	RVT22-0011 (N/S,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0029 (F,91)(Valid)	VOVA18-0030 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U029	RVT23-0012 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U030	RVT23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U031	RVT24-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U032	RVT24-0013 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0187 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U033	RVT23-0021 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	DO2009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 14-Nov-2024 12:03

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
20382U034	RVT23-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U035	RVT23-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0147 (F,91)(Not Valid)	CSA16-0075 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
20382U036	RVT24-0091 (N/S,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	
20382U037	RVT24-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U038	RVT24-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U039	RVT24-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0152 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U040	RVT24-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA22-0022 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U041	RVT24-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U042	RVT24-0005 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U043	RVT23-0039 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0187 (F,91)(Not Valid)	C12-0338 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
20382U044	RVT24-0026 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Nov-2024 12:03

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20382U045	RVT23-0019 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Not Valid)	CSA15-0066 (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
20382U046	RVT24-0011 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U047	RVT23-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	CSA15-0029 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U048	RVT24-0023 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U049	RVT24-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U050	RVT24-0037 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0147 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U051	RVT24-0008 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U052	RVT24-0007 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U053	RVT23-0008 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0137 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U054	RVT23-0020 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	C13-0009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U055	RVT23-0022 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C08-0469 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U056	RVT24-0001 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
20382U057	RVT23-0002 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0147 (F,91)(Valid)	C11-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U058	RVT24-0025 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U059	RVT23-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	C06-0222 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U060	RVT23-0005 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0145 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U061	RVT23-0030 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	C13-0009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U062	RVT23-0029 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U063	RVT24-0024 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U064	RVT24-0061 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U065	RVT24-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U066	RVT24-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U067	RVT24-0067 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA22-0013 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Nov-2024 12:03

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20382U068	RVT24-0055 (N/S,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	NSR : No Sample Received	
20382U069	RVT24-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U070	RVT24-0049 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA22-0022 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U071	RVT24-0079 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U072	RVT24-0045 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0031 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U073	RVT24-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U074	RVT24-0075 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0080 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U075	RVT24-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U076	RVT24-0051 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0187 (F,91)(Not Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
20382U077	RVT24-0071 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U078	RVT24-0046 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Not Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
20382U079	RVT24-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	GLENDLANDS PIONEER (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 14-Nov-2024 12:03

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
20382U080	RVT24-0084 (M,91)	CATTLE	DROUGHT MASTER (91)	W20-0033 (F,91)(Not Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
20382U081	RVT24-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	GLENDLANDS PIONEER (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U082	RVT24-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0021 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U083	RVT24-0083 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0152 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U084	RVT24-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0031 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U085	RVT24-0068 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U086	RVT24-0069 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0187 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U087	RVT24-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0096 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U088	RVT24-0053 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	GLENDLANDS PIONEER (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U089	RVT24-0066 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U090	RVT24-0081 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 14-Nov-2024 12:03

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20382U091	RVT24-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U092	RVT24-0060 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U093	RVT24-0042 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U094	RVT24-0080 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA16-0110 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U095	RVT24-0077 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0031 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U096	RVT24-0074 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0139 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U097	RVT24-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0039 (F,91)(Not Valid)	GLENDLANDS PIONEER (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
20382U098	RVT24-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0031 (F,91)(Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U099	RVT24-0054 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0159 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20382U100	RVT24-0038 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0162 (F,91)(Not Valid)	VOVA20-0039 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
20382U101	RVT24-0021 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0152 (F,91)(Not Valid)	GLENDLANDS PIONEER (M,91)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER