

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	IMAGE
26066U010	BMK25-0086 (N/S,24)	CATTLE	BORAN (24)	BMK16-0007 (F,24)(Valid)	BMK20-0051 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26066U011	BMK25-0087 (N/S,24)	CATTLE	BORAN (24)	BMK21-0064 (F,24)(Valid)	BMK23-0026 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26066U012	BMK25-0088 (N/S,24)	CATTLE	BORAN (24)	BMK21-0050 (N/S,24)(Valid)	BMK20-0051 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26066U013	BMK25-0089 (N/S,24)	CATTLE	BORAN (24)	CTM10-0072 (F,24)(Valid)	BMK23-0034 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26066U014	BMK25-0090 (M,24)	CATTLE	BORAN (24)	BMK19-0003 (F,24)(Valid)	BMK23-0026 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26066U015	BMK25-0091 (N/S,24)	CATTLE	BORAN (24)	BMK21-0039 (N/S,24)(Valid)	BMK23-0026 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26066U016	BMK25-0092 (N/S,24)	CATTLE	BORAN (24)	BMK17-0022 (F,24)(Valid)	BMK20-0051 (N/S,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

ON A

BMK

25-090

Report Date : 18-Mar-2026 15:57

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
24841U010	BMK25-0065 (M,24)	CATTLE	BORAN (24)	BMK21-0033 (N/S,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	Valid DVS/V : Dam Valid, Sire Valid	
24841U011	BMK25-0066 (N/S,24)	CATTLE	BORAN (24)	BMK22-12 Net Run	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	mNDSXSV : Multiple Nominated Dams Excluded, Sire Valid	
24841U012	BMK25-0067 (F,24)	CATTLE	BORAN (24)	BMK19-0030 (F,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVS/V : Dam Valid, Sire Valid	
24841U013	BMK25-0070 (N/S,24)	CATTLE	BORAN (24)	W12-0097 (F,24)(Valid)	C107-0034 (M,24)(Valid)	PAR_C	Hair	DVS/V : Dam Valid, Sire Valid	
24841U014	BMK25-0072 (N/S,24)	CATTLE	BORAN (24)	BMK21-0040 (N/S,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVS/V : Dam Valid, Sire Valid	
24841U015	BMK25-0073 (M,24)	CATTLE	BORAN (24)	BMK20-0044 (N/S,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVS/V : Dam Valid, Sire Valid	
24841U016	BMK25-0074 (F,24)	CATTLE	BORAN (24)	BMK23-0010 (F,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVS/V : Dam Valid, Sire Valid	

ONA BMK 250070

Report Date : 02-Dec-2025 11:06

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 26070U
Owner : Meintjeskroon Boerdery BK

Created : 2026-02-16

Farm :
Account :
Origin : EMBRIO PLUS
Invoice To : Origin

SAMPLE	ANIMAL	SPECIES	BREED	DA	SEX	TEST	Tissue type	RESULT	INVOICE
26070U001	BMK25-0048 (F,24)	CATTLE	BORAN (24)	FN21-0059 (F,24)(Valid)	W19-0010 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26070U002	BMK25-0055 (F,24)	CATTLE	BORAN (24)	BMK22-0064 (F,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26070U003	BMK25-0065 (M,24)	CATTLE	BORAN (24)	BMK21-0033 (N/S,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26070U004	BMK25-0075 (F,24)	CATTLE	BORAN (24)	BMK21-0021 (N/S,24)(Valid)	HOT18-0192 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

DNA

BMK

25-0055

Report Date : 11-Mar-2026 08:55

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 260262U
Owner : Meintjeskroon Boerdery BK

Farm : .

Account :
Via : EMBRYO PLUS

Invoice To : Origin
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 172863

Created: 2026-04-24

Sample	Animal	Microchip	Species	Breed	Tissue Type	Dam	Sire	Test Results	Integrity
260262U001	BMK26-0006 (U)		CATTLE	BORAN (24)	HAIR	BMK21-0037 (U,24)(Valid)	BMK23-0034 (M,24)(Valid)	Dam Valid, Sire Valid	
260262U002	BMK26-0007 (U)		CATTLE	BORAN (24)	HAIR	BMK23-0021 (F,24)(Valid)	BMK23-0034 (M,24)(Valid)	Dam Valid, Sire Valid	
260262U003	BMK26-0008 (U)		CATTLE	BORAN (24)	HAIR	BMK19-0021 (U,24)(Valid)	BMK23-0026 (M,24)(Valid)	Dam Valid, Sire Valid	

DNA
 DNA
 DNA
 BMK
 BMK
 BMK
 26008
 26007
 26008

Report Date: 08-May-2026 12:56

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/organiser. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Should any loss or damage be proven in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Harnes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616

Directors: HC Viljoen (Chairman), L Theart (CEO), B Ginday-Wheldon, M Senenai, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 199802107507)



Batch Detail Report

Batch : 261168U
Owner : . Meintjeskroon Boerdery BK

Account :
Via : EMBRIO PLUS
Invoice To : Origin
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 174462

Created: 2026-06-11

261168U001	3MK26-0005 (U)	CATTLE	BORAN (24)	HAIR	3MK22-0037 (F,24)(Valid)	3MK23-0034 (M,24)(Valid)	Dam Valid, Sire Valid
261168U002	3MK26-0009 (U)	CATTLE	BORAN (24)	HAIR	3MK21-0027 (F,24)(Valid)		Dam Valid, Multiple Sires Excluded
261168U003	3MK26-0010 (U)	CATTLE	BORAN (24)	HAIR	3MK19-0032 (F,24)(Valid)	3MK20-0051 (U,24)(Valid)	Dam Valid, Sire Valid
261168U004	3MK26-0011 (U)	CATTLE	BORAN (24)	HAIR	NLS09-0004 (MAS)UNISO NLS 09 04 (F,24)(Valid)	3MK23-0026 (M,24)(Valid)	Dam Valid, Sire Valid
261168U005	3MK26-0012 (U)	CATTLE	BORAN (24)	HAIR	3MK20-0023 (U,24)(Valid)	3MK23-0034 (M,24)(Valid)	Dam Valid, Sire Valid
261168U006	3MK26-0013 (U)	CATTLE	BORAN (24)	HAIR	3MK19-0023 (MEINTJESKROON 3MK19-0023) (F,24)(Valid)	3MK23-0037 (M,24)(Valid)	Dam Valid, Sire Valid
261168U007	3MK26-0014 (U)	CATTLE	BORAN (24)	HAIR	3MK20-0040 (U,24)(Valid)	3MK23-0037 (M,24)(Valid)	Dam Valid, Sire Valid
261168U008	3MK26-0015 (U)	CATTLE	BORAN (24)	HAIR	3MK19-0041 (F,24)(Valid)	3MK23-0037 (M,24)(Valid)	Dam Valid, Sire Valid
261168U009	3MK26-0016 (U)	CATTLE	BORAN (24)	HAIR	HOT19-0033 (F,24)(Valid)	3MK23-0037 (M,24)(Valid)	Dam Valid, Sire Valid

DNA via by client

Report Date: 09-Jul-2026 12:53

Disclaimer:

Unistel report these results on the premise that the biological samples received are from the individuals represented by the owner/breeder's request. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. These results relate only to the samples tested. Should gross negligence be proven, the claim shall be the responsibility of the client. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAD comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hermes Lane Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygerdal, 7535, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Visser (Chairman), L. Theart (CEO), B Gindray-Weldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No.: 1999/021075/07)