

Subject: DM verse DNA laai op Logix
From: Sjané van Aswegen <Studs@hurwitz.co.za>
Date: 2026/08/14, 11:47
To: "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb die volgende diere se DNA / Myostatin resultaat op Logix laai?

H 23-60 (F) - laai DNA, Myostation asook Inspeksie

ZOCA2025-103578	H230060	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

17266U008	H23-0060 (F,91)	CATTLE	DROUGHT MASTER (91)	H17-0006 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48719
-----------	-----------------	--------	---------------------	------------------------	--------------------------	-------	------	----------------------------	-------

H 23-141 (F) - laai slegs Myostatin

ZOCA2025-103594	H230141	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 23-159 (F) - laai slegs Myostatin

ZOCA2025-103600	H230159	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 24-16 (F) - laai slegs Myostatin

ZOCA2025-103603	H240016	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 24-27 (F) - laai slegs Myostatin

ZOCA2025-103607	H240027	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 24-48 (F) - laai slegs Myostatin

ZOCA2025-103614	H240048	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 24-100 (F) - laai slegs Myostatin

ZOCA2025-103629	H240100	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 24-136 (F) - laai slegs Myostatin

ZOCA2025-103639	H240136	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

H 24-105 (F) - laai slegs Myostatin

ZOCA2025-103631	H240105	WT	WT	WT	WT	WT	WT
-----------------	---------	----	----	----	----	----	----

Vriendelike Groete / Kind Regards,



Attachments:		
ZO2025-10402_Myostatin Report 2025 INSPECTION HEIFERS & H 22-18.pdf		222 KB
Batch-17266U008_Inq H 23-60.pdf		18.3 KB
DM inspection 19.11.2025 Heifers.pdf		4.1 MB



ZooOmics™ is a division of Inqaba Biotechnical Industries Pty Ltd
info@ZooOmics.co.za
525 Justice Mahomed Str, Muckleneuk, Pretoria 0002
PO Box 14356, Hatfield, Pretoria 0028

CATTLE MUTATION ANALYSIS REPORT

Order Information

Name:	Hurwitz Farming	Print Date:	2025/12/10
Telephone No.:	072 680 5859	Date received:	2025/12/01
E-mail address:	studs@hurwitz.co.za	No. samples:	98


Description of Procedure

Molecular genotyping for Double Muscling (Myostatin: F94L, Q204X and Nt821). The genotype for each known mutation region is presented below where WT refers to the wild type genotype and MUT refers to the mutated genotype. All mutant genotypes will be highlighted in red.

Lab No.	Sample ID	Double Muscling (Myostatin)					
		Q204X		Nt821		F94L	
ZOCA2025-103545	H240011	WT	WT	WT	WT	WT	WT
ZOCA2025-103546	H240015	WT	WT	WT	WT	WT	WT
ZOCA2025-103547	H230022	WT	WT	WT	MUT	WT	WT
ZOCA2025-103548	H230027	WT	WT	WT	WT	WT	WT
ZOCA2025-103549	H230028	WT	WT	WT	WT	WT	WT
ZOCA2025-103550	H230035	WT	WT	WT	WT	WT	WT
ZOCA2025-103551	H230042	WT	WT	WT	WT	WT	WT
ZOCA2025-103552	H230048	WT	WT	WT	WT	WT	WT
ZOCA2025-103553	H230049	WT	WT	WT	WT	WT	WT
ZOCA2025-103554	H230051	WT	WT	WT	MUT	WT	WT
ZOCA2025-103555	H230058	WT	WT	WT	WT	WT	WT
ZOCA2025-103556	H230067	WT	WT	WT	WT	WT	WT
ZOCA2025-103557	H230075	WT	WT	WT	WT	WT	WT
ZOCA2025-103558	H230080	WT	WT	WT	WT	WT	WT
ZOCA2025-103559	CSA230127	WT	WT	WT	WT	WT	WT
ZOCA2025-103560	H230093	WT	WT	WT	WT	WT	WT
ZOCA2025-103561	H230115	WT	WT	WT	WT	WT	WT
ZOCA2025-103562	H230117	WT	WT	WT	WT	WT	WT
ZOCA2025-103563	H230120	WT	WT	WT	WT	WT	WT
ZOCA2025-103564	H230133	WT	WT	WT	WT	WT	WT
ZOCA2025-103565	H230144	WT	WT	WT	WT	WT	WT
ZOCA2025-103566	H230150	WT	WT	WT	WT	WT	WT
ZOCA2025-103567	H230008	WT	WT	WT	WT	WT	WT
ZOCA2025-103568	H230023	WT	WT	WT	WT	WT	WT
ZOCA2025-103569	H230031	WT	WT	WT	MUT	WT	WT
ZOCA2025-103570	H230034	WT	WT	WT	WT	WT	WT
ZOCA2025-103571	H230036	WT	WT	WT	WT	WT	WT

ZOCA2025-103572	H230037	WT	WT	WT	WT	WT	WT
ZOCA2025-103573	H230039	WT	WT	WT	WT	WT	WT
ZOCA2025-103574	H230040	WT	WT	WT	WT	WT	WT
ZOCA2025-103575	H230041	WT	WT	WT	WT	WT	WT
ZOCA2025-103576	H230047	WT	WT	WT	WT	WT	WT
ZOCA2025-103577	H230056	WT	WT	WT	WT	WT	WT
ZOCA2025-103578	H230060	WT	WT	WT	WT	WT	WT
ZOCA2025-103579	H230066	WT	WT	WT	WT	WT	WT
ZOCA2025-103580	H230069	WT	WT	WT	WT	WT	WT
ZOCA2025-103581	H230072	WT	WT	WT	WT	WT	WT
ZOCA2025-103582	H230085	WT	WT	WT	WT	WT	WT
ZOCA2025-103583	H230091	WT	WT	WT	WT	WT	WT
ZOCA2025-103584	H230092	WT	WT	WT	WT	WT	WT
ZOCA2025-103585	H230099	WT	WT	WT	WT	WT	WT
ZOCA2025-103586	H230101	WT	WT	WT	WT	WT	WT
ZOCA2025-103587	H230105	WT	WT	WT	WT	WT	WT
ZOCA2025-103588	H230107	WT	WT	WT	WT	WT	WT
ZOCA2025-103589	H230108	WT	WT	WT	WT	WT	WT
ZOCA2025-103590	H230118	WT	WT	WT	WT	WT	WT
ZOCA2025-103591	H230121	WT	WT	WT	WT	WT	WT
ZOCA2025-103592	H230128	WT	WT	WT	WT	WT	WT
ZOCA2025-103593	H230132	WT	WT	WT	WT	WT	WT
ZOCA2025-103594	H230141	WT	WT	WT	WT	WT	WT
ZOCA2025-103595	H230146	WT	WT	WT	WT	WT	WT
ZOCA2025-103596	H230152	WT	WT	WT	WT	WT	WT
ZOCA2025-103597	H230155	WT	WT	WT	WT	WT	WT
ZOCA2025-103598	H230156	WT	WT	WT	WT	WT	WT
ZOCA2025-103599	H230157	WT	WT	WT	WT	WT	WT
ZOCA2025-103600	H230159	WT	WT	WT	WT	WT	WT
ZOCA2025-103601	H240002	WT	WT	WT	WT	WT	WT
ZOCA2025-103602	H240006	WT	WT	WT	WT	WT	WT
ZOCA2025-103603	H240016	WT	WT	WT	WT	WT	WT
ZOCA2025-103604	H240023	WT	WT	WT	WT	WT	WT
ZOCA2025-103605	H240024	WT	WT	WT	WT	WT	WT
ZOCA2025-103606	H240026	WT	WT	WT	WT	WT	WT
ZOCA2025-103607	H240027	WT	WT	WT	WT	WT	WT
ZOCA2025-103608	H240031	WT	WT	WT	WT	WT	WT
ZOCA2025-103609	H240032	WT	WT	WT	WT	WT	WT
ZOCA2025-103610	H240033	WT	WT	WT	WT	WT	WT
ZOCA2025-103611	H240034	WT	WT	WT	WT	WT	WT
ZOCA2025-103612	H240045	WT	WT	WT	WT	WT	WT
ZOCA2025-103613	H240047	WT	WT	WT	WT	WT	WT
ZOCA2025-103614	H240048	WT	WT	WT	WT	WT	WT
ZOCA2025-103615	H240050	WT	WT	WT	WT	WT	WT
ZOCA2025-103616	H240053	WT	WT	WT	WT	WT	WT
ZOCA2025-103617	H240054	WT	WT	WT	WT	WT	WT
ZOCA2025-103618	H240056	WT	WT	WT	WT	WT	WT
ZOCA2025-103619	H240060	WT	WT	WT	WT	WT	WT
ZOCA2025-103620	H240061	WT	WT	WT	MUT	WT	WT

ZOCA2025-103621	H240063	WT	WT	WT	WT	WT	WT
ZOCA2025-103622	H240068	WT	WT	WT	WT	WT	WT
ZOCA2025-103623	H240072	WT	WT	WT	WT	WT	WT
ZOCA2025-103624	H240076	WT	WT	WT	WT	WT	WT
ZOCA2025-103625	H240078	WT	WT	WT	WT	WT	WT
ZOCA2025-103626	H240081	WT	WT	WT	WT	WT	WT
ZOCA2025-103627	H240083	WT	WT	WT	WT	WT	WT
ZOCA2025-103628	H240091	WT	WT	WT	WT	WT	WT
ZOCA2025-103629	H240100	WT	WT	WT	WT	WT	WT
ZOCA2025-103630	H240102	WT	WT	WT	WT	WT	WT
ZOCA2025-103631	H240105	WT	WT	WT	WT	WT	WT
ZOCA2025-103632	H240107	WT	WT	WT	WT	WT	WT
ZOCA2025-103633	H240110	WT	WT	WT	WT	WT	WT
ZOCA2025-103634	H240111	WT	WT	WT	WT	WT	WT
ZOCA2025-103635	H240113	WT	WT	WT	WT	WT	WT
ZOCA2025-103636	H240122	WT	WT	WT	WT	WT	WT
ZOCA2025-103637	H240127	WT	WT	WT	WT	WT	WT
ZOCA2025-103638	H240133	WT	WT	WT	WT	WT	WT
ZOCA2025-103639	H240136	WT	WT	WT	WT	WT	WT
ZOCA2025-103640	H240145	WT	WT	WT	WT	WT	WT
ZOCA2025-103641	H240149	WT	WT	WT	WT	WT	WT
ZOCA2025-103642	H220018	WT	WT	WT	MUT	WT	WT



Dr Christiaan Labuschagne
Genomics Manager



Seyuri Rajaruthnam
Analyst

2025/12/10

Date

****Disclaimer**

Whatever is contained in this report is subject to the following:

Inqaba Biotechnical Industries Pty Ltd and the divisions thereof (Registration number: 2001/011245/07) accepts that the biological specimen(s) provided, originates from the relevant animal(s) as indicated on the relevant specimen(s) provided;

It is the responsibility of the client that all biological samples are available or has previously been submitted, and corresponds with all requested samples listed on the sample submission form. Inqaba Biotechnical Industries Pty Ltd and the divisions thereof does not accept responsibility for the effect of any absent samples on the analysis results;

Inqaba Biotechnical Industries Pty Ltd and the divisions thereof accepts that all genetic profiles and/or samples from external sources are correctly labelled and accurate;

Inqaba Biotechnical Industries Pty Ltd and the divisions thereof shall not be responsible for human and/or technical errors that could not have been foreseen;

This document is solely for the use of the addressee and only in connection for the purpose set out in this document. Inqaba Biotechnical Industries Pty Ltd and the divisions thereof do not assume liability or responsibility to any third party to which this document is disclosed or otherwise made available;

Nothing in this document should be construed as advice to proceed or not to proceed with any specific course of action, as it was not prepared for that purpose;

It is the sender's responsibility to obtain permits when sending samples where required;

Inqaba Biotechnical Industries Pty Ltd and the divisions thereof reserves the right to decline testing of samples;

Inqaba Biotechnical Industries Pty Ltd and the divisions thereof reserves the right to decline testing of samples;

No guarantees are made with regards to turn-around time and results, and no liability will be accepted for any delays.



Batch Detail Report

Created : 2024-03-15

Batch : 17266U
Owner : B/S Hurwitz
Farm : Ultzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17266U008	H23-0060 (F.91)	CATTLE	DROUGHT MASTER (91)	H17-0006 (F.91)(Valid)	CSA16-0075 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	48719

Report Date : 18-Nov-2025 10:10

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER