

Batch Detail Report

Batch : 15315U
Owner :BW Staal
Farm :Kalkfontein/Elandsrand/Kosike
Account : STAB01
Origin : PRIVATE
Invoice To : Owner

Created : 2023-10-03

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15315U001	BOS23-3172 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
15315U002	BOS23-3173 (F,31)	CATTLE	BEEFMASTER (31)		BOS17-7318 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U003	BOS23-3174 (F,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
15315U004	BOS23-3175 (M,31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
15315U005	BOS23-3176 (F,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U006	BOS23-3177 (F,31)	CATTLE	BEEFMASTER (31)		BOS17-7146 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U007	BOS23-3178 (F,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U008	BOS23-3180 (F,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U009	BOS23-3181 (F,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U010	BOS23-3182 (F,31)	CATTLE	BEEFMASTER (31)		BOS18-8154 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U011	BOS23-3184 (F,31)	CATTLE	BEEFMASTER		S17-7023 (N/S,31)(Valid)	PAR_C	Hair	SV :	

Report Date : 01-Nov-2023 11:47

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Sire Valid	
15315U012	BOS23-3185 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U013	BOS23-3186 (F,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U014	BOS23-3187 (F,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U015	BOS23-3188 (F,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U016	BOS23-3189 (M,31)	CATTLE	BEEFMASTER (31)		BOS17-7146 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U017	BOS23-3190 (F,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U018	BOS23-3191 (M,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U019	BOS23-3194 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U020	BOS23-3196 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U021	BOS23-3197 (F,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U022	BOS23-3198 (F,31)	CATTLE	BEEFMASTER (31)		BOS18-8154 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U023	BOS23-3200 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U024	BOS23-3201 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8154 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U025	BOS23-3203 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U026	BOS23-3204 (F,31)	CATTLE	BEEFMASTER		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV :	

Report Date : 01-Nov-2023 11:47

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Sire Valid	
15315U027	BOS23-3205 (M,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U028	BOS23-3206 (M,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U029	BOS23-3207 (M,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U030	BOS23-3208 (F,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U031	BOS23-3210 (F,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U032	BOS23-3211 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U033	BOS23-3212 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U034	BOS23-3213 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U035	BOS23-3214 (M,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U036	BOS23-3215 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U037	BOS23-3217 (F,31)	CATTLE	BEEFMASTER (31)		BOG19-0036 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U038	BOS23-3218 (F,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U039	BOS23-3219 (F,31)	CATTLE	BEEFMASTER (31)		BOS17-7146 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U040	BOS23-3220 (M,31)	CATTLE	BEEFMASTER (31)		BOS17-7146 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U041	BOS23-3221 (M,31)	CATTLE	BEEFMASTER		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV :	

Report Date : 01-Nov-2023 11:47

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			(31)					Sire Valid	
15315U042	BOS23-3222 (M,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U043	BOS23-3223 (F,31)	CATTLE	BEEFMASTER (31)		BOS13-3097 (N/S,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U044	BOS23-3224 (M,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U045	BOS23-3227 (M,31)	CATTLE	BEEFMASTER (31)		BOG19-0036 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U046	BOS23-3228 (F,31)	CATTLE	BEEFMASTER (31)		BOS20-0211 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U047	BOS23-3229 (F,31)	CATTLE	BEEFMASTER (31)		BOS18-8495 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U048	BOS23-3230 (M,31)	CATTLE	BEEFMASTER (31)		BOS17-7146 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U049	BOS23-3231 (F,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U050	BOS23-3232 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8154 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U051	BOS23-3233 (M,31)	CATTLE	BEEFMASTER (31)		S17-7023 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
15315U052	BOS23-3236 (F,31)	CATTLE	BEEFMASTER (31)		BOG19-0036 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 01-Nov-2023 11:47

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER