

Batch Detail Report

Batch : 20862U
Owner :Mnr Mornay Verster
Farm :Brandsdrift /Leroc Brangus
Account : VERSM1
Origin : PRIVATE
Invoice To : Owner

Created : 2024-12-03

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20862U001	ROC23-0101 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0158 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U002	ROC23-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0237 (F,12)(Valid)	CSA21-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U003	ROC23-0027 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0029 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U004	ROC23-0041 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0017 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U005	ROC23-0043 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0017 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U006	ROC23-0046 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0017 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U007	ROC23-0048 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0021 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U008	ROC23-0049 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0029 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U009	ROC23-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0171 (F,12)(Valid)	CSA21-0029 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U010	ROC23-0051 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0029 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U011	ROC23-0053 (F,91)	CATTLE	DROUGHT	LR19-0928 (F,12)(Valid)	CSA21-0029 (M,91)(Valid)	PAR_C	Hair	DVSV :	51379

Report Date : 29-Dec-2025 15:55

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
20862U012	ROC23-0063 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0201 (F,91)(Valid)	TOP18-0126 (M,91)(Valid) TOP18-0127 (M,91)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	51379
20862U013	ROC23-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0248 (F,12)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	51379
20862U014	ROC23-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	LR18-0841 (F,12)(Valid)	HOT19-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U015	ROC23-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0548 (F,12)(Valid)	ZON19-0023 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U016	ROC23-0099 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0843 (F,12)(Valid)	TOP21-0114 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U017	ROC23-0103 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0134 (F,91)(Valid)	VOVA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U018	ROC23-0204 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0764 (F,12)(Valid)	ZON19-0023 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U019	ROC23-0208 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0437 (F,12)(Valid)	AGO16-0206 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U020	ROC23-0242 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0152 (F,91)(Valid)	CSA18-0194 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U021	ROC23-0243 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0152 (F,91)(Valid)	CSA18-0194 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U022	ROC23-0246 (F,91)	CATTLE	DROUGHT		LR15-0400 (M,12)(Valid)	PAR_C	Hair	SV :	51379

Report Date : 29-Dec-2025 15:55

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Sire Valid	
20862U023	ROC23-0248 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0599 (F,12)(Valid)	HOT19-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U024	ROC23-0249 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0565 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U025	ROC23-0255 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0780 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U026	ROC23-0261 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0559 (F,12)(Valid)	TOP21-0114 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U027	ROC23-0266 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0576 (F,91)(Valid)	VOVA20-0055 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U028	ROC23-0268 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0058 (F,12)(Valid)	LR15-0592 (M,12)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U029	ROC23-0271 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0112 (F,91)(Valid)	CSA19-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U030	ROC23-0273 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0073 (F,12)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U031	ROC23-0275 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0406 (F,12)(Valid)	LR15-0320 (M,12)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U032	ROC23-0276 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0295 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U033	ROC23-0277 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0035 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U034	ROC23-0280 (F,91)	CATTLE	DROUGHT	LR21-0152 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV :	51379

Report Date : 29-Dec-2025 15:55

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
20862U035	ROC23-0298 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-1083 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U036	ROC23-0522 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0882 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U037	ROC23-0565 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0872 (F,12)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U038	ROC23-0673 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0124 (F,12)(Valid)	CSA19-0150 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U039	ROC23-0720 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0949 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U040	ROC24-1002 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0465 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U041	ROC24-1003 (F,91)	CATTLE	DROUGHT MASTER (91)	WP21-0028 (F,85)(Valid)	WP19-0011 (M,85)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U042	ROC24-1004 (M,91)	CATTLE	DROUGHT MASTER (91)	AGO19-0155 (F,91)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U043	ROC24-1008 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0201 (F,91)(Valid)	TOP20-0145 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U044	ROC24-1009 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0564 (F,91)(Valid)	HOT21-0771 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U045	ROC24-1011 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0653 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379

Report Date : 29-Dec-2025 15:55

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20862U046	ROC24-1012 (F,91)	CATTLE	DROUGHT MASTER (91)	LR19-0478 (F,12)(Valid)	HOT19-0653 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U047	ROC24-1013 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0653 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U048	ROC24-1016 (F,91)	CATTLE	DROUGHT MASTER (91)	LR22-0072ROC (F,12)(Valid)	HOT20-0739 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U049	ROC24-1017 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0653 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U050	ROC24-1018 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0060 (F,12)(Valid)	HOT20-0739 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U051	ROC24-1019 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0199 (F,12)(Valid)	HOT20-0739 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U052	ROC24-1020 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0087 (F,12)(Valid)	HOT19-0653 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U053	ROC24-1023 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0948 (F,12)(Valid)	HOT19-0653 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U054	ROC24-1024 (M,91)	CATTLE	DROUGHT MASTER (91)	RED19-0706 (F,91)(Valid)	SWAN GO CAT (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U055	ROC24-1025 (M,91)	CATTLE	DROUGHT MASTER (91)	AGO21-0195 (N/S,91)(Valid)	FC21-0002 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U056	ROC24-1031 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO17-0022 (F,91)(Valid)	LR15-0165 (M,12)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U057	ROC24-1033 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0060 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20862U058	ROC24-1034 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0060 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U059	ROC24-1035 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0052 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U060	ROC24-1036 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0060 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U061	ROC24-1037 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0060 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U062	ROC24-1039 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0060 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U063	ROC24-1040 (F,91)	CATTLE	DROUGHT MASTER (91)	LR19-0388 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U064	ROC24-1041 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0653 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U065	ROC24-1049 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0653 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U066	ROC24-1055 (M,91)	CATTLE	DROUGHT MASTER (91)	RED18-1001 (F,91)(Valid)	QUARTERMASTER (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U067	ROC24-1057 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0060 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U068	ROC24-1062 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0110 (F,91)(Valid)	97-0049 SWAN EAGLE HAWK (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U069	ROC24-1063 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0060 (F,91)(Valid)	TOP19-0155 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379

Report Date : 29-Dec-2025 15:55

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20862U070	ROC24-1094 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0306 (F,12)(Valid)	LR13-0836 (M,12)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U071	ROC24-1096 (F,91)	CATTLE	DROUGHT MASTER (91)	LR20-0553 (F,12)(Valid)	LR18-0423 (M,12)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U072	ROC24-1098 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO13-0028 (F,91)(Valid)	CSA19-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U073	ROC24-1102 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO13-0028 (F,91)(Not Valid)	LR17-0561 (M,12)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	51379
20862U074	ROC24-1103 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO13-0028 (F,91)(Valid)	CSA19-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U075	ROC24-1104 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0335 (F,12)(Valid)	CSA20-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U076	ROC24-1109 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0392 (F,12)(Valid)	CSA20-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U077	ROC24-1110 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0208 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U078	ROC24-1112 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0606 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U079	ROC24-1113 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0580 (F,12)(Valid)	HOT18-0527 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U080	ROC24-1116 (F,91)	CATTLE	DROUGHT MASTER (91)		CSA21-0156 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379
20862U081	ROC24-1118 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO18-0060 (F,91)(Valid)	TOP20-0128 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379

Report Date : 29-Dec-2025 15:55

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20862U082	ROC24-1163 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0110 (F,91)(Valid)	97-0049 SWAN EAGLE HAWK (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U083	ROC24-1164 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)(Valid)	VOVA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U084	ROC24-1165 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0201 (F,91)(Valid)	AGO20-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U085	ROC24-1166 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0114 (F,91)(Valid)	VOVA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U086	ROC24-1167 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0125 (F,91)(Valid)	VOVA17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U087	ROC24-1168 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0112 (F,91)(Valid)	AGO20-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U088	ROC24-1169 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U089	ROC24-1183 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0573 (F,12)(Valid)	HOT19-0653 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U090	ROC24-1184 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0384ROC (F,12)(Valid)	HOT19-0653 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U091	ROC24-1241 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0173 (F,12)(Valid)	HOT19-0653 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U092	ROC24-1242 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U093	ROC24-1246 (F,91)	CATTLE	DROUGHT MASTER (91)	LR21-0232 (F,12)(Valid)	AGO20-0071 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	51379

Report Date : 29-Dec-2025 15:55

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
20862U094	ROC24-1247 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0100 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51379
20862U095	ROC24-1248 (F,91)	CATTLE	DROUGHT MASTER (91)		HOT19-0653 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	51379

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER