

Batch Detail Report

Batch : 26221U
Owner :E/MP Steyl
Farm :Mareu/Mandalay
Account : STEYL2
Origin : PRIVATE
Invoice To : Owner

Created : 2026-02-27

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26221U001	SSS25-5021 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2450 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U002	SSS25-5022 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2450 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U003	SSS25-5023 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2450 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U004	SSS25-5024 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U005	SSS25-5025 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U006	SSS25-5026 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U007	SSS25-5027 (M,31)	CATTLE	BEEFMASTER (31)	SSS18-8070 (F,31)(Valid)	SSS22-2450 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U008	SSS25-5028 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U009	SSS25-5029 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U010	SSS25-5030 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U011	SSS25-5031 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2450 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y

Report Date : 31-Mar-2026 07:40

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26221U012	SSS25-5032 (F,31)	CATTLE	BEEFMASTER (31)	SSS21-1016 (F,31)(Not Valid)	SSS22-2407 (M,31)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	56758Y
26221U013	SSS25-5033 (F,31)	CATTLE	BEEFMASTER (31)	SSS21-1031 (F,31)(Valid)	SSS22-2407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U014	SSS25-5034 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2407 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U015	SSS25-5035 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2052 (F,31)(Valid)	SSS22-2407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U016	SSS25-5036 (M,31)	CATTLE	BEEFMASTER (31)	SSS21-1024 (N/S,31)(Valid)	SSS22-2407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U017	SSS25-5037 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2407 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U018	SSS25-5038 (M,31)	CATTLE	BEEFMASTER (31)	SSS21-1023 (N/S,31)(Valid)	SSS22-2407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U019	SSS25-5039 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U020	SSS25-5040 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U021	SSS25-5041 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2450 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U022	SSS25-5042 (F,31)	CATTLE	BEEFMASTER (31)		SSS22-2410 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U023	SSS25-5043 (M,31)	CATTLE	BEEFMASTER (31)		SSS22-2450 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U024	SSS25-5044 (M,31)	CATTLE	BEEFMASTER (31)	SSS21-1029 (N/S,31)(Valid)	SSS22-2407 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y

Report Date : 31-Mar-2026 07:40

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26221U025	SSS25-5048 (M,31)	CATTLE	BEEFMASTER (31)	BOS16-6557 (F,31)(Valid)	SSS22-2410 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U026	SSS25-5049 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2051 (F,31)(Valid)	SSS23-3430 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U027	SSS25-5400 (M,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U028	SSS25-5431 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2406 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U029	SSS25-5432 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2401 (F,31)(Valid)	JAN20-2047 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U030	SSS25-5433 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2401 (F,31)(Valid)	JAN20-2047 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U031	SSS25-5434 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2406 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U032	SSS25-5435 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2406 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U033	SSS25-5436 (F,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U034	SSS25-5437 (M,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U035	SSS25-5438 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2412 (F,31)(Valid)	S17-7023 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U036	SSS25-5439 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2406 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	56758Y

Report Date : 31-Mar-2026 07:40

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
26221U037	SSS25-5440 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2406 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U038	SSS25-5441 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2408 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U039	SSS25-5442 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U040	SSS25-5443 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2412 (F,31)(Valid)	S17-7023 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U041	SSS25-5444 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2412 (F,31)(Valid)	S17-7023 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U042	SSS25-5445 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2412 (F,31)(Valid)	S17-7023 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U043	SSS25-5446 (M,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U044	SSS25-5448 (M,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U045	SSS25-5449 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U046	SSS25-5450 (M,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U047	SSS25-5452 (M,31)	CATTLE	BEEFMASTER (31)	SSS23-3454 (F,31)(Valid)	JAN20-2047 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y

Report Date : 31-Mar-2026 07:40

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26221U048	SSS25-5453 (M,31)	CATTLE	BEEFMASTER (31)	SSS23-3454 (F,31)(Valid)	JAN20-2047 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U049	SSS25-5454 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U050	SSS25-5455 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U051	SSS25-5460 (M,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U052	SSS25-5470 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2401 (F,31)(Valid)	JAN20-2047 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U053	SSS25-5480 (M,31)	CATTLE	BEEFMASTER (31)	SSS22-2408 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U054	SSS26-6434 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U055	SSS26-6435 (F,31)	CATTLE	BEEFMASTER (31)	BOS13-3308 (F,31)(Valid)	S17-7023 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U056	SSS26-6436 (F,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	SSS22-2460 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U057	SSS26-6437 (F,31)	CATTLE	BEEFMASTER (31)	SSS23-3454 (F,31)(Valid)	JAN20-2047 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U058	SSS26-6439 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U059	SSS26-6440 (M,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	56758Y

Report Date : 31-Mar-2026 07:40

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	
26221U060	SSS26-6441 (F,31)	CATTLE	BEEFMASTER (31)	SSS22-2412 (F,31)(Valid)	S17-7023 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U061	SSS26-6442 (F,31)	CATTLE	BEEFMASTER (31)	BOS11-1141 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U062	SSS26-6450 (M,31)	CATTLE	BEEFMASTER (31)		BOS18-8154 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	56758Y
26221U063	SSS26-6460 (M,31)	CATTLE	BEEFMASTER (31)	SSS23-3454 (F,31)(Valid)	BOS18-8154 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U064	SSS26-6470 (M,31)	CATTLE	BEEFMASTER (31)	BOS09-9243 (F,31)(Valid)	BOS22-2398 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y
26221U065	SSS25-5447 (F,31)	CATTLE	BEEFMASTER (31)	BOS15-5038 (F,31)(Valid)	BOS16-6273 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	56758Y

Report Date : 31-Mar-2026 07:40

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER