



Batch Detail Report

Batch : 261623U

Owner : Paul Jansen Van Vuuren

Farm : Kaingo

Account : KAING1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174918

Created: 2026-07-13

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
PAR								
261623U001	LLL23-0018 (M)	CATTLE	BEEFMASTER (31)				Multiple Sires Excluded	
261623U002	OKT22-0398 (M)	CATTLE	BEEFMASTER (31)			OKT16-0116 (M,31) (Valid)	Sire Valid	
261623U003	OKT23-0538 (M)	CATTLE	BEEFMASTER (31)			V819-0343 (M,31) (Valid)	Sire Valid	
261623U004	V823-0906 (M)	CATTLE	BEEFMASTER (31)			BOS18-8625 (M,31) (Valid)	Sire Valid	
261623U005	V823-0910 (M)	CATTLE	BEEFMASTER (31)			OKT19-0131 (M,31) (Valid)	Sire Valid	
261623U006	V823-0912 (M)	CATTLE	BEEFMASTER (31)			OKT19-0178 (M,31) (Valid)	Sire Valid	
261623U007	V823-0932 (M)	CATTLE	BEEFMASTER (31)			OKT17-0177 (M,31) (Valid)	Sire Valid	
261623U008	V823-0940 (M)	CATTLE	BEEFMASTER (31)			OKT19-0178 (M,31) (Valid)	Sire Valid	
261623U009	V823-0949 (M)	CATTLE	BEEFMASTER (31)			BOS18-8625 (M,31) (Valid)	Sire Valid	
261623U010	V823-0954 (M)	CATTLE	BEEFMASTER (31)			OKT19-0131 (M,31) (Valid)	Sire Valid	
261623U011	V823-0958 (M)	CATTLE	BEEFMASTER (31)			V819-0340 (M,31) (Valid)	Sire Valid	
261623U012	V823-0965 (M)	CATTLE	BEEFMASTER (31)			V819-0334 (M,31) (Valid)	Sire Valid	
261623U013	V823-0970 (M)	CATTLE	BEEFMASTER (31)			V816-0085 (M,31) (Valid)	Sire Valid	
261623U014	V823-0975 (M)	CATTLE	BEEFMASTER (31)			V819-0343 (M,31) (Valid)	Sire Valid	
261623U015	V823-0983 (M)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	

Report Date: 24-Aug-2026 15:55

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 261623U

Owner : Paul Jansen Van Vuuren

Farm : Kaingo

Account : KAING1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174918

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
							PAR	
261623U016	V823-0985 (M)	CATTLE	BEEFMASTER (31)			V816-0085 (M,31) (Valid)	Sire Valid	
261623U017	V823-0984 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U018	V823-0987 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U019	V823-0992 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U020	V823-0993 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U021	V823-0994 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U022	V823-0996 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U023	V823-1003 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U024	V823-1100 (U)	CATTLE	BEEFMASTER (31)				DNA Profile	
261623U025	V823-0907 (U)	CATTLE	BEEFMASTER (31)			BOS18-8154 (M,31) (Valid)	Sire Valid	
261623U026	V823-0943 (U)	CATTLE	BEEFMASTER (31)			V819-0340 (M,31) (Valid)	Sire Valid	
261623U027	V823-1031 (U)	CATTLE	BEEFMASTER (31)			OKT19-0131 (M,31) (Valid)	Sire Valid	
261623U028	V823-1079 (U)	CATTLE	BEEFMASTER (31)			V819-0340 (M,31) (Valid)	Sire Valid	
261623U029	V824-1169 (U)	CATTLE	BEEFMASTER (31)			V819-0340 (M,31) (Valid)	Sire Valid	
261623U030	V824-1181 (U)	CATTLE	BEEFMASTER (31)			V819-0343 (M,31) (Valid)	Sire Valid	

Report Date: 24-Aug-2026 15:55

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 261623U

Owner : Paul Jansen Van Vuuren

Farm : Kaingo

Account : KAING1

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174918

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
							PAR	
261623U031	V824-1189 (U)	CATTLE	BEEFMASTER (31)				DNA Profile	
261623U032	V823-1052 (M)	CATTLE	BEEFMASTER (31)				Multiple Sires Excluded	
261623U033	V824-1217 (M)	CATTLE	BEEFMASTER (31)			LLL20-0021 (M,31) (Valid)	Sire Valid	
261623U034	V823-1037 (M)	CATTLE	BEEFMASTER (31)			LLL18-0004 (M,31) (Valid)	Sire Valid	
261623U035	V823-0945 (M)	CATTLE	BEEFMASTER (31)			V819-0340 (M,31) (Valid)	Sire Valid	
261623U036	V823-1043 (M)	CATTLE	BEEFMASTER (31)			V819-0334 (M,31) (Valid)	Sire Valid	
261623U037	V823-1049 (M)	CATTLE	BEEFMASTER (31)			OKT19-0178 (M,31) (Valid)	Sire Valid	
261623U038	V823-1050 (M)	CATTLE	BEEFMASTER (31)			GH19-0711 (M,31) (Valid)	Sire Valid	
261623U039	V823-1065 (M)	CATTLE	BEEFMASTER (31)			OKT16-0116 (M,31) (Valid)	Sire Valid	
261623U040	V823-1069 (M)	CATTLE	BEEFMASTER (31)			PR19-0083 (M,31) (Valid)	Sire Valid	
261623U041	V823-1070 (M)	CATTLE	BEEFMASTER (31)			OKT16-0116 (M,31) (Valid)	Sire Valid	
261623U042	V823-1074 (M)	CATTLE	BEEFMASTER (31)			V819-0340 (M,31) (Valid)	Sire Valid	
261623U043	V823-1078 (M)	CATTLE	BEEFMASTER (31)			V819-0334 (M,31) (Valid)	Sire Valid	
261623U044	V823-1080 (M)	CATTLE	BEEFMASTER (31)			OKT16-0116 (M,31) (Valid)	Sire Valid	
261623U045	V823-1083 (M)	CATTLE	BEEFMASTER (31)			OKT19-0131 (M,31) (Valid)	Sire Valid	

Report Date: 24-Aug-2026 15:55

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 261623U
 Owner : Paul Jansen Van Vuuren
 Farm : Kaingo
 Account : KAING1
 Via : PRIVATE
 Invoice To : Owner
 Test Method : UMLSOPCATL02 Cattle Genotyping
 Job No : 174918

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
PAR								
261623U046	V823-1084 (M)	CATTLE	BEEFMASTER (31)			V819-0343 (M,31) (Valid)	Sire Valid	
261623U047	V823-1085 (M)	CATTLE	BEEFMASTER (31)			GH19-0711 (M,31) (Valid)	Sire Valid	
261623U048	V823-1098 (M)	CATTLE	BEEFMASTER (31)			V819-0343 (M,31) (Valid)	Sire Valid	
261623U049	V823-1103 (M)	CATTLE	BEEFMASTER (31)			LLL18-0004 (M,31) (Valid)	Sire Valid	

Report Date: 24-Aug-2026 15:55

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA

Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA

Tel: +27 (21) 021 007 5616

Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
 Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)