

Subject: FW: 26406U005
From: "Arthur de Villiers - AG Bonsmara" <info@agbonsmara.co.za>
Date: 2026/08/25, 13:26
To: "'Chantelle De Swardt'" <chantelled@studbook.co.za>

Hallo Chantelle

Ek is vreeslik lastig en ek weet julle is vreeslik besig!!!!!!
 HELP ASB.!!!!

Kyk asb. na die onderstaande eposse tussen my en Unistel ...

Ek het die uitslag aangeheg, dit is my fout wat die dier nommer verkeerd deurgestuur het, ek het hulle net gevra daarom reg te maak.
 Is dit genoeg bewys om dit te verander of moet ek wag dat hulle die opdatering stuur.

Laat weet my maar asb.

Baie dankie vir al julle hulp.

Groete/ Regards

ZANNE

Arthur de Villiers

Cell +27 (0)82 564 8912 | **Email** info@agbonsmara.co.za

Plaas Arcadia, Distrik Vrede



www.agbonsmara.co.za | [Facebook](#) | [Instagram](#) | [YouTube](#)

From: Magmoeda Dramat <mdramat@unistelmedical.co.za>

Sent: 25 August 2026 11:35

To: Arthur de Villiers - AG Bonsmara <info@agbonsmara.co.za>; Unistel Cattle <cattle@unistelmedical.co.za>

Subject: RE: 26406U005

Goeie dag Zanne

Ons het die oornommer na AG26-0174 opdateer.

[@Unistel Cattle](#) – stuur asseblief weer resultaat van AG26-0174 (26406U005) aan Zanne.

Baie dankie.

Kind Regards,
Magmoeda Dramat

Senior Laboratory Assistant - Specimen Reception

Animal Genetics



Human and Animal Genetic Testing

Main Switchboard. +27 (0)21 007 5617

Suite 13, Private Bag X22, Tygervally, 7536

www.unistelmedical.co.za

Everything in this e-mail and any attachments relating to the official business of Unistel is proprietary to the group. It is confidential, legally privileged and protected by law. Unistel does not own and endorse any other content. Views and opinions are those of the sender unless clearly stated as being that of Unistel. The person addressed in the e-mail is the sole authorised recipient. Please notify the sender immediately if it has unintentionally reached you and do not read, disclose or use the content in any way. Unistel cannot assure that the integrity of this communication has been maintained nor that it is free of errors, virus, interception or interference.

From: Arthur de Villiers - AG Bonsmara <info@agbonsmara.co.za>

Sent: 25 August 2026 11:14 AM

To: Magmoeda Dramat <mdramat@unistelmedical.co.za>

Subject: 26406U005

Môre Magmoeda

Al weer 'n guns asb.!!

Sample 26406U005 se ID NR. het ek per ongeluk deurgestuur as AG26-0073 maar dit moet asb. wees AG26-0174.
Kan jy asb. reël dat dit reggestel word en so na my teruggestuur word asb

Groete/ Regards

ZANNE

Arthur de Villiers

Cell [+27 \(0\)82 564 8912](tel:+27(0)825648912) | Email info@agbonsmara.co.za

Plaas Arcadia, Distrik Vrede



www.agbonsmara.co.za | [Facebook](#) | [Instagram](#) | [YouTube](#)

— Attachments: —

AG26-174.pdf

298 KB

Batch Detail Report

Created : 2026-03-17

Batch : 26406U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : BONSMARA SA
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26406U001	AG26-0068 (M,1)	CATTLE	BONSMARA (1)	AG23-0253 (F,1)(Valid)		PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	
26406U002	AG26-0069 (F,1)	CATTLE	BONSMARA (1)	AG16-0267 (F,1)(Valid)	AG18-0492 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26406U003	AG26-0070 (F,1)	CATTLE	BONSMARA (1)	AG23-0236 (F,1)(Valid)	AG22-0444 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26406U004	AG26-0071 (F,1)	CATTLE	BONSMARA (1)	AG23-0194 (F,1)(Valid)	AG22-0444 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26406U005	AG26-0073 (M,1) <i>Made used AG26-174</i>	CATTLE	BONSMARA (1)	AG16-0724 (F,1)(Valid)	AG18-0993 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26406U006	AG26-0074 (M,1)	CATTLE	BONSMARA (1)	AG23-0126 (F,1)(Valid)	AG22-0444 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26406U007	AG26-0075 (M,1)	CATTLE	BONSMARA (1)	AG22-0307 (F,1)(Valid)	AG21-0668 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
26406U008	AG26-0078 (M,1)	CATTLE	BONSMARA (1)	AG23-0406 (F,1)(Valid)	AG22-0444 (M,1)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 09-Apr-2026 08:34

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER