

Subject: Error lys DNA op Logix laai
From: Sjané van Aswegen <Studs@hurwitz.co.za>
Date: 2026/08/31, 13:44
To: "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

Hoop dit gaan goed? 😊

Hier is DNA vir van die diere op die error lys:

H 21-10

0711U003	H21-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	H16-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	09905
----------	-----------------	--------	------------------------	------------------------	--------------------------	-------	------	------------------------------------	-------

H 23-39

15953U007	H23-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA21-0155 (F,91)(Valid)	H16-0011 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47500
-----------	-----------------	--------	------------------------	---------------------------	------------------------	-------	------	------------------------------------	-------

H 23-56

15953U009	H23-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0092 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47500
-----------	-----------------	--------	------------------------	--------------------------	--------------------------	-------	------	------------------------------------	-------

H 23-91

16345U004	H23-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0129 (F,91)(Valid)	VOVA16-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
-----------	-----------------	--------	------------------------	--------------------------	---------------------------	-------	------	------------------------------------	-------

H 24-24

19451U009	H24-0024 (F,91)	CATTLE	DROUGHT MASTER (91)	H25-0056 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
-----------	-----------------	--------	------------------------	------------------------	--------------------------	-------	------	------------------------------------	-------

Vriendelike Groete / Kind Regards,



Batch Detail Report

Created : 2021-11-05

Batch : 6711U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIZE	TEST	Tissue Type	RESULT	INVOICE
6711U003	H21-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	39895

Report Date : 04-Dec-2024 10:15

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2023-11-20

Batch : 15953U
Owner : B/S Hurwitz
Farm : Jitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15953U009	H23-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0092 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47590

Report Date : 18-Nov-2025 09:36

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2024-08-20

Batch : 19451U
Owner : B/S Hurwitz
Farm : Jltizigt-Davei
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Teat type Type	RESULT	INVOICE
19451U001	H23-0150 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U002	H24-0003 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0034 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U003	H24-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0044 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U004	H24-0014 (M,91)	CATTLE	DROUGHT MASTER (91)	CT10-0426 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U005	H24-0015 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U006	H24-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U007	H24-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	H0T17-0346 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U008	H24-0018 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0030 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271
19451U009	H24-0024 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0056 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	50271

Report Date : 18-Sep-2024 12:08

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Time/Type	RESULT	INVOICE
19451U010	H24-0026 (F,91)	CATTLE	DROUGHT MASTER (91)	H0T17-0358 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	50271
19451U011	H24-0029 (F,91)	CATTLE	DROUGHT MASTER (91)	H16-0005 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	50271
19451U012	H24-0030 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0190 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	50271
19451U013	H24-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	H0T-D14-0005 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	50271
19451U014	H24-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	C13-0019 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	50271

Report Date : 18-Sep-2024 12:08

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2023-11-20

Batch : 15953U
Owner :B/S Hurwitz
Farm :Utizigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15953U007	H23-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA21-0155 (F,91)(Valid)	H18-0011 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47590

Report Date : 17-Nov-2025 11:55

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested; Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2024-01-03

Batch : 16345U

Owner : B/S Hurwitz

Farm : Uitzigt-Davel

Account : HURW01

Origin : DROUGHTMASTER

Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16345U001	H23-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0419 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U002	H23-0068 (M,91)	CATTLE	DROUGHT MASTER (91)			ST_C	Hair	Store : Store this sample	01
16345U003	H23-0090 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U004	H23-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U005	H23-0092 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U006	H23-0093 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U007	H23-0099 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U008	H23-0100 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U009	H23-0101 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923

Report Date : 02-Apr-2026 14:22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE#
16345U010	H23-0103 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U011	H23-0104 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U012	H23-0104 (F,91)	CATTLE	DROUGHT MASTER (91)			ST_C	Hair	Store : Store this sample	01
16345U013	H23-0105 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U014	H23-0106 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U015	H23-0110 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0019 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U016	H23-0116 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0685 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U017	H23-UNKNOWN 6 (N/S,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923
16345U018	H23-0050 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0025 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47923

Report Date : 02-Apr-2026 14:22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER