

Batch Detail Report

Batch : 21625U
Owner : Miles Birbeck
Farm : Rockdale Farm
Account : ROCK01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-02-14

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21625U001	RD24-0044 (M,24)	CATTLE	BORAN (24)	RKHF20-0007 (F,24)(Valid)	RKHF17-0035 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U002	RD24-0045 (M,24)	CATTLE	BORAN (24)	RKHF17-0027 (F,24)(Valid)	RKHF17-0035 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U003	RD24-0046 (M,24)	CATTLE	BORAN (24)	RKHF20-0003 (F,24)(Valid)	RKHF17-0035 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U004	RD24-0047 (M,24)	CATTLE	BORAN (24)	RN13-0348 (F,24)(Valid)	RKHF17-0035 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U005	RD24-0048 (F,24)	CATTLE	BORAN (24)	RN13-0289 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U006	RD24-0049 (F,24)	CATTLE	BORAN (24)	RKHF17-0010 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U007	RD24-0050 (F,24)	CATTLE	BORAN (24)	RKHF18-0013 (F,24)(Valid)	RKHF17-0035 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U008	RD24-0051 (M,24)	CATTLE	BORAN (24)	RKHF18-0010 (F,24)(Valid)	RKHF17-0035 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U009	RD24-0052 (F,24)	CATTLE	BORAN (24)	FN12-0206 (F,24)(Valid)	RKHF17-0035 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire	

Report Date : 24-Feb-2025 14:39

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Excluded	
21625U010	RD24-0053 (F,24)	CATTLE	BORAN (24)	RKHF17-0011 (F,24)(Valid)	RKHF15-0016 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U011	RD24-0054 (F,24)	CATTLE	BORAN (24)	RD21-0022 (F,24)(Valid)	RKHF17-0035 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U012	RD24-0055 (M,24)	CATTLE	BORAN (24)	RKHF15-0011 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U013	RD24-0056 (F,24)	CATTLE	BORAN (24)	RKHF19-0034 (F,24)(Valid)	RKHF15-0016 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U014	RD24-0057 (F,24)	CATTLE	BORAN (24)	RKHF16-0036 (F,24)(Valid)	RKHF17-0035 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U015	RD24-0058 (M,24)	CATTLE	BORAN (24)	RKHF15-0018 (F,24)(Valid)	RKHF15-0016 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U016	RD24-0059 (M,24)	CATTLE	BORAN (24)	RKHF15-0008 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U017	RD24-0060 (M,24)	CATTLE	BORAN (24)	RKHF16-0013 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U018	RD24-0061 (F,24)	CATTLE	BORAN (24)	EO12-0272 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U019	RD24-0062 (F,24)	CATTLE	BORAN (24)	RKHF18-0014 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U020	RD24-0063 (M,24)	CATTLE	BORAN (24)	RN13-0370 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	

Report Date : 24-Feb-2025 14:39

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21625U021	RD24-0064 (M,24)	CATTLE	BORAN (24)	RKHF17-0008 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U022	RD24-0065 (M,24)	CATTLE	BORAN (24)	RKHF19-0025 (F,24)(Valid)	RKHF16-0005 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U023	RD24-0066 (F,24)	CATTLE	BORAN (24)	RKHF20-0017 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
21625U024	RD24-0067 (M,24)	CATTLE	BORAN (24)	BAS17-0189 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U025	RD24-0068 (F,24)	CATTLE	BORAN (24)	RKHF19-0029 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
21625U026	RD24-0069 (M,24)	CATTLE	BORAN (24)	EED20-0003 (F,24)(Valid)	RKHF19-0044 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U027	RD24-0070 (M,24)	CATTLE	BORAN (24)	FN12-0238 (F,24)(Valid)	RKHF16-0005 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21625U028	RD24-0071 (F,24)	CATTLE	BORAN (24)	RN13-0301 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
21625U029	RD24-0072 (F,24)	CATTLE	BORAN (24)	RKHF16-0025 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
21625U030	RD24-0073 (M,24)	CATTLE	BORAN (24)	RD22-0051 (F,24)(Valid)	RKHF19-0044 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
21625U031	RD24-0074 (F,24)	CATTLE	BORAN (24)	RD22-0061 (F,24)(Valid)	RKHF19-0044 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
21625U032	RD24-0075 (F,24)	CATTLE	BORAN (24)	RD21-0044 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 24-Feb-2025 14:39

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Excluded	
21625U033	RD24-0076 (F,24)	CATTLE	BORAN (24)	RN13-0330 (F,24)(Valid)	RKHF16-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U034	RD24-0077 (M,24)	CATTLE	BORAN (24)	RD22-0002 (F,24)(Valid)	RKHF15-0016 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U035	RD24-0078 (F,24)	CATTLE	BORAN (24)	RD22-0058 (F,24)(Valid)	RKHF19-0044 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U036	RD24-0079 (F,24)	CATTLE	BORAN (24)	RD22-0059 (F,24)(Valid)	RKHF15-0016 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U037	RD24-0080 (M,24)	CATTLE	BORAN (24)	RD22-0001 (F,24)(Valid)	RKHF19-0044 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U038	RD25-0081 (F,24)	CATTLE	BORAN (24)	RD22-0009 (F,24)(Valid)	RKHF19-0044 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U039	RD25-0082 (M,24)	CATTLE	BORAN (24)	RD22-2087 (F,24)(Valid)	RD21-0005 (M,24)(Not Valid)	PAR_C	Hair	DVSX : Dam Valid, Sire Excluded	
21625U040	RKHF19-0018 (M,24)	CATTLE	BORAN (24)	RN13-0337 (F,24)(Valid)	EO12-0339 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Feb-2025 14:39

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER