

Batch Detail Report

Batch : 26049U
Owner : Louis van der Walt
Farm : Soutpansberg Boerdery Trust
Account : BOTB01
Origin : PRIVATE
Invoice To : Owner

Created : 2026-02-13

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26049U001	BBP20-0048 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U001	BBP20-0048 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U001	BBP20-0048 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U002	BBP20-0059 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U002	BBP20-0059 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U002	BBP20-0059 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U003	BBP20-0172 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U003	BBP20-0172 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U003	BBP20-0172 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 27-Feb-2026 13:49

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26049U004	BBP21-0057 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U004	BBP21-0057 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U004	BBP21-0057 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U005	BBP21-0232 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U005	BBP21-0232 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U005	BBP21-0232 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U006	BBP22-0003 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U006	BBP22-0003 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U006	BBP22-0003 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U007	BBP22-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U007	BBP22-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	

Report Date : 27-Feb-2026 13:49

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26049U007	BBP22-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U008	BBP22-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U008	BBP22-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U008	BBP22-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U009	BBP22-0019 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U009	BBP22-0019 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U009	BBP22-0019 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U010	BBP22-0062 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U010	BBP22-0062 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U010	BBP22-0062 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U011	BBP22-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U011	BBP22-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 27-Feb-2026 13:49

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26049U011	BBP22-0101 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U012	BBP22-0106 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U012	BBP22-0106 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U012	BBP22-0106 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U013	BBP22-0114 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U013	BBP22-0114 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U013	BBP22-0114 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U014	BBP22-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U014	BBP22-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U014	BBP22-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U015	BBP23-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 27-Feb-2026 13:49

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26049U015	BBP23-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U015	BBP23-0004 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U016	BBP23-0007 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U016	BBP23-0007 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U016	BBP23-0007 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U017	BBP23-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U017	BBP23-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U017	BBP23-0016 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U018	BBP23-0022 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U018	BBP23-0022 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U018	BBP23-0022 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U019	BBP23-0037 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L	

Report Date : 27-Feb-2026 13:49

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26049U019	BBP23-0037 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U019	BBP23-0037 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U020	BBP23-0051 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U020	BBP23-0051 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U020	BBP23-0051 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U021	BBP23-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U021	BBP23-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U021	BBP23-0071 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U022	BBP23-0072 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U022	BBP23-0072 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U022	BBP23-0072 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 27-Feb-2026 13:49

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26049U023	BBP23-0109 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U023	BBP23-0109 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U023	BBP23-0109 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U024	BBP23-0130 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U024	BBP23-0130 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U024	BBP23-0130 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U025	BBP23-0147 (SAMPLE = BBP18-0147) (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U025	BBP23-0147 (SAMPLE = BBP18-0147) (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U025	BBP23-0147 (SAMPLE = BBP18-0147) (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U026	BBP23-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U026	BBP23-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U026	BBP23-0175 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 27-Feb-2026 13:49

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26049U027	BBP23-0176 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U027	BBP23-0176 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U027	BBP23-0176 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U028	BBP23-0177 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U028	BBP23-0177 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U028	BBP23-0177 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U029	BBP23-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U029	BBP23-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U029	BBP23-0179 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U030	BBP23-0190 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U030	BBP23-0190 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	

Report Date : 27-Feb-2026 13:49

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
26049U030	BBP23-0190 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U031	BBP23-0194 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U031	BBP23-0194 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U031	BBP23-0194 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U032	BBP23-0196 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94HET : Myostatin - F94L Heterozygote	
26049U032	BBP23-0196 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U032	BBP23-0196 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U033	BBP23-0215 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U033	BBP23-0215 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U033	BBP23-0215 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U034	BBP23-0219 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U034	BBP23-0219 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 27-Feb-2026 13:49

Page : 9

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26049U034	BBP23-0219 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U035	BBP23-0225 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U035	BBP23-0225 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U035	BBP23-0225 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U036	BBP23-0227 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U036	BBP23-0227 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U036	BBP23-0227 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U037	BBP23-0229 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U037	BBP23-0229 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U037	BBP23-0229 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U038	BBP23-0232 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 27-Feb-2026 13:49

Page : 10

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	UAM	SEX	TEST	Tissue Type	RESULT	INVOICE
26049U038	BBP23-0232 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U038	BBP23-0232 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U039	BBP23-0244 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94HET : Myostatin - F94L Heterozygote	
26049U039	BBP23-0244 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U039	BBP23-0244 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U040	BBP23-0250 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U040	BBP23-0250 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U040	BBP23-0250 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U041	BBP23-0286 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U041	BBP23-0286 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U041	BBP23-0286 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U042	CRV21-0270 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L	

Report Date : 27-Feb-2026 13:49

Page : 11

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Normal	
26049U042	CRV21-0270 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20HET : Myostatin - Q204X Heterozygote	
26049U042	CRV21-0270 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U043	CRV22-0110 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U043	CRV22-0110 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U043	CRV22-0110 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
26049U044	CRV22-0118 (M,1)	CATTLE	BONSMARA (1)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
26049U044	CRV22-0118 (M,1)	CATTLE	BONSMARA (1)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
26049U044	CRV22-0118 (M,1)	CATTLE	BONSMARA (1)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 27-Feb-2026 13:49

Page : 12

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates International scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER