



Batch Detail Report

Preliminary

Batch : 262045U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 175341

Created: 2026-08-07

Sample	Animal	Species	Breed	Tissue	Test Results			Invoice
					DMG1	DMG2	DMG3	
262045U001	RVT24-0024 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U002	RVT24-0008 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
262045U003	RVT24-0030 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U004	RVT24-0029 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
262045U005	RVT24-0001 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U006	RVT22-0001 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U007	RVT24-0016 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U008	CSA22-0289 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U009	CSA23-0140 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U010	GRB22-0150 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Heterozygous Carrier for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U011	RVT24-0042 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 02-Sep-2026 10:40

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Preliminary

Batch : 262045U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 175341

Sample	Animal	Species	Breed	Tissue	Test Results			Invoice
					DMG1	DMG2	DMG3	
262045U012	RVT24-0017 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U013	RVT24-0009 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U014	RVT24-0026 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U015	RVT24-0002 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U016	RVT24-0025 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U017	RVT24-0011 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U018	RVT24-0064 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U019	RVT24-0066 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U020	RVT24-0071 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U021	RVT24-0077 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Repeat testing in progress, results to follow.	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U022	RVT24-0097 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 02-Sep-2026 10:40

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Preliminary

Batch : 262045U
 Owner : Roan Van Tonder
 Farm : Klipfontein Plaas /Kransspruit
 Account : VTOR01
 Via : PRIVATE
 Invoice To : Owner
 Test Method : UMLSOPUCATbovine03
 Job No : 175341

Sample	Animal	Species	Breed	Tissue	Test Results			Invoice
					DMG1	DMG2	DMG3	
262045U023	RVT24-0102 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U024	RVT24-0103 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U025	RVT24-0107 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U026	RVT24-0111 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U027	RVT24-0114 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Heterozygous Carrier for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U028	RVT24-0124 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Heterozygous Carrier for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U029	RVT24-0128 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U030	RVT24-0132 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U031	RVT24-0138 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U032	RVT24-0139 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U033	RVT24-0152 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 02-Sep-2026 10:40

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA

Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA

Tel: +27 (21) 021 007 5616

Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce

Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Preliminary

Batch : 262045U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 175341

Sample	Animal	Species	Breed	Tissue	Test Results			Invoice
					DMG1	DMG2	DMG3	
262045U034	RVT24-0161 (U)	CATTLE	DROUGHT MASTER (91)	Hair	Repeat testing in progress, results to follow.	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U035	RVT24-0163 (U)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U036	RVT25-0014 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U037	HS19-0060 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821	
262045U038	RVT23-0015 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U039	RVT23-0010 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U040	RVT24-0056 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U041	RVT24-0053 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U042	RVT24-0051 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U043	RVT24-0133 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U044	RVT24-0119 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 02-Sep-2026 10:40

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
 Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Preliminary

Batch : 262045U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPUCATbovine03

Job No : 175341

Sample	Animal	Species	Breed	Tissue	Test Results			Invoice
					DMG1	DMG2	DMG3	
262045U045	RVT24-0106 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U046	RVT24-0104 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U047	RVT24-0101 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U048	RVT24-0098 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	
262045U049	RVT24-0075 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821	

Report Date: 02-Sep-2026 10:40

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)