

Subject: ZELSET Droughtmasters
From: Johan Coertze <johan@invitroafrica.com>
Date: 2026/09/07, 10:32
To: Michelle Fisher <michellef@studbook.co.za>

Michelle,

Glo dit gaan goed !

ZEL 24-059 se regte ouerskap is as volg:
Vaar = ZEL 21-112
Moer = ZEL 20-080
Op Logix diu dit anders aan.
Unistel Batch 20937U aangeheg.

Dan moet daar asb n aanpassing gemaak word op Logix van ZEL 25-093 - dit is n manlike dier. Unistel Batch 25903U aangeheg

image002.png

Dr. Johan Coertze

t: (056) 817 1146 / 087 897 6613

m: 082 412 0984

www.invitroafrica.com



Attachments:

Batch-20937U.pdf	40.2 KB
Batch-25903U.pdf	45.8 KB
image002.png	19.7 KB



Batch Detail Report

Created : 2024-12-09

Batch : 20937U
Owner : Theuns Coertze
Farm : RustZelset Droughtmaster
Account : COERJ1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20937U001	ZEL22-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL17-0082 (F,91)(Valid)	ZEL19-0038 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U002	ZEL23-0006 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL16-0041 (F,91)(Valid)	C11-0154 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U003	ZEL23-0074 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL21-0001 (F,91)(Valid)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
20937U004	ZEL24-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL21-0001 (F,91)(Valid)	PH15-0022 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U005	ZEL24-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL15-0579 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U006	ZEL24-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL21-0002 (F,91)(Valid)	ZEL21-0112 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U007	ZEL24-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL15-0562 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U008	ZEL24-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL20-0080 (F,91)(Valid)	ZEL21-0112 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U009	ZEL24-0060 (M,91)	CATTLE	DROUGHT	ZEL20-0047 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 30-Dec-2024 14:17

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
20937U010	ZEL24-0061 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL17-0163 (F,91)\(Valid)	ZEL21-0132 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U011	ZEL24-0062 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL19-0004 (F,91)\(Valid)	ZEL21-0112 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U012	ZEL24-0065 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL17-0147 (F,91)\(Valid)	ZEL21-0112 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U013	ZEL24-0069 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL21-0014 (F,91)\(Valid)	ZEL21-0132 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U014	ZEL24-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL22-0116 (F,91)\(Valid)	GRB14-0034 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20937U015	ZEL24-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL20-0038 (F,91)\(Valid)	ZEL21-0112 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 30-Dec-2024 14:17

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2026-01-30

Batch : 25903U
Owner :Johan Coertze
Farm :
Account : COERJ1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25903U001	ZEL25-0067 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL15-0586 (F,91)\(Valid)	ZEL21-0112 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U002	ZEL25-0068 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER04 : No sample in envelope/bag	
25903U003	ZEL25-0069 (F,91)	CATTLE	DROUGHT MASTER (91)		VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	SV : Sire Valid	
25903U004	ZEL25-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0084 (F,91)\(Valid)	VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U005	ZEL25-0071 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0019 (F,91)\(Valid)	VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U006	ZEL25-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0055 (F,91)\(Valid)	VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U007	ZEL25-0074 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0045 (F,91)\(Valid)	VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U008	ZEL25-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0100 (F,91)\(Valid)	VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U009	ZEL25-0076 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0074 (F,91)\(Valid)	VOVA21-0099 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Feb-2026 16:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25903U010	ZEL25-0077 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0042 (F,91)(Valid)	VOVA21-0099 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U011	ZEL25-0078 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0044 (F,91)(Valid)	VOVA21-0099 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U012	ZEL25-0079 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL22-0009 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U013	ZEL25-0080 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0098 (F,91)(Valid)	ZEL23-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U014	ZEL25-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0087 (F,91)(Valid)	ZEL23-0012 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U015	ZEL25-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL20-0038 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U016	ZEL25-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL23-0083 (F,91)(Valid)	ZEL23-0039 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U017	ZEL25-0092 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL16-0045 (F,91)(Valid)	ZEL21-0112 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U018	ZEL25-0093 (M,91)	CATTLE	DROUGHT MASTER (91)	ZEL21-0004 (F,91)(Valid)	ZEL21-0112 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U019	ZEL25-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	ZEL21-0014 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
25903U020	ZEL25-0096 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0077 (F,91)(Valid)	ZEL21-0132 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 24-Feb-2026 16:01

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.