

Batch Detail Report

Batch : 20620U
Owner :B/S Hurwitz
Farm :Uitzigt-Davel
Account : HURW01
Origin : PRIVATE
Invoice To : Owner

Created : 2024-11-15

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20620U001	H20-0040 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20620U001	H20-0040 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20620U001	H20-0040 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
20620U002	H21-0069 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20620U002	H21-0069 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20620U002	H21-0069 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
20620U003	H21-0010 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20620U003	H21-0010 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20620U003	H21-0010 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821	

Report Date : 05-Dec-2024 13:46

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Heterozygote	
20620U004	VOVA21-0242 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
20620U004	VOVA21-0242 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
20620U004	VOVA21-0242 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER