

Batch Detail Report

Batch : 20382U

Owner : Roan Van Tonder

Farm : Kilipfontein Plaas /Kransspruit

Account : VTOR01

Via :

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 162543

Created: 2024-10-27

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
20382U017	RVT23-0011 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid	
20382U041	RVT24-0002 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U042	RVT24-0005 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid	
20382U047	RVT23-0041 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	CSA15-0029 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U055	RVT23-0022 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid	
20382U065	RVT24-0057 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U071	RVT24-0079 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U076	RVT24-0051 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (U,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U077	RVT24-0071 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U085	RVT24-0068 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	
20382U090	RVT24-0081 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 11-Sep-2026 11:03

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tigger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindray-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No.: 1998/021075/07)



Animal Genetic Testing

Batch Detail Report

Batch : 20382U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01
Via :
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 162543

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results		Invoice
							PAF		
20382U091	RVT24-0072 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		
20382U099	RVT24-0054 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		

Report Date: 11-Sep-2026 11:03

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors : HC Viljoen (Chairman), L Theart (CEO), B Grindley-Whiteldon, M Senekal, HU Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No.: 1998/021075/07)



Batch Detail Report

Batch : 21686U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kranspruit
Account : VTOFOR01
Via :
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 162545

Created: 2025-02-16

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
21686U011	RVT24-0142 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 11-Sep-2026 11:10

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)



Batch Detail Report

Batch : 22901U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01

Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 162547

Via :

Created: 2025-05-22

Sample	Animal	Specimen	Breed	Tissue	Dam	Sire	Test Result Part	Invoice
22901U003	RVT25-0012 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	CSA18-0194 (M,91) (Valid)	Dam Valid, Sire Valid	
22901U007	RVT25-0016 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	CSA18-0194 (M,91) (Valid)	Dam Valid, Sire Valid	
22901U016	RVT24-0098 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C12-0338 (C12-338) (M,91) (Valid)	Dam Valid, Sire Valid	
22901U022	RVT24-0106 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	AGO19-0122 (M,91) (Valid)	Dam Valid, Sire Valid	
22901U026	RVT24-0111 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	AGO19-0122 (M,91) (Valid)	Dam Valid, Sire Valid	
22901U029	RVT24-0115 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	
22901U041	RVT24-0130 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0009 (M,91) (Valid)	Dam Valid, Sire Valid	
22901U050	RVT24-0076 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 11-Sep-2026 11:13

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Girdlay-Wheldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No:- 1998/021075/07)

Batch Detail Report

Batch : 23783U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via :

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 162549

Created: 2025-07-24

Sample	Animal	Species	Used	Tissue	Dam	Sire	Test Results		Invoice
							PAR		
23783U004	RVT24-0152 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid		
23783U010	RVT24-0096 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid		
23783U012	RVT24-0095 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C12-0338 (C12-338) (M,91) (Valid)	Dam Valid, Sire Valid		
23783U014	RVT24-0100 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hammes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L. Theart (CEO), B Grindley-Wheldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No:- 1998/021075/07)

Report Date: 11-Sep-2026 11:16

Disclaimer

Batch Detail Report

Batch : 23853U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01
Via :
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 172386

Created: 2025-07-29

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
23853U005	RVT24-0142 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 11-Sep-2026 11:18

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suile 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Thiaart (CEO), B Grindley-Whieldon, M Senekel, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)

Batch Detail Report

Batch : 262643U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 176073

Created: 2026-09-09

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Remarks
262643U001	RVT24-0032 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA17-0080 (F,91) (Valid)	CSA21-0163 (M,91) (Valid)	Dam Valid, Sire Valid	
262643U002	RVT23-0033 (F)	CATTLE	DROUGHT MASTER (91)	Hair	WSM21-0078 (U,91) (Valid)	CSA20-0037 (M,91) (Valid)	Dam Valid, Sire Valid	
262643U003	RVT26-0050 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TOP19-0196 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	
262643U004	CSA18-0159 (U)	CATTLE	DROUGHT MASTER (91)	Hair			DNA Profile	

Report Date: 11-Sep-2026 10:49

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grunday-Wheldon, M Senekele, HU Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg No: 1998/021075/07)



Batch Detail Report

Batch : 261192U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174486

Created: 2026-06-12

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
261192U002	RV723-0022 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid	57984

Report Date: 11-Sep-2026 11:22

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tyngvalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindley-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 262643U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 176073

Created: 2026-09-09

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
262643U001	RVT24-0032 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA17-0080 (F,91) (Valid)	CSA21-0163 (M,91) (Valid)	Dam Valid, Sire Valid	
262643U002	RVT23-0033 (F)	CATTLE	DROUGHT MASTER (91)	Hair	WSM21-0078 (U,91) (Valid)	CSA20-0037 (M,91) (Valid)	Dam Valid, Sire Valid	
262643U003	RVT26-0050 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TOP19-0196 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	
262643U004	CSA18-0159 (U)	CATTLE	DROUGHT MASTER (91)	Hair			DNA Profile	

Report Date: 11-Sep-2026 10:49

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tyngervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Thcart (CEO), B Gindlay-Wheldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)

Batch Detail Report

Batch : 261012U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 174304

Created: 2026-06-04

Sample	Animal	Specimen	Breed	Tissue	Dam	Sire	Test Results	Invoice
261012U019	RVT26-0032 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	CSA21-0003 (M,91) (Valid)	Dam Valid, Sire Valid	57984
261012U038	RVT26-0023 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	57984
261012U043	RVT26-0026 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	VOVA20-0039 (M,91) (Valid)	Dam Valid, Sire Valid	57984

Report Date: 11-Sep-2026 11:25

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannas Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygerenvally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekel, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)



Batch Detail Report

Batch : 261192U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 174486

Created: 2026-06-12

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results		Invoice
261192U002	RVT23-0022 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C08-0469 (C08-469) (M,91) (Valid)	Dam Valid, Sire Valid		57984

Report Date: 11-Sep-2026 11:22

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Wheldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)

Batch Detail Report

Batch : 20917U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via :

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 162544

Created : 2024-12-04

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results		Invoice
20917U006	RVT24-0059 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		
20917U015	RVT24-0055 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 3616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Wheldon, M Senekel, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)

Report Date: 11-Sep-2026 11:08

Disclaimer



Batch Detail Report

Batch : 25589U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01
Via :
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 172387

Created: 2025-12-17

Sample	Animal	Species	Breed	Tissue	Dim	Size	Test Results	Invoice
25589U041	RVT24-0076 (F)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 11-Sep-2026 11:20

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Wheldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 262410U

Owner : Roan Van Tonder

Farm : Klipfontein Plaas /Kransspruit

Account : VTOR01

Via : PRIVATE

Invoice To : Owner

Test Method : UMLSOPCATL02 Cattle Genotyping

Job No : 175801

Created: 2026-08-28

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results		Invoice
							PAF		
262410U011	RVT24-0002 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		56352
262410U013	RVT24-0003 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA18-0159 (F,91) (Valid)	C13-0565 (M,91) (Valid)	Dam Valid, Sire Valid		56352

Report Date: 11-Sep-2026 11:27

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindley-Wheldon, M Senekel, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Batch : 262590U
Owner : Roan Van Tonder
Farm : Klipfontein Plaas /Kransspruit
Account : VTOR01
Via : PRIVATE
Invoice To : Owner
Test Method : UMLSOPUCATbovine03
Job No : 176013

Created: 2026-09-04

Sample	Animal	Species	Breed	Tissue	Test Results		Invoice
					DMG1	DMG2	DMG3
262590U001	RV724-0020 (F)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821

Report Date: 11-Sep-2026 11:39

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5618
Directors: HC Viljoen (Chairman), L Thean (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)