



BIRTH NOTIFICATION

Date: select

Breed

Abweichungen

Prefix	Shore
--------	-------

any means of ensuring high standards of conduct, the Government must ensure we conform with the requirements of the Constitution and the Act relating to the High Court.

Johnson.

Batch Detail Report

Batch : 262271U
Owner : TG Engelbrecht / Chris Goosen
Farm : Tirisano Droughtmasters
Account : GOOC01/ENG101
Via : DROUGHTMASTER
Invoice To : Owner
Test Method : UMLSOPUCATbovine03
Job No : 175581



Animal Genetic Testing

Created: 2026-08-18

Sample	Animal	Species	Breed	Tissue	Test Results		Invoice
					DMG1	DMG2	
262271U001	TE24-0834 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U002	TE24-0836 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Heterozygous Carrier for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U003	TE24-0844 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U004	TE24-0849 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U005	TE24-0851 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U006	TE24-0853 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U007	TE24-0860 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U008	TE24-0864 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U009	TE24-0832 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U010	TE24-0840 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U011	TE24-0752 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U012	TE24-0771 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821

Report Date: 11-Sep-2026 11:53

Disclaimer

Unistiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistiel Medical Laboratories does not accept any responsibility for percentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Harmer Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag 322, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5618
Director: HC Viljoen (Chairman), L Theraut (CEO), B Girdaway-Mhshoon, M Senekel, HJ Pearce
Unistiel Medical Laboratories (Pty) Ltd (Registo: 1989002107507)



Batch Detail Report

Batch : 262271U
Owner : TG Engelbrecht / Chris Goosen
Farm : Tirsano Droughtmasters
Account : GOOC01/ENG01
Via : DROUGHTMASTER
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 175581

Created: 2026-08-18

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
262271U001	TE24-0834 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE19-0008 (F,91) (Valid)	WBT17-0068 (U,91) (Valid)	Dam Valid, Sire Valid	
262271U002	TE24-0836 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE17-0018 (F,91) (Valid)	WBT17-0068 (U,91) (Valid)	Dam Valid, Sire Valid	
262271U003	TE24-0844 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE18-0020 (U,91) (Valid)	WBT17-0068 (U,91) (Valid)	Dam Valid, Sire Valid	
262271U004	TE24-0849 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE22-0149 (F,91) (Valid)	GRB21-0184 (M,91) (Valid)	Dam Valid, Sire Valid	
262271U005	TE24-0851 (M)	CATTLE	DROUGHT MASTER (91)	Hair			Multiple Sires Excluded	
262271U006	TE24-0853 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE22-0183 (F,91) (Valid)		Dam Valid, Multiple Sires Excluded	
262271U007	TE24-0860 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA22-0007 (F,91) (Valid)	GRB21-0184 (M,91) (Valid)	Dam Valid, Sire Valid	
262271U008	TE24-0864 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE22-0204 (F,91) (Valid)	GRB21-0184 (M,91) (Valid)	Dam Valid, Sire Valid	
262271U009	TE24-0632 (M)	CATTLE	DROUGHT MASTER (91)	Hair	GRB18-0183 (F,91) (Valid)	VOVA17-0177 (VICTOR VOVA17-0177) (M,91) (Valid)	Dam Valid, Sire Valid	
262271U010	TE24-0640 (M)	CATTLE	DROUGHT MASTER (91)	Hair		VOVA17-0177 (VICTOR VOVA17-0177) (M,91) (Valid)	Dam Valid, Sire Valid	
262271U011	TE24-0752 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CSA20-0005 (F,91) (Valid)	CTM18-0004 (M,91) (Valid)	Dam Valid, Sire Valid	
262271U012	TE24-0771 (M)	CATTLE	DROUGHT MASTER (91)	Hair	WBT18-0031 (F,91) (Valid)	WBT17-0068 (U,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 11-Sep-2026 11:02

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervalley, 7536, RSA
Tel: +27 (21) 021 007 5916
Directors: HC Vilser (Chairman), L Theun (CEO), B Grindley-Wynholden, M Semshak, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 19580210507)



Animal Genetic Testing

Batch Detail Report

Batch : 262271U
Owner : TG Engelbrecht / Chris Goosen
Farm : Trisano Droughtmasters
Account : GOOC01/ENG01
Via : DROUGHTMASTER
Invoice To : Owner
Test Method : UMLSOPUCATbovine03
Job No : 175581

Sample	Animal	Species	Breed	Tissue	Test Results		
					CMG1	CMG2	CMG3
262271U037	TE24-0710 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Heterozygous Carrier for NT821
262271U038	TE24-0712 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U039	TE24-0766 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U040	TE24-0769 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U041	TE23-0517 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821
262271U042	TE23-0584 (M)	CATTLE	DROUGHT MASTER (91)	Hair	Homozygous Normal for F94L	Homozygous Normal for Q204X	Homozygous Normal for NT821

Report Date: 11-Sep-2026 11:53

Disclaimer

Unistel report these results on the promise that the biological samples received are from the individuals nominated by the owner/breeder/ requester. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tiger Park, Hanneke Loop Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Pooterside Road, Pooterside, 7536, RSA
Tel: +27 (21) 021 007 5818
Directors: HG Viljoen (Chairman), L Theron (CEO), B Grandley-Wyneldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)



Animal Genetic Testing

Batch Detail Report

Batch : 262271U
Owner : TG Engelbrecht / Chris Goosen
Farm : Tirisano Droughtmasters
Account : GOOC01/ENGTO1
Via : DROUGHTMASTER
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 175581

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
262271U037	TE24-0710 (M)	CATTLE	DROUGHT MASTER (91)	Hair		VOVA17-0177 (VICTOR VOVA17-0177) (M,91) (Valid)	Sire Valid	
262271U038	TE24-0712 (M)	CATTLE	DROUGHT MASTER (91)	Hair	VOVA19-0006 (F,91) (Valid)	WBT17-0068 (U,91) (Valid)	Dam Valid, Sire Valid	
262271U039	TE24-0766 (M)	CATTLE	DROUGHT MASTER (91)	Hair		GRB17-0073 (M,91) (Valid)	Sire Valid	
262271U040	TE24-0769 (M)	CATTLE	DROUGHT MASTER (91)	Hair	TE21-0033 (F,91) (Valid)	GRB17-0073 (M,91) (Valid)	Dam Valid, Sire Valid	
262271U041	TE23-0517 (M)	CATTLE	DROUGHT MASTER (91)	Hair	CTM20-0026 (F,91) (Valid)	VOVA17-0177 (VICTOR VOVA17-0177) (M,91) (Valid)	Dam Valid, Sire Valid	
262271U042	TE23-0584 (M)	CATTLE	DROUGHT MASTER (91)	Hair		WSM21-0012 (U,91) (Valid)	Sire Valid	

Report Date: 11-Sep-2026 11:02

Disclaimer

Unisel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in percentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisel Medical Laboratories does not accept any responsibility for percentage mismatches due to inconceivable mother scoring or reporting strategies between laboratories. Unisel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate implies all previously issued certificates.

Address: Office Block 1, De Tiper Park, Hannas Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Poinet Suite 13, Private Bag X22, Tygervalley 7536, RSA
Tel: +27 (71) 021 007 5618
Directors: HC Viljoen (Chairman), L Theart (CEO), B Gindray-Whiteldon, M Senecal, HJ Pearce
Unisel Medical Laboratories (Pty) Ltd (Reg.No.: 1998/021075/07)