



Batch Detail Report

Preliminary

Batch : 262624U
Owner : JTP Van Zyl
Farm : Prairie / Faurzyl
Account : THEO01
Via : DROUGHTMASTER
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 176055

Created: 2026-09-07

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
PAR								
262624U001	TZ25-0001 (M)	CATTLE	DROUGHT MASTER (91)	Hair		HS19-0047 (M,91) (Valid)	Sire Valid	
262624U002	TZ25-0002 (M)	CATTLE	DROUGHT MASTER (91)	Hair		HS19-0047 (M,91) (Valid)	Sire Valid	
262624U003	TZ25-0003 (M)	CATTLE	DROUGHT MASTER (91)	Hair		HS19-0047 (M,91) (Valid)	Sire Valid	
262624U004	TZ25-0015 (M)	CATTLE	DROUGHT MASTER (91)	Hair			Repeat testing in progress, results to follow.	
262624U005	TZ25-0057 (F)	CATTLE	DROUGHT MASTER (91)	Hair		HS19-0153 (M,91) (Valid)	Sire Valid	
262624U006	TZ25-0058 (F)	CATTLE	DROUGHT MASTER (91)	Hair		HS19-0047 (M,91) (Valid)	Sire Valid	
262624U007	TZ25-0028 (F)	CATTLE	DROUGHT MASTER (91)	Hair	TOP19-0154 (F,91) (Valid)	TOP17-0235 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U008	TZ25-0029 (F)	CATTLE	DROUGHT MASTER (91)	Hair	HS21-0669 (F,91) (Valid)	AGO18-0019 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U009	TZ25-0030 (F)	CATTLE	DROUGHT MASTER (91)	Hair	TOP18-0165 (F,91) (Valid)	TOP19-0155 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U010	TZ25-0031 (F)	CATTLE	DROUGHT MASTER (91)	Hair	HS21-0669 (F,91) (Valid)	AGO18-0019 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U011	TZ25-0033 (F)	CATTLE	DROUGHT MASTER (91)	Hair	HS21-0669 (F,91) (Valid)	AGO18-0019 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U012	TZ25-0034 (F)	CATTLE	DROUGHT MASTER (91)	Hair	TOP19-0154 (F,91) (Valid)	TOP17-0235 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 01-Oct-2026 10:35

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)



Batch Detail Report

Preliminary

Batch : 262624U
Owner : JTP Van Zyl
Farm : Prairie / Faurzyl
Account : THEO01
Via : DROUGHTMASTER
Invoice To : Owner
Test Method : UMLSOPCATL02 Cattle Genotyping
Job No : 176055

Sample	Animal	Species	Breed	Tissue	Dam	Sire	Test Results	Invoice
PAR								
262624U013	TZ25-0035 (F)	CATTLE	DROUGHT MASTER (91)	Hair	HS21-0669 (F,91) (Valid)	AGO18-0019 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U014	TZ25-0036 (F)	CATTLE	DROUGHT MASTER (91)	Hair			Repeat testing in progress, results to follow.	
262624U015	TZ25-0043 (F)	CATTLE	DROUGHT MASTER (91)	Hair	TOP19-0154 (F,91) (Valid)	TOP17-0235 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U016	TZ25-0044 (F)	CATTLE	DROUGHT MASTER (91)	Hair	TOP18-0165 (F,91) (Valid)	TOP19-0155 (M,91) (Valid)	Dam Valid, Sire Valid	
262624U017	TZ25-0045 (F)	CATTLE	DROUGHT MASTER (91)	Hair			Repeat testing in progress, results to follow.	
262624U018	TZ25-0046 (F)	CATTLE	DROUGHT MASTER (91)	Hair	HS21-0669 (F,91) (Valid)	AGO18-0019 (M,91) (Valid)	Dam Valid, Sire Valid	

Report Date: 01-Oct-2026 10:35

Disclaimer

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Some DNA profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring or reporting strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our DNA profiles. This certificate replaces all previously issued certificates.

Address: Office Block 1, De Tijger Park, Hannes Louw Drive, Parow North, Cape Town, 7500, RSA
Postal Address: Postnet Suite 13, Private Bag X22, Tygervally, 7536, RSA
Tel: +27 (21) 021 007 5616
Directors: HC Viljoen (Chairman), L Theart (CEO), B Grindlay-Whieldon, M Senekal, HJ Pearce
Unistel Medical Laboratories (Pty) Ltd (Reg.No:- 1998/021075/07)