

Batch Detail Report

Batch : 25427U
Owner : Werner Boshoff / R13
Farm : Boshoff Afrik / Plaas Fancy
Account : BOSW02
Origin : PRIVATE
Invoice To : Owner

Created : 2025-12-05

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25427U001	R13 25-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA20-0112 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U002	R13 25-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0633 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U003	R13 25-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM22-0035 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U004	R13 25-0043 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM22-0023 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U005	R13 25-0044 (M,91)	CATTLE	DROUGHT MASTER (91)		TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	SV : Sire Valid	55968Y
25427U006	R13 25-0045 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0059 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U007	R13 25-0046 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0059 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U008	R13 25-0050 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0059 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U009	R13 25-0053 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0059 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y

Report Date : 30-Dec-2025 11:57

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25427U010	R13 25-0055 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0059 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U011	R13 25-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	OW18-0497 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U012	R13 25-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0095 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U013	R13 25-0058 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0412 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U014	R13 25-0059 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	55968Y
25427U015	R13 25-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	HS20-0674 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U016	R13 25-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	HS23-0586 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U017	R13 25-0072 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA20-0146 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U018	R13 25-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA23-0409 (F,91)(Valid)	HS21-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U019	R13 25-0074 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0545 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U020	R13 25-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA23-0446 (F,91)(Valid)	HS21-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U021	R13 25-0085 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA23-0461 (F,91)(Valid)	HS21-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
25427U022	R13 25-0088 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB21-0224 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U023	R13 25-0090 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0485 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U024	R13 25-0101 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA23-0444 (F,91)(Valid)	HS21-0040 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U025	R13 25-0102 (F,91)	CATTLE	DROUGHT MASTER (91)	RB23-0002 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U026	R13 25-0105 (F,91)	CATTLE	DROUGHT MASTER (91)	HS21-0623 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U027	R13 25-0107 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0636 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U028	R13 25-0108 (M,91)	CATTLE	DROUGHT MASTER (91)	HS21-0602 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U029	R13 25-0109 (F,91)	CATTLE	DROUGHT MASTER (91)	HS21-0606 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U030	R13 25-0110 (M,91)	CATTLE	DROUGHT MASTER (91)	HS21-0528 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U031	R13 25-0111 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0048 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U032	R13 25-0113 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM21-0012 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	55968Y
25427U033	R13 25-0114 (M,91)	CATTLE	DROUGHT MASTER (91)	HS21-0642 (F,91)(Valid)	TOP22-0104 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	55968Y

Report Date : 30-Dec-2025 11:57

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
								Valid	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER