



Batch Detail Report

Batch : 6426U
Owner :Arthur de Villiers
Farm :Arthur De Villiers and Son
Account : ADV01
Origin : BONSMARA SA
Invoice To : Owner

Created : 2021-10-13

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6426U001	AG21-0246 (M,1)	CATTLE	BONSMARA (1)	AG19-0713 (F,1)(Valid)	AG18-0141 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U002	AG21-0268 (M,1)	CATTLE	BONSMARA (1)	AG16-0724 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U003	AG21-0269 (F,1)	CATTLE	BONSMARA (1)	AG13-0346 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U004	AG21-0270 (M,1)	CATTLE	BONSMARA (1)	AG15-0763 (F,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U005	AG21-0274 (F,1)	CATTLE	BONSMARA (1)	AG15-0200 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U006	AG21-0275 (M,1)	CATTLE	BONSMARA (1)	AG16-0006 (N/S,1)(Valid)	AG16-0862 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U007	AG21-0276 (F,1)	CATTLE	BONSMARA (1)	AG15-0096 (F,1)(Valid)	AG16-0409 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U008	AG21-0277 (F,1)	CATTLE	BONSMARA (1)	AG13-0335 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U009	AG21-0278 (F,1)	CATTLE	BONSMARA (1)	AG19-0232 (F,1)(Valid)	AG18-0141 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U010	AG21-0280 (M,1)	CATTLE	BONSMARA (1)	AG16-0092 (F,1)(Valid)	LAR16-0053 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 27-Oct-2021 12:04

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6426U011	AG21-0281 (M,1)	CATTLE	BONSMARA (1)	AG15-0064 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U012	AG21-0283 (F,1)	CATTLE	BONSMARA (1)	AG18-0120 (F,1)\(Valid)	CRV17-0301 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U013	AG21-0285 (F,1)	CATTLE	BONSMARA (1)	AG15-0746 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U014	AG21-0286 (M,1)	CATTLE	BONSMARA (1)	AG14-0359 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U015	AG21-0287 (M,1)	CATTLE	BONSMARA (1)	AG15-0002 (F,1)\(Valid)	AG15-0422 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U016	AG21-0288 (F,1)	CATTLE	BONSMARA (1)	AG15-0450 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U017	AG21-0289 (F,1)	CATTLE	BONSMARA (1)	AG19-0176 (F,1)\(Valid)	AG18-0141 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U018	AG21-0290 (M,1)	CATTLE	BONSMARA (1)	AG19-0145 (F,1)\(Valid)	AG17-0106 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U019	AG21-0291 (M,1)	CATTLE	BONSMARA (1)	AG16-0560 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U020	AG21-0292 (F,1)	CATTLE	BONSMARA (1)	AG16-0002 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U021	AG21-0293 (F,1)	CATTLE	BONSMARA (1)	AG15-0284 (F,1)\(Valid)	AG16-0239 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U022	AG21-0295 (M,1)	CATTLE	BONSMARA (1)	AG15-0335 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
Report Date : 27-Oct-2021 12:04								Page 2
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract						CHARNÉ ROSSOUW DIVISION MANAGER		

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6426U023	AG21-0296 (F,1)	CATTLE	BONSMARA (1)	AG15-0517 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U024	AG21-0297 (M,1)	CATTLE	BONSMARA (1)	AG15-0296 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U025	AG21-0298 (M,1)	CATTLE	BONSMARA (1)	AG19-0869 (F,1)\(Valid)	AG17-0106 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U026	AG21-0299 (M,1)	CATTLE	BONSMARA (1)	AG19-0800 (F,1)\(Valid)	AG18-0284 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U027	AG21-0300 (F,1)	CATTLE	BONSMARA (1)	AG19-0271 (F,1)\(Valid)	AG14-0403 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U028	AG21-0301 (M,1)	CATTLE	BONSMARA (1)	AG19-0353 (F,1)\(Valid)	AG17-0106 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U029	AG21-0302 (F,1)	CATTLE	BONSMARA (1)	AG16-0896 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U030	AG21-0303 (F,1)	CATTLE	BONSMARA (1)	AG16-0406 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U031	AG21-0304 (M,1)	CATTLE	BONSMARA (1)	AG17-0491 (F,1)\(Valid)	AG17-0012 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U032	AG21-0305 (F,1)	CATTLE	BONSMARA (1)	AG15-0751 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U033	AG21-0309 (F,1)	CATTLE	BONSMARA (1)	AG18-0254 (F,1)\(Valid)	AG15-0009 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U034	AG21-0310 (F,1)	CATTLE	BONSMARA (1)	AG19-0448 (F,1)\(Valid)	AG18-0381 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U035	AG21-0311 (M,1)	CATTLE	BONSMARA	AG19-0915 (F,1)\(Valid)	AG18-0492 (M,1)\(Valid)	PAR_C	DVSV :	
Report Date : 27-Oct-2021 12:04								Page 3
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract								CHARNÉ ROSSOUW DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
6426U036	AG21-0312 (M,1)	CATTLE	BONSMARA (1)	AG15-0419 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U037	AG21-0313 (M,1)	CATTLE	BONSMARA (1)	AG16-0093 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U038	AG21-0314 (F,1)	CATTLE	BONSMARA (1)	AG15-0902 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U039	AG21-0315 (F,1)	CATTLE	BONSMARA (1)	AG18-0344 (F,1)\(Valid)	CRV17-0301 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U040	AG21-0316 (M,1)	CATTLE	BONSMARA (1)	AG15-0831 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U041	AG21-0317 (M,1)	CATTLE	BONSMARA (1)	AG12-0453 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U042	AG21-0320 (M,1)	CATTLE	BONSMARA (1)	AG16-0701 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U043	AG21-0321 (M,1)	CATTLE	BONSMARA (1)	AG13-0216 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U044	AG21-0322 (M,1)	CATTLE	BONSMARA (1)	AG15-0875 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U045	AG21-0323 (F,1)	CATTLE	BONSMARA (1)	AG15-0951 (F,1)\(Valid)	AG19-0016 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U046	AG21-0324 (M,1)	CATTLE	BONSMARA (1)	AG16-0299 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U047	AG21-0326 (M,1)	CATTLE	BONSMARA (1)	AG15-0232 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
Report Date : 27-Oct-2021 12:04								Page 4
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract								CHARNÉ ROSSOUW DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6426U048	AG21-0327 (M,1)	CATTLE	BONSMARA (1)	AG12-0426 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U049	AG21-0328 (F,1)	CATTLE	BONSMARA (1)	AG19-0210 (F,1)\(Valid)	AG14-0403 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U050	AG21-0329 (M,1)	CATTLE	BONSMARA (1)	AG19-0804 (F,1)\(Valid)	AG17-0106 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U051	AG21-0330 (M,1)	CATTLE	BONSMARA (1)	AG15-0451 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U052	AG21-0331 (F,1)	CATTLE	BONSMARA (1)	AG12-0134 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U053	AG21-0332 (M,1)	CATTLE	BONSMARA (1)	AG16-0790 (F,1)\(Valid)	AG17-0019 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U054	AG21-0333 (M,1)	CATTLE	BONSMARA (1)	AG14-0003 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U055	AG21-0334 (F,1)	CATTLE	BONSMARA (1)	AG15-0484 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U056	AG21-0335 (M,1)	CATTLE	BONSMARA (1)	AG15-0178 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U057	AG21-0336 (M,1)	CATTLE	BONSMARA (1)	AG12-0510 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U058	AG21-0337 (M,1)	CATTLE	BONSMARA (1)	AG16-0434 (F,1)\(Valid)	AG16-0409 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U059	AG21-0338 (F,1)	CATTLE	BONSMARA (1)	AG19-0948 (F,1)\(Valid)	AG17-0106 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
Report Date : 27-Oct-2021 12:04								Page 5
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract						CHARNÉ ROSSOUW DIVISION MANAGER		

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
6426U060	AG21-0339 (M,1)	CATTLE	BONSMARA (1)	AG17-0247 (F,1)\(Valid)	AG19-0005 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U061	AG21-0340 (F,1)	CATTLE	BONSMARA (1)	AG18-0359 (F,1)\(Valid)	AG16-0858 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U062	AG21-0341 (M,1)	CATTLE	BONSMARA (1)	RHJ16-0024 (F,1)\(Valid)	AG18-0265 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U063	AG21-0342 (M,1)	CATTLE	BONSMARA (1)	AG12-0461 (F,1)\(Valid)	LAR16-0053 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U064	AG21-0343 (F,1)	CATTLE	BONSMARA (1)	AG15-0717 (F,1)\(Valid)	AG17-0366 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U065	AG21-0344 (M,1)	CATTLE	BONSMARA (1)	AG15-0102 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U066	AG21-0346 (M,1)	CATTLE	BONSMARA (1)	AG16-0045 (F,1)\(Valid)	AG16-0862 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U067	AG21-0347 (F,1)	CATTLE	BONSMARA (1)	AG18-0541 (F,1)\(Valid)	AG15-0009 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
6426U068	AG21-0348 (M,1)	CATTLE	BONSMARA (1)	AG18-0055 (F,1)\(Valid)	CRV17-0301 (M,1)\(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER